



Nothing but **HEAVY DUTY.**<sup>™</sup>



2025



TO DEVELOP AND PRODUCE **NOTHING BUT HEAVY DUTY™ POWER TOOLS** IS ONLY ONE PART OF THE **MILWAUKEE® PROMISE.**

These tools need to last day in and day out. For this reason, serviceability is incorporated into every tool produced.

All power tools leave the factory with a complete documentation package including instructions for use, listing of customer service centres and safety instructions. MILWAUKEE® has a worldwide service network.

Should a problem arise requiring assistance or support at short notice, you can rely on our service centres/agents worldwide.

The global network ensures that our customers' needs and requirements are shared to influence future product development.

Expertise and competence gained over many years ensures a fast and efficient professional repair service.



MILWAUKEE® strive to meet and surpass all international and European standards and directives for both design and safety. Constant research and development programs aim to anticipate and fulfil future market trends in all regulatory and efficiency requirements. MILWAUKEE® is, amongst others, an active member of EPTA (European Power Tool Association) and so is proudly aligned to all industry measurement standards agreed by the organisation.

**EXPERIENCE THE HEAVY DUTY DIFFERENCE**

**TOOLS BUILT TO DO THE JOB BETTER.**

At MILWAUKEE® Heavy Duty is more than just a slogan. It is a promise to offer the best to professional users. Engineers at MILWAUKEE® don't just design tools.

They design tools to get the job done better, faster, reliably and safely.

[www.milwaukeetool.co.uk](http://www.milwaukeetool.co.uk)



**ALL YOU HAVE TO DO TO TAKE ADVANTAGE OF OUR EXTRA GUARANTEE OFFER IS TO REGISTER ONLINE. NOTHING BUT HEAVY DUTY™**

**NOTHING BUT HEAVY DUTY GUARANTEE:**



\*From 1st of February 2024 the extended guarantee for eligible MILWAUKEE® power tool(s), outdoor power equipment and REDLITHIUM™ batteries will only be granted if the product is new and purchased via an Authorised MILWAUKEE® Distributor. The same applies to the guarantee for MILWAUKEE® hand tool(s) as well. Rights already established before 1st of February 2024 shall remain unaffected.



For full terms and conditions for each of the above mentioned guarantees, please see the link below; <https://www.milwaukeetool.eu/service/>



MILWAUKEE® power tool(s), outdoor power equipment & batteries come with a standard 1 year guarantee. Guarantee extensions are available by visiting [www.milwaukeetool.eu](http://www.milwaukeetool.eu).

MILWAUKEE® power tool(s) and outdoor power equipment guarantee can be extended from 1 year to a maximum of 3 years (1 + 2). With the exception of MX FUEL™ tools for which the guarantee can be extended from 1 year to a maximum of 2 years (1 + 1).

All MILWAUKEE® REDLITHIUM™ batteries including MX FUEL™ batteries come with a standard 1 year guarantee which can be extended to a maximum of 2 years (1 + 1).

All guarantee extensions are subject to registering online within 30 days of the purchase date.

Every MILWAUKEE® is tested according to a comprehensive certified process before leaving the factory and is guaranteed to

be **NOTHING BUT HEAVY DUTY™** qualified. At MILWAUKEE® we take great pride in the products and services we offer to our professional customers.

The guarantee extension is only available in those countries listed on our warranty registration website. The extended guarantee offer excludes products used in the hire industry, battery chargers and accessories supplied.

**MILWAUKEE® hand tool lifetime guarantee**

Certain MILWAUKEE® hand tools come with a lifetime guarantee which means they can be replaced or repaired free of charge should they break during normal usage due to material or manufacturing fault.\*

**MILWAUKEE® Levels - 30 year accuracy guarantee**

The following MILWAUKEE® levels are sold with a 30 year accuracy guarantee: MILWAUKEE® BACKBONE™; Compact box levels; and the Block Torpedo level.\*

**MILWAUKEE® Levels - 10 year accuracy guarantee**

The following MILWAUKEE® levels are sold with a 10 year accuracy guarantee: MILWAUKEE® Slim box level; REDCAST™ level; Minibox level; Billet Torpedo; and I-Beam level.\*

\*For full terms and conditions for each of the above mentioned guarantees, please see the link below; <https://www.milwaukeetool.eu/service/>



# ZERO EMISSIONS IN USE.\* ZERO COMPROMISE.

ENSURING OUR USERS CAN WORK SAFELY,  
SUSTAINABLY, AND PRODUCTIVELY.

THE EU AIMS TO BE  
CLIMATE-NEUTRAL  
**BY 2050\*\***

**PETROL  
EQUIVALENT  
PERFORMANCE**

**LOW  
NOISE**

**NO PETROL  
OR EMISSIONS**

**LESS  
DOWNTIME**

**ENHANCED  
JOBSITE SAFETY**

**INCREASED  
PRODUCTIVITY**

\*Zero emissions when product in use

\*\* Information sourced from European commission press release,  
available: Making the EU climate-neutral by 2050 (europa.eu)



## MXF PC50 MX FUEL™ PLATE COMPACTOR



- First reversible Plate Compactor of the weight class
- High speed of 26 m/min without sacrificing compaction force
- 2 speed modes deliver ultimate user control and required pace for more efficiency
- Accessible push-button controls on handle
- Easy flip handle for direction changes
- Foldable handle for easy transportation and efficient storage on site

|                | MXF PC50-0                                                            | MXF PC50-122                                                           |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied |
| Article number | 4933493267                                                            | 4933493269                                                             |
| EAN code       | 4058546481384                                                         | 4058546481407                                                          |

## MXF RAM MX FUEL™ RAMMER



- No petrol headaches in trenches
- Petrol-like performance
- Handle integrated controls for increased user safety
- 2 speed modes deliver ultimate user control and required pace for more efficiency
- Accessible push-button controls on handle
- Fuel gauge displays remaining charge

|                | MXF RAM60-0                                                           | MXF RAM60-122                                                          |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied |
| Article number | 4933498158                                                            | 4933498160                                                             |
| EAN code       | 4058546513184                                                         | 4058546513207                                                          |

SEE PAGE 103 OR SCAN  
TO VIEW OUR SYSTEM  
ATTACHMENTS FOR PLATE  
COMPACTOR



## MXF CVHF MX FUEL™ HIGH FREQUENCY CONCRETE VIBRATOR



- The MX FUEL™ High Frequency Concrete Vibrator is the ideal solution when working on larger areas, delivering AC like performance without the hassle of laying cables or having the need for an AC socket on the job site
- Consolidates up to 55 m³ of concrete on 1x MXF XC608 battery

|                | MXF CVHF-0                                                            | MXF CVHF-802                                                           |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF XC608 Battery packs, MXF SC Charger, No kitbox or bag supplied |
| Article number | 4933498132                                                            | 4933498134                                                             |
| EAN code       | 4058546512927                                                         | 4058546512941                                                          |

## MXF CVBC MX FUEL™ BRIEFCASE CONCRETE VIBRATOR



- Compact and slim design for increased mobility suiting stationary as well as mobile applications
- Carrying strap and handle for increased flexibility on site and easy transport
- Equipped with a ring for easy attachment of the vibrator to the scaffolding or the formwork

|                    | MXF CVBC-0                                                            | MXF CVBC-602                                                          | MXF CVBCKIT-602                                                       |
|--------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|
| Standard equipment | Remote control                                                        | Remote control                                                        | Remote control, 4 m vibrator shaft, 38 mm vibrator head               |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied |
| Article number     | 4933479607                                                            | 4933479609                                                            | 4933479611                                                            |
| EAN code           | 4058546374013                                                         | 4058546374037                                                         | 4058546374051                                                         |

## MXF PSC MX FUEL™ SCREED



- The MX FUEL™ Screed is the ideal solution when working on larger areas, delivering petrol like performance without petrol headaches
- Power to pull blades up to 4.9 m
- The push-button start delivers instant power, eliminating the repetitive motions of a pull start and reducing downtime, allowing you to get jobs done faster without sacrificing the power and run time you expect

|                | MXF PSC-0                                                             | MXF PSC-302                                                           |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF CP203 Battery packs, MXF C Charger, No kitbox or bag supplied |
| Article number | 4933479771                                                            | 4933479773                                                            |
| EAN code       | 4058546375652                                                         | 4058546375676                                                         |

## MXF WBT90 MX FUEL™ 900 MM WALK BEHIND POWER TROWEL



- Provides a smooth, balanced finishing experience with 5 HP performance
- AUTOSTOP™ for improved user protection
- Up to 25 min run time per charge
- Variable blade speed up to 130 rpm
- Ergonomic throttle for best control
- Handlebar height adjustment for increased comfort
- Fine pitch dial for precise blade pitch adjustment

|                    | MXF WBT90-0                                                           | MXF WBT90-122                                                          |
|--------------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|
| Standard equipment | 1x set of combination blades (4pcs)                                   | 1x set of combination blades (4pcs)                                    |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied |
| Article number     | 4933498326                                                            | 4933493604                                                             |
| EAN code           | 4058546521950                                                         | 4058546484750                                                          |

## MXF CVBP MX FUEL™ BACKPACK CONCRETE VIBRATOR



- The MX FUEL™ Backpack Concrete Vibrator is the ideal solution when working on larger areas, delivering AC like performance without the hassle of laying cables or having the need for an AC socket on the jobsite
- It has the power to push up to Ø63 mm head at over 11,200 VPM for optimal consolidation, even in the stiffest concrete

|                    | MXF CVBP-0                                                            | MXF CVBP-602                                                          | MXF CVBPKIT-602                                                       |
|--------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|
| Standard equipment | Remote control                                                        | Remote control                                                        | Remote control, 2 m vibrator shaft, 38 mm vibrator head               |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied |
| Article number     | 4933479595                                                            | 4933479592                                                            | 4933479594                                                            |
| EAN code           | 4058546373894                                                         | 4058546373863                                                         | 4058546373887                                                         |

SEE PAGE 102 OR SCAN TO  
VIEW OUR ACCESSORIES  
FOR CONCRETE VIBRATORS



## MXF WBT60 MX FUEL™ 600 MM WALK BEHIND EDGING TROWEL



- Provides a smooth, balanced finishing experience with 5 HP performance
- AUTOSTOP™ for improved user protection
- Up to 35 min run time per charge
- Variable blade speed from 30 to 160 rpm
- Ergonomic throttle for best control
- Handlebar height adjustment for increased comfort
- Fine pitch dial for precise blade pitch adjustment

|                    | MXF WBT60-0                                                           | MXF WBT60-122                                                          |
|--------------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|
| Standard equipment | 1x set of combination blades (4pcs)                                   | 1x set of combination blades (4pcs)                                    |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied |
| Article number     | 4933498325                                                            | 4933493603                                                             |
| EAN code           | 4058546521943                                                         | 4058546484743                                                          |

## MXF SMP2 MX FUEL™ SUBMERSIBLE PUMP



- 3-mode operation for the perfect flow rate
- Eco-mode for extended run time
- Auto-sensing: On, Off, Automated flow rate
- Up to 18 m pump height
- 320 l/min flow rate for optimised productivity
- User notifications via remote control
- No more generators when using indoors or under ground

|                | MXF SMP2-0                                                            | MXF SMP2-802                                                           |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF XC608 Battery packs, MXF FC Charger, No kitbox or bag supplied |
| Article number | 4933498162                                                            | 4933498164                                                             |
| EAN code       | 4058546513221                                                         | 4058546513245                                                          |



MXF COS350G2  
MX FUEL™ 350 MM CUT-OFF SAW



- Battery powered, it can be used indoors due to zero fume emissions
- Anti-kickback system prevents users from being injured in case of a kickback
- RAPIDSTOP™ blade brake: blade stops within < 3 sec
- Petrol equivalent performance with a maximum no load speed of 5370 rpm and a full 125 mm depth of cut

|                     | MXF COS350G2-0                                                     | MXF COS350G2-802                                                   |
|---------------------|--------------------------------------------------------------------|--------------------------------------------------------------------|
| Standard equipment  | HUDD 350mm SPEEDCROSS™ diamond blade (4932471985) & contractor bag | HUDD 350mm SPEEDCROSS™ diamond blade (4932471985) & contractor bag |
| Kit included        | No batteries supplied, No charger supplied, Contractor Bag         | 2 x MXF XC608 Battery packs, MXF SC Charger, Contractor Bag        |
| Article number 240v | 4933480478                                                         | 4933480482                                                         |
| EAN code 240v       | 4058546407636                                                      | 4058546407674                                                      |



MXF COSCG2  
MX FUEL™ CUT-OFF SAW CART



- 350 mm cut-off saw cart to maintain straight cuts with full 125 mm depth of cut capacity
- Height-adjustable drive handle and easy to reach depth adjustment handle to facilitate one-handed operation
- Tool-free machine and water tank attachment compatible with the M18™ SWITCH TANK™ interchangeable sprayer and water supply system

|                | MXF COSCG2    |
|----------------|---------------|
| Article number | 4933493264    |
| EAN code       | 4058546481353 |

MXF DCD350  
MX FUEL™ 350 MM DIAMOND CORE DRILL



- Rig-mounted diamond coring up to 350 mm diameter. Core with confidence by delivering AC performance
- 4 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body
- Speed 1: 152 - 350 mm/ Speed 2: 76 - 152 mm/ Speed 3: 51 - 76 mm/ Speed 4: up to 51 mm

|                    | MXF DCD350 KIT-0                                                      | MXF DCD350 KIT-122                                                     |
|--------------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|
| Standard equipment | MXF DCD350 DR rig stand                                               | MXF DCD350 DR rig stand                                                |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied |
| Article number     | 4933493142                                                            | 4933493144                                                             |
| EAN code           | 4058546480134                                                         | 4058546480158                                                          |

MXF DCD150  
MX FUEL™ 150 MM DIAMOND CORE DRILL



- Core with confidence by delivering AC performance with a maximum core diameter capacity of 152 mm wet & dry
- 2 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body
- Speed 1: up to 75 mm diameter wet & dry coring at 1600 rpm
- Speed 2: 76 to 152 mm diameter wet & dry coring 800 rpm

|                    | MXF DCD150-0C                                      | MXF DCD150-302C                                    |
|--------------------|----------------------------------------------------|----------------------------------------------------|
| Standard equipment | Trigger lock-on, side handle                       | Trigger lock-on, side handle                       |
| Kit included       | No batteries supplied, No charger supplied, Kitbox | 2 x MXF CP203 Battery packs, MXF C Charger, Kitbox |
| Article Number     | 4933478986                                         | 4933464888                                         |
| EAN Code           | 4058546362683                                      | 4058546228330                                      |

MXF DR255TV  
PREMIUM DIAMOND DRILLING STAND FOR  
MX FUEL™ DIAMOND CORE DRILL MXF DCD150



- Height-adjustable insulated drive handle and easy to reach depth adjustment handle to facilitate one-handed operation
- Universal hinged motor clamp with 60 mm collar diameter
- Tool-free machine and watertank attachment compatible with M18™ SWITCH TANK™ 15 l water supply

|                | MXF DR255TV   |
|----------------|---------------|
| Article Number | 4933472247    |
| EAN Code       | 4058546338930 |

SEE PAGE 107 OR SCAN  
TO VIEW OUR SYSTEM  
ATTACHMENTS FOR MX FUEL™  
DIAMOND CORE DRILLS



MXF DH2528H  
MX FUEL™ 25 KG CLASS 28 MM HEX DEMOLITION  
HAMMER



- The industry's first cordless 28 mm Hex demolition hammer, delivering the power of petrol, corded and pneumatic
- Heavy Duty hammer provides 64 blow Joules of impact energy for toughest demolition applications
- Floating body anti-vibration technologies allows the user to work all day without reaching dangerous exposure levels

|                | MXF DH2528H-0                                                         | MXF DH2528H-602                                                       |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied |
| Article Number | 4933478985                                                            | 4933464878                                                            |
| EAN Code       | 4058546362676                                                         | 4058546228231                                                         |

MXF PTR2  
MX FUEL™ PIPE THREADING MACHINE 2"



- Threading capacity from 1/4" all the way up to 2"
- One stop shop: Cut, Ream and Thread with one tool
- Outstanding performance with 2 speed settings of 39 RPM and 59 RPM matching corded speed
- Maximum mobility thanks to foldable wheel cart with tool free setup
- Integrated auto oil system with oil pump and reservoir

|                    | MXF PTR2-601                                                         |
|--------------------|----------------------------------------------------------------------|
| Standard equipment | 1/2"-3/4" BSPT HS die set, 1"-2" BSPT HS die set                     |
| Kit included       | 1 x MXF XC406 Battery pack, MXF C Charger, No kitbox or bag supplied |
| Article number     | 4933493346                                                           |
| EAN code           | 4058546482176                                                        |

MXF LSDP  
MX FUEL™ LARGE SEWER DRUM MACHINE WITH  
POWERTREDZ™



- The MX FUEL™ large sewer drum machine with integrated POWERTREDZ™, requires one person only to move the sewer machine in and out of the service van, up and down building stairs
- World's first battery powered large drum machine that uses MILWAUKEE® 16 mm and 20 mm inner core spirals in drains from 75 mm up to 200 mm, with the power to clear roots up to 60 m down the line

|                    | MXF LSDP-301                                                                                          |
|--------------------|-------------------------------------------------------------------------------------------------------|
| Standard equipment | 1 x 20 mm x 15.2 m inner core cable, 1 x 20 mm x 7.6 m inner core cable, 1 x 9 pc head attachment kit |
| Kit included       | 1 x MXF CP203 Battery pack, MXF C Charger, No kitbox or bag supplied                                  |
| Article Number     | 4933471852                                                                                            |
| EAN Code           | 4058546297510                                                                                         |

MXF TL  
MX FUEL™ TOWER LIGHT



- TRUEVIEW™ high definition light output with up to 27,000 lumens in AC and up to 20,000 lumens in DC mode for both task and area lighting
- Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed

|                     | MXF TL-0                                                              | MXF TL-601                                                                |
|---------------------|-----------------------------------------------------------------------|---------------------------------------------------------------------------|
| Kit included [L4]   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x MXF XC406 Battery pack, Integrated charger, No kitbox or bag supplied |
| Article Number 110v | 4933492341                                                            | 4933471845                                                                |
| EAN Code 110v       | 4058546417086                                                         | 4058546297442                                                             |
| Article Number 240v | 4933492342                                                            | 4933471846                                                                |
| EAN Code 240v       | 4058546417093                                                         | 4058546297459                                                             |

MXF DHT  
BREAKER TROLLEY FOR MX FUEL™ DEMOLITION  
HAMMER



- Lightweight demolition hammer cart with large rubber wheels for easy transport across uneven terrain
- Integrated demolition hammer retention strap and full-metal fastening locations
- On-board spring-loaded storage locations for 4 chisels
- Battery & charger storage dock with charger cable hook for transport

|                | MXF DHT       |
|----------------|---------------|
| Article Number | 4933464879    |
| EAN Code       | 4058546228248 |

SEE PAGES 104 - 105 OR  
SCAN TO VIEW OUR SYSTEM  
ATTACHMENTS FOR MX FUEL™  
PIPE THREADING MACHINE 2"  
WITH ONE-KEY™



SEE PAGE 108 OR SCAN  
TO VIEW OUR SYSTEM  
ATTACHMENTS FOR MX FUEL™  
LARGE SEWER DRUM  
MACHINE WITH POWERTREDZ™



MXF TLIC  
MX FUEL™ COMPACT SITE LIGHT



- TRUEVIEW™ high definition light output with up to 15,000 lumens in AC and DC mode for both task and area lighting
- Has the ability to manoeuvre the light head, allowing the user to direct light to wherever it's needed
- Low weight of 17.5 kg without battery allows for easy transportation across wet and uneven job site terrains with minimum effort

|                     | MXF TLIC-0                                                            | MXF TLIC-601                                                          |
|---------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|
| Kit included        | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x MXF XC406 Battery pack, MXF FC Charger, No kitbox or bag supplied |
| Article number 110v | 4933498073                                                            | 4933498070                                                            |
| EAN code 110v       | 4058546512330                                                         | 4058546512309                                                         |
| Article number 240v | 4933498074                                                            | 4933498071                                                            |
| EAN code 240v       | 4058546512347                                                         | 4058546512316                                                         |



MXF PS  
MX FUEL™ POWER SUPPLY



ONE KEY  
UNLOCKING THE DIGITAL JOBSITE.



- Building on the strengths of the FUEL™ technology, MX FUEL™ system reaches new levels of cordless performance. Focused on petrol, corded and pneumatic performance, these tools deliver without the hazards associated with emissions, noise, vibration, tripping hazards and the frustrations of complex maintenance

|                     | MXF PS-602                                                                 |
|---------------------|----------------------------------------------------------------------------|
| Kit included [L4]   | 2 x MXF XC406 Battery packs, Integrated charger, No kitbox or bag supplied |
| Article number 110V | 4933479268                                                                 |
| EAN code 110V       | 4058546370626                                                              |
| Article number 240V | 4933479267                                                                 |
| EAN code 240V       | 4058546370619                                                              |

IRPSUOP2500  
ROLL-ON 7200/ 3600 W 2.5 KWH POWER SUPPLY

ONE KEY  
UNLOCKING THE DIGITAL JOBSITE.



- REDLITHIUM™ 2.5 kWh internal battery with peak power of 7,200 W and continuous power of 3,600 W
- Wheels and telescoping handle providing portable power anywhere and job site ready
- IP54 rating
- Passthrough power for charging and discharging simultaneously
- Zero emissions, quiet operation, efficient power without downtime and no power wasted

|                     | IRPSUOP2500   |
|---------------------|---------------|
| Article number 110v | 4933492135    |
| EAN code 110v       | 4058546415020 |
| Article number 240v | 4933492134    |
| EAN code 240v       | 4058546415013 |

MXF PBE  
MX FUEL™ PORTABLE BATTERY EXTENSION



- Reduces tool weight by up to 45% by adding the battery to the backpack harness
- Leverage XC & HD batteries on handheld equipment without ergonomic trade-off
- Maintains peak performance
- Up to 2X more run time with MX FUEL™ REDLITHIUM™ FORGE™ batteries
- Detachable backpack harness
- Folding handle for easy carrying or hanging
- Fits all MX FUEL™ battery packs

|                | MXF PBE-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933498067                                                            |
| EAN code       | 4058546512279                                                         |



REDLITHIUM™  
FORGE™

MOST POWER | FASTEST CHARGING | LONGEST LIFE\*

UP TO 2X MORE  
RUN TIME  
SIMILAR SIZE AND WEIGHT VS. XC406



COOL-CYCLE™  
CAPABLE  
HIGH SPEED COOLING



COOL-CYCLE™  
ACTIVE COOLING SYSTEM

LONGEST  
LIFE  
VS REDLITHIUM™



MX FUEL™ BATTERIES



|                            | MXF HD812                 | MXF XC608                 | MXF XC406                 | MXF CP203                 |
|----------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| System                     | MX FUEL™                  | MX FUEL™                  | MX FUEL™                  | MX FUEL™                  |
| Battery pack capacity (Ah) | 12.0                      | 8.0                       | 6.0                       | 3.0                       |
| No. of batteries supplied  | 1                         | 1                         | 1                         | 1                         |
| Charge time MXF C charger  | 160 min                   | 110 min                   | 90 min                    | 45 min                    |
| Charge time MXF FC charger | 100 min                   | 65 min                    | 45 min                    | 45 min                    |
| Charge time MXF SC charger | 65 min                    | 45 min                    | 45 min                    | 45 min                    |
| Weight (kg)                | 5.9                       | 4.5                       | 4.8                       | 2.7                       |
| Supplied in                | No kitbox or bag supplied | No kitbox or bag supplied | No kitbox or bag supplied | No kitbox or bag supplied |
| Article number             | 4932492128                | 4932492130                | 4933471837                | 4933471838                |
| EAN code                   | 4058546414955             | 4058546414979             | 4058546297367             | 4058546297374             |

MX FUEL™ CHARGERS



|                     | MXF SC                    | MXF FC                    | MXF C                     |
|---------------------|---------------------------|---------------------------|---------------------------|
| Charging ports      | 1 x MX FUEL™              | 1 x MX FUEL™              | 1 x MX FUEL™              |
| Charge type         | Single                    | Single                    | Single                    |
| Power source        | AC                        | AC                        | AC                        |
| Carry handle        | Yes                       | Yes                       | Yes                       |
| Wall mountable      | No                        | Yes                       | Yes                       |
| Weight (kg)         | 8.9                       | 2.33                      | 2.7                       |
| Supplied in         | No kitbox or bag supplied | No kitbox or bag supplied | No kitbox or bag supplied |
| Article number 110v | 4932492630                | 4933498545                | 4933472027                |
| EAN code 110v       | 4058546419974             | 4058546524142             | 4058546324230             |
| Article number 240v | 4932492631                | 4933498546                | 4933471840                |
| EAN code 240v       | 4058546419981             | 4058546524159             | 4058546297398             |

MX FUEL™ BATTERIES AND CHARGER KITS



|                | MXF NRG-602                                                           | MXF FORGENRG-802                                                       | MXF FORGENRG-122                                                       |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|
| Kit included   | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied | 2 x MXF XC608 Battery packs, MXF SC Charger, No kitbox or bag supplied | 2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied |
| Article number | 4933498152                                                            | 4933493550                                                             | 4933493551                                                             |
| EAN code       | 4058546513122                                                         | 4058546484217                                                          | 4058546484224                                                          |

\* Vs other cell technologies





EQUIPMENT REDEFINED.  
TRADE FOCUSED.  
SYSTEM WIDE.

THE MILWAUKEE® MX FUEL™ CORDLESS SYSTEM REVOLUTIONISES THE LIGHT EQUIPMENT MARKET BY DELIVERING THE PERFORMANCE, RUN TIME, AND DURABILITY DEMANDED BY THE TRADES WITHOUT THE HAZARDS ASSOCIATED WITH EMISSIONS, NOISE, VIBRATION, AND THE FRUSTRATIONS OF PETROL MAINTENANCE.

NOW WITH OVER 25 SOLUTIONS, THE MX FUEL™ EQUIPMENT SYSTEM PROVIDES EQUIVALENT PETROL, CORDED AND PNEUMATIC PERFORMANCE WHILE PRODUCING ZERO EMISSIONS IN USE.

| TOOL         | APPLICATION                               | BATTERY                                                                                                                                                                        |                                                                                                                                                                                   |
|--------------|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              |                                           | MXF XC608   | MXF HD812   |
| MXF COS350G2 | Cutting kerbstone                         | 36 cuts*                                                                                                                                                                       | 50 cuts*                                                                                                                                                                          |
| MXF DH2528H  | Breaking concrete                         | 1.3 tonnes*                                                                                                                                                                    | 4 tonnes*                                                                                                                                                                         |
| MXF DCD150   | 76 mm x 250 mm holes                      | 17 holes*                                                                                                                                                                      | 26 holes*                                                                                                                                                                         |
| MXF DCD350   | 250 mm x 150 mm holes                     | 3 holes*                                                                                                                                                                       | 5 holes*                                                                                                                                                                          |
| MXF PS       | Grinding with 180 mm corded angle grinder | 40 min*†                                                                                                                                                                       | 60 min*†                                                                                                                                                                          |
| MXF CVHF     | Pouring concrete                          | 55 m³*                                                                                                                                                                         | 82 m³*                                                                                                                                                                            |
| MXF CVBP     | Pouring concrete                          | 53 m³*                                                                                                                                                                         | 80 m³*                                                                                                                                                                            |
| MXF CVBC     | Pouring concrete                          | 53 m³*                                                                                                                                                                         | 80 m³*                                                                                                                                                                            |
| MXF PSC      | Screeding concrete                        | 5 hours 20 min*                                                                                                                                                                | 8 hours*                                                                                                                                                                          |
| MXF WBT60    | Finishing concrete                        | 23 min*                                                                                                                                                                        | 35 min*                                                                                                                                                                           |
| MXF WBT90    | Finishing concrete                        | 16 min*                                                                                                                                                                        | 25 min*                                                                                                                                                                           |
| MXF PC50     | Compacting gravel                         | 22 min*                                                                                                                                                                        | 35 min*                                                                                                                                                                           |
| MXF RAM      | Compacting gravel                         | 17 min*                                                                                                                                                                        | 25 min*                                                                                                                                                                           |
| MXF SMP2     | Pumping water (High Mode)                 | 28 min*                                                                                                                                                                        | 40 min*                                                                                                                                                                           |
| MXF PTR2     | Full cycle                                | 200 cycles*                                                                                                                                                                    | 280 cycles*                                                                                                                                                                       |
| MXF TL       | on High Mode                              | 4 hours*                                                                                                                                                                       | 6 hours*                                                                                                                                                                          |
| MXF TLIC     | on High Mode                              | 4 hours*                                                                                                                                                                       | 6 hours*                                                                                                                                                                          |

\* Run times are based on a fully-charged battery. These given guidelines are indicative only and may not be replicated due to the varying usage conditions. Results can vary depending on the user and the application.  
† Using 2 batteries during application.

| COMPARE<br>OUR<br>CHARGERS                                                          |        | MX FUEL REDLITHIUM<br>FORGE™<br>MOST POWER FASTEST CHARGING LONGEST LIFE                                                                                                |                                                                                                                                                                         |                                                                                                                                                                            |                                                                                       |
|-------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     |        |   |   |   |  |
|                                                                                     |        | MXF HD812                                                                                                                                                               | MXF XC608                                                                                                                                                               | MXF XC406                                                                                                                                                                  | MXF CP203                                                                             |
|  | MXF SC | 65 min                                                                                                                                                                  | 45 min                                                                                                                                                                  | 45 min                                                                                                                                                                     | 45 min                                                                                |
|  | MXF FC | 100 min                                                                                                                                                                 | 65 min                                                                                                                                                                  | 45 min                                                                                                                                                                     | 45 min                                                                                |
|  | MXF C  | 160 min                                                                                                                                                                 | 110 min                                                                                                                                                                 | 90 min                                                                                                                                                                     | 45 min                                                                                |

# THE EASIEST WAY TO KEEP TRACK OF YOUR INVENTORY



ONE-KEY™  
UNLOCKING THE DIGITAL JOBSITE.™

 Bluetooth®  LOCATION

## TRACK. MANAGE. CUSTOMISE.




With ONE-KEY™ you can add tools and equipment no matter the brand to your inventory and get a full overview of ALL your assets. Add unlimited users for free, assign tools to different employees and see which tools that are currently in use, ready for use or perhaps at the service centre.

Follow a digital trace of when, where and how your tools have been used to optimise efficiency and usage, or use it to track and lock your tools and equipment if it's missing.

Print professional reports and get documentation on the tool status and usage.

All of this and much more **FOR FREE!**



## GET STARTED IN 2 MINUTES

STEP 1

DOWNLOAD THE  
MILWAUKEE®  
ONE-KEY™ APP  
FOR FREE



STEP 2

REGISTER  
YOUR PROFILE  
FAST & EASY



STEP 3

DONE!  
YOU ARE NOW  
READY TO USE  
ONE-KEY™



\*The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc., and any use of such marks by (TTI corporate name) is under license.  
Other trademarks and trade names are those of their respective owners.



# NEXT GENERATION

**M18 FUEL**  
DRIVEN TO OUTPERFORM.™



## LIMITS REDEFINED.

**M18 FUEL™ NEXT GENERATION. MORE COMPACT. UNRIVALLED ACCURACY. REDEFINED PERFORMANCE.**

M18™ Next Generation FUEL™, packs a mighty punch in a smaller package. More compact, yet more powerful, the range is perfect for those hard to reach areas, and ideal for working at height, due to the reduced size and weight, better balance and easier handling.

Put M18™ Next Generation FUEL™ to the test, and reset your expectations of 18 V tools.



**NEXT GENERATION**

1

**POWERSTATE™ BRUSHLESS MOTOR**



2

**REDLINK PLUS™ INTELLIGENCE**



3

**REDLITHIUM™ BATTERY PACKS**



**MORE COMPACT.**

**UNRIVALED ACCURACY.**

**REDEFINED PERFORMANCE.**

**NEW**  
**M18**


**REDLITHIUM™**  
**FORGE™**

**MOST POWER | FASTEST CHARGING | LONGEST LIFE**

## WHAT MAKES REDLITHIUM™ FORGE™?

**M18 REDLITHIUM FORGE™**


### NEW LITHIUM CELL TECHNOLOGIES



**OLD TAB DESIGN**  
**NEW TABLESS DESIGN**

- Up to 50% higher power
- Up to 45% less heat generation
- Up to 6X faster charging
- Up to 50% lower electrical resistance

### NEXT GENERATION ELECTRONICS



- Maximise full power delivery to tool
- Accelerate charge speed
- Full system backwards compatibility

### MECHANICAL REDESIGN



- Advanced thermal management
- Vibration protection
- Built to withstand harsh jobsite environments
- Laser welding

### ADVANCED PROTECTION



- Patented polymer ingress coating: protection against water and debris
- Resistant housing: protection against common oils, greases and solvents

\* Vs other cell technologies



### ACTIVE COOLING SYSTEM


#### WORK DONE WITH 80% CHARGE



Up to 18.5 cuts of 400 mm hard wood with 2x M18 FB12 (M18 F2CHS50)



Up to 553 cuts in 50 x 100 mm soft wood with M18 FB12 (M18 FCS66)



#### THREE BENEFITS OF COOL-CYCLE™ ACTIVE COOLING SYSTEM

COOL-CYCLE™ CAPABLE PACKS:

- BEGIN CHARGING RAPIDLY**
- COME OFF THE CHARGER COOLER, RESULTING IN MORE WORK DONE PER DAY**
- HAVE LONGER LIFE**



**REDLITHIUM FORGE**

**REDLITHIUM FORGE**



UPGRADE YOUR TOOLS WITH  
FORGE™

SCAN HERE TO VIEW  
OUR FULL RANGE OF  
FORGE BATTERIES



H REDLITHIUM™  
HIGH OUTPUT BATTERY TECHNOLOGY

VS

M18 REDLITHIUM™  
FORGE™

MOST POWER | FASTEST CHARGING | LONGEST LIFE\*



BATTERY RUN TIMES

| TOOL DESCRIPTION                                                                                                                                                                         | APPLICATION                                                                 | H REDLITHIUM™<br>HIGH OUTPUT BATTERY TECHNOLOGY |                             | M18 REDLITHIUM™<br>FORGE™ |                             | RESULTS<br>PER BATTERY<br>CHARGE |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------------------------------------------------|-----------------------------|---------------------------|-----------------------------|----------------------------------|
|                                                                                                                                                                                          |                                                                             | M18 HB8                                         | M18 HB12                    | M18 FB8                   | M18 FB12                    |                                  |
|  <b>M18 FCHS</b><br>M18 FUEL™ CHAINSAW<br>WITH 40 CM BAR                                               | LOG CUTTING<br>CUTTING OF 30 CM<br>SPRUCE TREE                              |                                                 | 23<br>cuts*                 |                           | 36<br>cuts*                 | up to 56%<br>increase*           |
|  <b>M18 F2CHS50</b><br>M18 FUEL™ 50 CM DUAL<br>BATTERY CHAINSAW                                        | LOG CUTTING<br>CUTTING OF 35 CM<br>SPRUCE TREE                              | 23<br>cuts*†                                    |                             | 32<br>cuts*†              |                             | up to 39%<br>increase*           |
|  <b>M18 FTHCHS35</b><br>M18 FUEL™ TOP HANDLE<br>CHAINSAW WITH 35 CM BAR                                | LOG CUTTING<br>CUTTING OF 30 CM<br>SPRUCE TREE                              | 12<br>cuts*                                     |                             | 24<br>cuts*               |                             | up to 100%<br>increase*          |
|  <b>M18 FLAG230XPDB</b><br>M18 FUEL™ 230 MM LARGE<br>BRAKING GRINDER WITH<br>PADDLE SWITCH             | METAL GRINDING<br>MATERIAL REMOVAL FROM STEAM<br>BEAM                       |                                                 | 147 g<br>debris<br>removal* |                           | 234 g<br>debris<br>removal* | up to 59%<br>increase*           |
|  <b>M18 ONEFLAG230XPDB</b><br>M18 FUEL™ ONE-KEY™ 230 MM<br>BRAKING ANGLE GRINDER<br>WITH PADDLE SWITCH | METAL GRINDING<br>MATERIAL REMOVAL FROM STEAM<br>BEAM                       |                                                 | 187 g<br>debris<br>removal* |                           | 223 g<br>debris<br>removal* | up to 19%<br>increase*           |
|  <b>M18 FHSAG125XPDB</b><br>M18 FUEL™ HIGH PERFORMANCE<br>125 MM BRAKING GRINDER WITH<br>PADDLE SWITCH | PIPE CUTTING<br>CUTTING OF 22 MM<br>METAL PIPES                             |                                                 | 127<br>cuts*                |                           | 175<br>cuts*                | up to 38%<br>increase*           |
|  <b>M18 FMCS66</b><br>M18 FUEL™ 66 MM METAL<br>CIRCULAR SAW                                            | METAL CUTTING<br>CUTTING OF 3 MM<br>SHEET METAL                             |                                                 | 22<br>metre<br>cuts*        |                           | 25<br>metre<br>cuts*        | up to 15%<br>increase*           |
|  <b>M18 FCS66GR3</b><br>M18 FUEL™ GUIDE RAIN<br>COMPATIBLE CIRCULAR SAW                                | LAMINATED CUTTING<br>RIP CUT THROUGH 42 MM<br>LAMINATED PINE<br>140 MM CUTS |                                                 | 28<br>cuts*                 |                           | 34<br>cuts*                 | up to 22%<br>increase*           |
|  <b>M18 FCS230</b><br>M18 FUEL™ CUT-OFF SAW                                                            | KERBSTONE CUTTING<br>CUTTING OF 250 X 80 MM<br>KERBSTONE                    |                                                 | 7<br>cuts*                  |                           | 11<br>cuts*                 | up to 46%<br>increase*           |

\*Runtimes are based on a fully-charged battery. These given guidelines are indicative only and may not be replicated due to the varying usage conditions. Results can vary depending on the user and the application. † Using 2 batteries.

GET THE RIGHT HAMMER FOR  
THE JOB

1 For the more demanding, heavy duty applications. Including dry coring and medium duty chipping in both concrete block and reinforced concrete



2 For heavy duty applications, ideal for plumbing or formwork



3 Excellent performance, ideal for repetitive and fast drilling



4 Balanced performance weight ratio, ideal for light chiseling applications



5 Fixing hammers, ideal for tight spaces and all day use



SDS-MAX

|                 | Milw. Power-tool Battery System logo | Milw. Power-tool Feature logo | Milw. Power-tool ONEKEY logo | Blow energy [EPTA][J] | Full load hammer action (bpm) | No load speed (rpm) | Optimised drilling capacity in concrete [mm] | Vibration drilling (m/s²) | Vibration chiseling (m/s²) | Weight with battery pack (EPTA) (kg) | Fits Milwaukee Dust Extractors |
|-----------------|--------------------------------------|-------------------------------|------------------------------|-----------------------|-------------------------------|---------------------|----------------------------------------------|---------------------------|----------------------------|--------------------------------------|--------------------------------|
| 1. M18 FHM-121C | M18 FUEL™                            | AUTOSTOP™                     | ONE-KEY™                     | 11.0                  | 0 - 2900                      | 0 - 380             | 20 - 40                                      | 12.25                     | 12.25                      | 10.2 (M18 FB12)                      | PHDE72                         |

SDS-PLUS

|                      | Milw. Power-tool Battery System logo | Milw. Power-tool Technology logo | Milw. Power-tool ONEKEY FIXTEC™ logo | Blow energy [EPTA][J] | Max. percussion rate (bpm) | No load speed (rpm) | Optimised drilling capacity in concrete [mm] | Vibration drilling (m/s²) | Vibration chiseling (m/s²) | Weight with battery pack (EPTA) (kg) | Fits Milwaukee Dust Extractors |
|----------------------|--------------------------------------|----------------------------------|--------------------------------------|-----------------------|----------------------------|---------------------|----------------------------------------------|---------------------------|----------------------------|--------------------------------------|--------------------------------|
| 2. M18 ONEHPX-552X   | M18 FUEL™                            |                                  | ONE-KEY™ ✓                           | 5.0                   | 4600                       | 0 - 800             | 8 - 24                                       | 8.4                       | 7.9                        | 5.2 (M18 HB5.5)                      | M18 FPDDXL                     |
| 2. M18 FHACD32-0C    | M18 FUEL™                            |                                  | ONE-KEY™ -                           | 4.9                   | 4600                       | 0 - 800             | 8 - 24                                       | 10.5                      | 9.4                        | 5.9 (M18 HB5.5)                      | M18 FDDEL32                    |
| 3. M18 FH-0X         | M18 FUEL™                            |                                  | -                                    | 2.5                   | 4800                       | 0 - 1330            | 8 - 24                                       | 17.0                      | 14.2                       | 4.3 (M18 HB5.5)                      | M18 FCDDEL/M18 FDDEL           |
| 3. M18 FHX-552X      | M18 FUEL™                            |                                  | - ✓                                  | 2.5                   | 4800                       | 0 - 1330            | 6 - 20                                       | 17.0                      | 14.2                       | 4.4 (M18 HB5.5)                      | M18 FCDDEL/M18 FDDEL           |
| 3. M18 ONEFH-552X    | M18 FUEL™                            |                                  | ONE-KEY™ ✓                           | 2.5                   | 4800                       | 0 - 1330            | 6 - 20                                       | 17                        | 14.2                       | 4.5 (M18 HB5.5)                      | M18 FCDDEL/M18 FDDEL           |
| 4. M18 FHAFH16-302X  | M18 FUEL™                            |                                  | -                                    | 2.3                   | 4740                       | 0 - 1310            | 5.5 - 13                                     | 12.5                      | -                          | 3.3 (M18 HB3)                        | Integrated dust extractor      |
| 4. M18 FHAC16-302X   | M18 FUEL™                            |                                  | -                                    | 1.7                   | 5080                       | 0 - 1400            | 5 - 12                                       | 13.6                      | 10.9                       | 2.6 (M18 HB3)                        | M18 FDDEC                      |
| 4. M18 BLHX-502X     | M18™                                 | Brushless                        | -                                    | 2.3                   | 5100                       | 0 - 1400            | 6 - 18                                       | 14.9                      | 12.7                       | 3.3 (M18 B5)                         | M18 CDEX                       |
| 4. M18 BLHX-502X     | M18™                                 | Brushless                        | - ✓                                  | 2.3                   | 4900                       | 0 - 1400            | 6 - 18                                       | 14.9                      | 12.7                       | 3.5 (M18 B5)                         | M18 CDEX                       |
| 4. M18 BLHACD26-402X | M18™                                 | Brushless                        | -                                    | 2.6                   | 4600                       | 0 - 1270            | 6 - 18                                       | 13.9                      | 13.2                       | 3.1 (M18 B4)                         | M18 CDEX                       |
| 4. M12 FHAC16-502X   | M12 FUEL™                            |                                  | -                                    | 1.15                  | 4410                       | 0 - 1200            | 5 - 12                                       | 12.3                      | 10.3                       | 2.3 (M12 HB5)                        | M12 UDEL                       |
| 5. M18 BH-402C       | M18™                                 |                                  | -                                    | 1.2                   | 7000                       | 0 - 1300            | 5.5 - 13                                     | 10.9                      | -                          | 2.5 (M18 B4)                         | M12 UDEL                       |



SCAN HERE TO VIEW  
OUR PPE RANGE



SCAN HERE TO VIEW  
COMPATIBLE DRILL BITS

REDLITHIUM™



M18 FUEL M18 FUEL™ ONE-KEY™ 8 KG SDS-MAX DRILLING AND BREAKING HAMMER



- The M18 FHM is the most productive SDS-Max tool MILWAUKEE® has produced, delivering AC power with the flexibility of the cordless M18™ platform
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ and FORGE™ batteries

|                | M18 FHM-0C                                         | M18 FHM-121C                                    |
|----------------|----------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox | 1 x M18 FB12 Battery pack, M12-supplied, Kitbox |
| Article Number | 4933464893                                         | 4933499270                                      |
| EAN Code       | 4058546228385                                      | 4058546564346                                   |



M18 ONEFHPX M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ AND FIXTEC™ CHUCK



- Hardest hitting cordless SDS-Plus hammer in its class. Powerful hammer mechanism delivers 5.0 J (EPTA) of impact energy at low 8.46 m/s<sup>2</sup> vibrations
- Drills up to 10 Ø18 x 100 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

|                | M18 ONEFHPX-0X                                     | M18 ONEFHPX-552X                                  |
|----------------|----------------------------------------------------|---------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 HB5.5 Battery packs, M12-supplied, HD Box |
| Article number | 4933478495                                         | 4933478497                                        |
| EAN code       | 4058546346881                                      | 4058546346904                                     |



M18 FHACOD32 M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH ONE-KEY™



- D-handle with compact and ergonomic design for increased end user comfort
- Powerful hammer mechanism and the brushless motor design delivers 4.9 J of impact energy
- 4-mode operation: rotary hammer, hammer only, rotation only and variolock for maximum versatility
- Anti-vibration side handle for lower vibration exposure

|                | M18 FHACOD32-0C                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article number | 4933492140                                         |
| EAN code       | 4058546415075                                      |



M18 FPDDEXL DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS HAMMERS WITH AUTOPULSE™



- Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch
- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

|                | M18 FPDDEXL-0 |
|----------------|---------------|
| Article number | 4933478509    |
| EAN code       | 4058546347024 |

M18 FDDEL32 DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH AUTOPULSE™



- Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch
- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

|                | M18 FDDEL32-0 |
|----------------|---------------|
| Article number | 4933492142    |
| EAN code       | 4058546415099 |

M18 ONEFHX M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK AND ONE-KEY™



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

|                | M18 ONEFHX-0X                                      | M18 ONEFHX-552X                                    |
|----------------|----------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | No batteries supplied, No charger supplied, Kitbox |
| Article number | 4933478503                                         | 4933478505                                         |
| EAN code       | 4058546346966                                      | 4058546346980                                      |



M18 FHX M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

|                | M18 FHX-0X                                         | M18 FHX-552X                                      |
|----------------|----------------------------------------------------|---------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 HB5.5 Battery packs, M12-supplied, HD Box |
| Article number | 4933478888                                         | 4933478889                                        |
| EAN code       | 4058546361709                                      | 4058546361716                                     |

M18 FH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

|                | M18 FH-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933478499                                                            |
| EAN code       | 4058546346928                                                         |

M18 FHAFOH16 M18 FUEL™ 16 MM SDS-PLUS HAMMER WITH INTEGRATED DUST EXTRACTOR



- World's first integrated dust extractor drilling hammer
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations
- Optimised for overhead applications

|                | M18 FHAFOH16-0                                                        | M18 FHAFOH16-302X                                    |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB3 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933493531                                                            | 4933493534                                           |
| EAN code       | 4058546484026                                                         | 4058546484057                                        |



M18 FDDEXL DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS WITH AUTOPULSE™



- Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch
- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

|                | M18 FDDEXL-0  |
|----------------|---------------|
| Article number | 4933478508    |
| EAN code       | 4058546347017 |

M18 FCDDEXL COMPACT DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS



- Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns
- Manual filter cleaning mechanism increases the air flow efficiency as well as the filter life time

|                | M18 FCDDEXL-0 |
|----------------|---------------|
| Article number | 4933478507    |
| EAN code       | 4058546347000 |



M18 FHAC16  
M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS-PLUS HAMMER



- The most compact and fastest drilling rotary hammer in its class leading to increased productivity and comfort
- Powerful hammer mechanism delivers 1.7 J of impact energy
- Drills up to 58 holes Ø10 x 50 mm on a M18™ HIGH OUTPUT™ 3.0 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

|                | M18 FHAC16-0                                                          | M18 FHAC16-302X                                      |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB3 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933498582                                                            | 4933498585                                           |
| EAN code       | 4058546524517                                                         | 4058546524548                                        |

M18 FHACDDE  
M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR



- M18 FHAC16 - M18 FUEL™ high performance 4-mode 16 mm SDS-Plus hammer
- M18 FDDEC - M18™ dedicated dust extractor for M18 FUEL™ high performance 4-mode 16 mm SDS-Plus hammer

|                | M18 FHACDDE-0C                                     |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article number | 4933498586                                         |
| EAN code       | 4058546524555                                      |

M18 BLH  
M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER

BRUSHLESS



- Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact energy
- Compact, ergonomic design for increased end user comfort
- All metal gear case - optimum seating of the gears for enhanced tool life
- 4-mode operation: rotary hammer, hammer only, rotation only and selectable work position of the chisel (variolock) for maximum versatility

|                | M18 BLH-0                                                             | M18 BLH-502X                                        |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933479426                                                            | 4933478894                                          |
| EAN code       | 4058546372200                                                         | 4058546361761                                       |

M18 BLHACD26  
M18™ BRUSHLESS 26 MM SDS-PLUS D-HANDLE HAMMER

BRUSHLESS



- D-handle with lightweight and ergonomic design for increased end user comfort
- Powerful hammer mechanism and the brushless motor design delivers 2.6 J of impact energy
- 4-mode operation: rotary hammer, hammer only, rotation only and variolock for maximum versatility
- Anti-vibration system (AVS) for decreased user fatigue and lower vibration exposure

|                | M18 BLHACD26-0                                                        | M18 BLHACD26-402X                                  |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, HD Box |
| Article number | 4933492483                                                            | 4933492481                                         |
| EAN code       | 4058546418502                                                         | 4058546418489                                      |

M18 FDDEC  
M18™ DEDICATED DUST EXTRACTOR FOR M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS-PLUS HAMMER



- Designed to collect dust effectively with automatic operation from the tools on/off trigger switch
- HEPA Filter: widely regarded as the ultimate filter that traps all sizes of particles with an efficiency rating of 99.75%
- Large dust collection box
- Dust extraction aluminium tube is adjustable according to the size of the drill bit and length 16 mm max and 90 mm depth

|                | M18 FDDEC-0                                                           |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933498587                                                            |
| EAN code       | 4058546524562                                                         |

M18 BLHX  
M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK

BRUSHLESS



- Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact energy
- Compact, ergonomic design for increased end user comfort
- FIXTEC™ system for keyless chuck changing between SDS-Plus and 13 mm metal chuck
- All metal gear case - optimum seating of the gears for enhanced tool life

|                | M18 BLHX-0X                                        | M18 BLHX-501X                                      |
|----------------|----------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 1 x M18 B5 Battery pack, M12-18 FC Charger, HD Box |
| Article number | 4933478891                                         | 4933478893                                         |
| EAN code       | 4058546361730                                      | 4058546361754                                      |

M18 CDEX  
M18 FUEL™ SDS-PLUS DUST EXTRACTOR



- Designed to collect dust effectively with automatic operation from the tools on/off trigger switch
- HEPA Filter: widely regarded as the ultimate filter that traps all sizes of particles with an efficiency rating of 99.75%
- Large dust collection box
- Dust extraction aluminium tube is adjustable according to the size of the drill bit and length 16 mm max and 90 mm depth

|                | M18 CDEX-0    |
|----------------|---------------|
| Article Number | 4933447450    |
| EAN Code       | 4002395006243 |

M18 BH  
M18™ COMPACT 2-MODE SDS-PLUS HAMMER



- Superior power to weight ratio in its class 2.5 kg 1.2 J (EPTA)
- High performance 4-pole motor delivers maximum power whilst maximising the power to weight ratio
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- 2-mode operation: choose rotary hammer or rotation only for maximum versatility

|                | M18 BH-0                                                              | M18 BH-402C                                        |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933443320                                                            | 4933443334                                         |
| EAN Code       | 4002395003730                                                         | 4002395003754                                      |

M18 FCOS230  
M18 FUEL™ CUT-OFF SAW



- The world's first 18V 230 mm battery powered cut-off saw, delivers the power to cut reinforced concrete, whilst being 50% lighter than other petrol comparisons
- Starts up instantly, eliminates the need to mix petrol and oil, and avoids petrol engine maintenance
- Can be used indoors due to zero fume emissions

|                | M18 FCOS230-0                                                         | M18 FCOS230-121                                                         |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 FB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933471696                                                            | 4933499176                                                              |
| EAN Code       | 4058546295950                                                         | 4058546563400                                                           |

M18 FCVN  
M18 FUEL™ NEEDLE CONCRETE VIBRATOR



- M18 FUEL™ Needle Vibrator for consolidation of concrete with a compact design
- 1.2 m whip length execution recommended for footings or small flatwork (M18 FCVN12)
- 2.4 m whip length execution recommended for walls or columns (M18 FCVN24)
- 25 mm² head design and 12,500 VPM for an improved consolidation power
- Variable speed trigger for ideal adaption to each material and formwork size

|                | M18 FCVN12-0                                                          | M18 FCVN12-551                                                           | M18 FCVN24-0                                                          | M18 FCVN24-551                                                           |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB5.5 Battery pack, M12-18 FC Charger, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB5.5 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933479596                                                            | 4933479598                                                               | 4933479599                                                            | 4933479601                                                               |
| EAN code       | 4058546373900                                                         | 4058546373924                                                            | 4058546373931                                                         | 4058546373955                                                            |

M18 ONEPD3  
M18 FUEL™ ONE-KEY™ PERCUSSION DRILL



- Higher power efficiency under load - outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- Connect via Bluetooth® with the ONE-KEY™ app
- Save up to 3 custom settings to the tools memory for fast selection on the jobsite

|                | M18 ONEPD3-502X                                     |
|----------------|-----------------------------------------------------|
| Kit included   | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933492803                                          |
| EAN code       | 4058546476748                                       |

M18 FPD3  
M18 FUEL™ PERCUSSION DRILL



- Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- AUTOSTOP™ control mode offers enhanced safety for the operator by preventing over-rotation in a bind-up
- 13 mm metal chuck for quick bit changes and bit retention

|                | M18 FPD3-0                                                            | M18 FPD3-502X                                       |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933498060                                                            | 4933479861                                          |
| EAN code       | 4058546512200                                                         | 4058546376550                                       |

M18 FPM  
M18 FUEL™ PADDLE MIXER



- POWERSTATE™ brushless motor delivers the power to mix heavy compounds, such as concrete and mortar
- Ultimate speed control: 3 different ways of controlling speed for clean and consistent mixes (8-speed setting dial, variable speed trigger and a lock on button)
- 180° adjustable handle with 16 adjustable settings for user to optimise the handle position based on preference and comfort


|                | M18 FPM-0X                                         |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933459719                                         |
| EAN Code       | 4058546028916                                      |

M18 BLCHTO  
M18™ BRUSHLESS 1 TON CHAIN HOIST WITH ONE-KEY™



- 1 ton lifting capacity to lift a wide variety of materials
- Up to 6 m lift height to cover all applications
- Remote control operated for safe applications from a distance
- Chain stop within 1 second for precise and safe working
- Micro movement & soft-start for precise work
- AUTOSTOP when the load chain is fully retracted or extended

|                | M18 BLCHTO-121                                |
|----------------|-----------------------------------------------|
| Kit included   | 1 x M18 FB12 Battery pack, M12-18 FC Charger, |
| Article number | 4933500225                                    |
| EAN code       | 4058546615277                                 |





# GET THE RIGHT PERCUSSION DRILL FOR THE JOB

1

FUEL™

2

BRUSHLESS

|    |                 | Milw. Powertool Battery System logo | Milw. Powertool Technology logo | Milw. Powertool ONEKEY logo | Milw. Powertool Feature logo | No load speed [rpm] Calculated | Max. drilling wood/ steel masonry [mm] Calculated | Max. percussion rate (bpm) | Max. torque (Nm) | Chuck capacity (mm) | Weight with battery pack (EPTA) (kg) |
|----|-----------------|-------------------------------------|---------------------------------|-----------------------------|------------------------------|--------------------------------|---------------------------------------------------|----------------------------|------------------|---------------------|--------------------------------------|
| 1. | M18 ONEPD3-502X | M18 FUEL™                           |                                 | ONE-KEY™                    | -                            | 0 - 500/ 0 - 2100              | 89/ 16/ 16                                        | 0 - 33,000                 | 158              | 13                  | 2.2 (M18 B5)                         |
| 1. | M18 FPD3-502X   | M18 FUEL™                           |                                 | -                           | AUTOSTOP™                    | 0 - 500/ 0 - 2100              | 89/ 16/ 16                                        | 0 - 33,000                 | 158              | 13                  | 2.2 (M18 B5)                         |
| 1. | M12 FPD2-602X   | M12 FUEL™                           |                                 | -                           | -                            | 0 - 450/ 0 - 1,550             | 35/ 13/ 13                                        | 0 - 22,500                 | 45               | 13                  | 1.4 (M12 B6)                         |
| 2. | M18 BLPD2-502X  | M18™                                | Brushless                       | -                           | -                            | 0 - 550/ 0 - 1800              | 76/ 13/ 16                                        | 0 - 28,800                 | 82               | 13                  | 2.1 (M18 B5)                         |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE DRILL BITS

REDLITHIUM™

M18 BLPD2

M18™ BRUSHLESS PERCUSSION DRILL

BRUSHLESS

- New brushless motor design delivers 40% more torque than previous model - up to 82 Nm
- Compact design (180 mm in length) provides excellent balance and control, ideal for overhead applications or work in tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- Optimised speed for faster drilling & fastening (0 - 550/ 0 - 1800 rpm)

M18 BLPD2-502X

|                |                                                     |
|----------------|-----------------------------------------------------|
| Kit included   | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933464518                                          |
| EAN Code       | 4058546224639                                       |

M18 FRAD2

M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRIVER GEN II

- Extremely long run time, up to 100 holes with a 65 mm auger bit into wood
- POWERSTATE™ brushless motor provides constant power under load to power through 152 mm holes
- Mechanical clutch protects the tool in the event of a stall
- Compact design allows working in confined spaces
- On board fuel gauge and LED light

M18 FRAD2-0

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471207                                                            |
| EAN Code       | 4058546288358                                                         |

C18 RAD

M18™ COMPACT RIGHT ANGLE DRILL

- Optimised performance: 1500 rpm at 20 Nm
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Perfect speed to power ratio for fast application completion
- 10 mm single sleeve ratcheting chuck provides maximum versatility and grip
- 100 mm compact head designed to fit in the tightest work areas

C18 RAD-0

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933427189                                                            |
| EAN Code       | 4002395239085                                                         |

M18 ONEID3

M18 FUEL™ ONE-KEY™ 1/4" HEX IMPACT DRIVER

ONE-KEY™

- Save up to 3 custom settings to the tools memory for fast selection on the jobsite
- Connect via Bluetooth® with the ONE-KEY™ app
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design of 113 mm length for access into tight spaces
- Adjustable trigger control for all applications with ONE-KEY™

M18 ONEID3-0X

M18 ONEID3-502X

|                |                                                    |                                                     |
|----------------|----------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933492800                                         | 4933492805                                          |
| EAN code       | 4058546476717                                      | 4058546476762                                       |



M18 CRAD2

M18 FUEL™ RIGHT ANGLE DRILL

- Delivers corded power and speed (1500 rpm) in wood drilling applications
- All metal gear case and 13 mm keyed chuck
- Extremely long run time with a 5.5 Ah battery pack drills up to 200 holes with a 22 mm auger bit into 50 x 100 mm wood

M18 CRAD2-0X

|                |                                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933471641                                         |
| EAN Code       | 4058546295400                                      |





# GET THE RIGHT IMPACT DRIVER FOR THE JOB



|                    | Milw. Powertool Battery System logo | Milw. Powertool Technology logo | Milw. Powertool ONE-KEY logo | No load speed (rpm)   | Impact rate (ipm)     | Max. torque (Nm)  | Tool reception | Max. bolt diameter | Weight with battery pack (EPTA) (kg) |
|--------------------|-------------------------------------|---------------------------------|------------------------------|-----------------------|-----------------------|-------------------|----------------|--------------------|--------------------------------------|
| 1. M18 ONEID3-502X | M18 FUEL™                           |                                 | ONE-KEY™                     | 1750/3000/4000/0-4000 | 1200/3400/4300/0-4400 | 119/176/226/0-226 | ¼" Hex         | M16                | 1.7 (M18 B5)                         |
| 1. M18 FID3-502X   | M18 FUEL™                           | -                               |                              | 1750/3000/3900/0-3900 | 1400/3600/4400/0-4400 | 226               | ¼" Hex         | M16                | 1.7 (M18 B5)                         |
| 1. M12 FID2-602X   | M12 FUEL™                           | -                               |                              | 1700/2900/3600/3600   | 1300/3500/4000/0-4000 | 170               | ¼" Hex         | M14                | 1.1 (M12 B6)                         |
| 1. M18 FQID-502X   | M18 FUEL™                           | SURGE™                          | -                            | 900/2100/3000/0-3000  | 1800/2900/4000/0-4000 | 50                | ¼" Hex         | M14                | 1.7 (M18 B5)                         |
| 1. M12 FQID-202X   | M12 FUEL™                           | SURGE™                          | -                            | 1100/2200/3200/3200   | 950/2200/3400/3400    | 50                | ¼" Hex         | M14                | 1.1 (M12 B2)                         |
| 2. M18 BLIDRC-402C | M18™                                | Compact Brushless               | -                            | 0 - 3600              | 0 - 4900              | 190               | ¼" Hex         | M14                | 1.3 (M18 B4)                         |
| 3. M18 BRAID-0     | M18™                                | -                               | -                            | 1500/ 2250            | 2400/3400             | 41/ 81            | ¼" Hex         | M14                | 1.8 (M18 B5)                         |
| 3. M12 BRAID-0     | M12™                                | -                               | -                            | 0 - 2425              | 0 - 3300              | 68                | ¼" Hex         | M12                | 1.2 (M12 B2)                         |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE IMPACT BITS

REDLITHIUM™

## M18 FID3 M18 FUEL™ ¼" HEX IMPACT DRIVER



- Higher power efficiency under load with outstanding torque of 226 Nm
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design, total length of just 113 mm for access into tight spaces
- DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Mode 1 for precision work

|                | M18 FID3-0                                                            | M18 FID3-502X                                       |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933498061                                                            | 4933479866                                          |
| EAN code       | 4058546512217                                                         | 4058546376604                                       |

## M18 BLIDRC M18™ COMPACT BRUSHLESS ¼" HEX IMPACT DRIVER



- Brushless impact driver measures only 112 mm in length making it ideal for working within confined spaces
- Brushless motor technology delivers 190 Nm of torque, 3600 rpm and 4900 ipm
- One-handed bit insert with retention lock, for faster, easier changing of bits
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- On board fuel gauge and LED light

|                | M18 BLIDRC-0                                                          |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933492839                                                            |
| EAN code       | 4058546477103                                                         |

## M18 BRAID M18™ RIGHT ANGLE IMPACT DRIVER



- Compact right angle impact driver measures 307 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque
- Compact 53 mm head design

|                | M18 BRAID-0                                                           |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933447891                                                            |
| EAN Code       | 4002395006663                                                         |

## M18 FSG M18 FUEL™ SCREW GUN



- Fine adjustment nose cone for setting desired countersink levels in single screw applications
- Quick release ¼" Hex chuck allows for easy bit change
- AUTO-START™ technology: When activated the power only engages when the screw gun is pushed into the material during application, delivering outstanding run time
- On board fuel gauge and LED light

|                | M18 FSG-0X                                         |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933459201                                         |
| EAN Code       | 4002395289967                                      |



## M18 FQID M18 FUEL™ SURGE™ ¼" HEX HYDRAULIC IMPACT DRIVER



- The M18 FUEL™ SURGE™ ¼" Hex hydraulic driver is MILWAUKEE®'s quietest impact driver
- FLUID-DRIVE™ hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact
- Delivers same performance in wood fastening as standard brushless impact drivers

|                | M18 FQID-0                                                            | M18 FQID-502X                                       |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933451792                                                            | 4933451791                                          |
| EAN Code       | 4002395277650                                                         | 4002395277643                                       |



## M18 FSGC M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT



- Fine adjustment nose cone for setting desired countersink levels in single screw applications
- Removable collated attachment allows the user to use the gun as a stand alone screwdriver or a collaged screw gun
- Reinforced collated attachment to protect against dropping of tool

|                | M18 FSGC-202X                                       |
|----------------|-----------------------------------------------------|
| Kit included   | 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933459200                                          |
| EAN Code       | 4002395289950                                       |





# GET THE RIGHT IMPACT WRENCH FOR THE JOB

## 1 HIGH TORQUE

For the most demanding applications in railway, (semi) truck, metal construction and utility maintenance



## 2 MID TORQUE

Most versatile for personal vehicles, commercial plumbing, metal structures, solar and light equipment maintenance



## 3 LOW TORQUE

More compact, for light applications in tight spaces in personal vehicle maintenance, plumbing, electrical, construction and solar



|    | Milw. Powertool Battery System logo | Milw. Powertool Technology logo | Milw. Powertool ONEKEY logo | No load speed (rpm)                       | Impact rate (ipm)                         | Tool reception | Max. torque (Nm)          | Nut_busting torque [Nm] | Max. bolt diameter | Weight with battery pack (EPTA) (kg) |
|----|-------------------------------------|---------------------------------|-----------------------------|-------------------------------------------|-------------------------------------------|----------------|---------------------------|-------------------------|--------------------|--------------------------------------|
| 1. | M18 FHIWF1R-122C                    | M18 FUEL™                       | -                           | 1000 / 1400 / 1670 / 1670                 | 1750 / 2150 / 2500 / 2500                 | 1" square      | 730 / 1500 / 2000         | 2000                    | M42                | 7.8 (M18 FB12)                       |
| 1. | M18 ONEFHIWF1D-121C                 | M18 FUEL™                       | ONE-KEY™                    | 600 / 700 / 900 / 1200                    | 750 / 930 / 1200 / 1440                   | 1" square      | 1180 / 1254 / 1966 / 2576 | 2711                    | M42                | 12.7 (M18 FB12)                      |
| 1. | M18 ONEFHIWF1DS-121C                | M18 FUEL™                       | ONE-KEY™                    | 600 / 700 / 900 / 1200                    | 750 / 930 / 1200 / 1440                   | 1" square      | 1180 / 1254 / 1966 / 2576 | 2711                    | M42                | 11.1 (M18 FB12)                      |
| 1. | M18 ONEFHIWH716-502X                | M18 FUEL™                       | ONE-KEY™                    | 0-900/ 0-1200/ 0-1800/ 0-2300             | 0-800/ 0-1300/ 0-2600/ 0-2800             | 7/16" Hex      | 1017                      | 1017                    | M24                | 3.3 (M18 B5)                         |
| 1. | M18 ONEFHIWF34-502X                 | M18 FUEL™                       | ONE-KEY™                    | 0-800/ 0-1300/ 0-1800/ 0-1800             | 0-850/ 0-1850/ 0-2400/ 0-2400             | 3/4" square    | 702/ 1138/ 1627/ 1627     | 2034                    | M33                | 3.5 (M18 B5)                         |
| 1. | M18 ONEFHIWF1-802X                  | M18 FUEL™                       | ONE-KEY™                    | 0-950 / 0-1080 / 0-1370 / 0-1670          | 1350 / 1650 / 2100 / 0-2500               | 1" square      | 530 / 1020 / 1800 / 2033  | 2400                    | M42                | 5.9 (M18 FB8)                        |
| 1. | M18 ONEFHIWF12-502X                 | M18 FUEL™                       | ONE-KEY™                    | 0-550/ 0-1400/ 0-1750/ 0-1750             | 0-950/ 0-1750/ 0-2100/ 0-2100             | 1/2" square    | 130/ 400/ 1356/ 1356      | 1898                    | M33                | 3.3 (M18 B5)                         |
| 1. | M18 FHIW2F12-502X                   | M18 FUEL™                       | -                           | 0-700/ 0-1300/ 0-2000/ 0-2000             | 0-1300/ 0-2200/ 0-2400/ 0-2400            | 1/2" square    | 881 / 1220 / 1491 / 68    | 2034                    | M36                | 3.4 (M18 B5)                         |
| 1. | M18 BLHIWF12-0X                     | M18™                            | Brushless                   | 0 - 1750                                  | 0 - 2000                                  | 1/2" square    | 1085                      | 1627                    | M36                | 3.4 (M18 B5)                         |
| 2. | M18 ONEFMTIW2FC12-0X                | M18 FUEL™                       | ONE-KEY™                    | 0 - 1250 / 0 - 1725 / 0 - 2000 / 0-2400   | 0 - 1800 / 0 - 2300 / 0 - 2800 / 0 - 3400 | 1/2" square    | 338                       | 746                     | M22                | 2.5 (M18 B5)                         |
| 2. | M18 FMTIW2F12-502X                  | M18 FUEL™                       | -                           | 0-1200/ 0-1950/ 0-2575/ 0-1325            | 0-900/ 0-2100/ 0-3100                     | 1/2" square    | 475/ 610/ 745/ 47         | 881                     | M22                | 2.3 (M18 B5)                         |
| 2. | M18 FMTIW2F38-502X                  | M18 FUEL™                       | -                           | 0-1200/ 0-1950/ 0-2575/ 0-1325            | 0-900/ 0-2100/ 0-3100                     | 3/8" square    | 475/ 610/ 745/ 47         | 813                     | M22                | 2.3 (M18 B5)                         |
| 3. | M18 ONEFIW2FC12-0X                  | M18 FUEL™                       | ONE-KEY™                    | 0 - 1125 / 0 - 1525 / 0 - 1850 / 0 - 2325 | 0 - 1650 / 0 - 2475 / 0 - 3000 / 0 - 3500 | 1/2" square    | 203                       | 298                     | M22                | 2.0 (M18 B5)                         |
| 3. | M18 ONEIWF12-502X                   | M18 FUEL™                       | ONE-KEY™                    | 900/ 1400/ 1900/ 2500                     | 1300/ 2100/ 2550/ 3200                    | 1/2" square    | 40/ 120/ 220/ 300         | 300                     | M16                | 1.8 (M18 B5)                         |
| 3. | M18 ONEIWP12-502X                   | M18 FUEL™                       | ONE-KEY™                    | 900/ 1400/ 1900/ 2500                     | 1300/ 2100/ 2550/ 3200                    | 1/2" square    | 40/ 120/ 220/ 300         | 300                     | M16                | 1.8 (M18 B5)                         |
| 3. | M18 FIW2F12-502X                    | M18 FUEL™                       | -                           | 0-900/ 0-1650/ 0-2400/ 0-1200             | 0-1000/ 0-2400/ 0-3500                    | 1/2" square    | 102/ 203/ 339/ 34         | 339                     | M16                | 1.8 (M18 B5)                         |
| 3. | M18 FIW2P12-502X                    | M18 FUEL™                       | -                           | 0-900/ 0-1650/ 0-2400/ 0-1200             | 0-1000/ 0-2400/ 0-3500                    | 1/2" square    | 102/ 203/ 339/ 34         | 339                     | M16                | 1.8 (M18 B5)                         |
| 3. | M18 FIW2F38-0X                      | M18 FUEL™                       | -                           | 0-800/ 0-1650/ 0-2400/ 0-1000             | 0-1000/ 0-2400/ 0-3500                    | 3/8" square    | 102/ 203/ 339/ 34         | 339                     | M16                | 1.8 (M18 B5)                         |
| 3. | M18 FMTIW2F12-502X                  | M18 FUEL™                       | -                           | 0-1200/ 0-1950/ 0-2575/ 0-1325            | 0-900/ 0-2100/ 0-3100                     | 1/2" square    | 475/ 610/ 745/ 47         | 881                     | M22                | 2.3 (M18 B5)                         |
| 3. | M18 FMTIW2F38-502X                  | M18 FUEL™                       | -                           | 0-1200/ 0-1950/ 0-2575/ 0-1325            | 0-900/ 0-2100/ 0-3100                     | 3/8" square    | 475/ 610/ 745/ 47         | 813                     | M22                | 2.3 (M18 B5)                         |
| 3. | M12 FCWF12G3-502X                   | M12 FUEL™                       | -                           | 0-930/ 0-2100/ 0-3000/ 0-1300             | 0-1500 / 0-3000 / 0-3300 / -              | 1/2" square    | 271 / 406 / 542 / 20      | 745                     | M16                | 1.5 (M12 HB5)                        |
| 3. | M12 FCWP12G3-0                      | M12 FUEL™                       | -                           | 0-930/ 0-2100/ 0-3000/ 0-1300             | 0-1500 / 0-3000 / 0-3300 / -              | 1/2" square    | 271 / 406 / 542 / 20      | 745                     | M16                | 1.5 (M12 HB5)                        |
| 3. | M12 FCWF38G3-502X                   | M12 FUEL™                       | -                           | 0-930/ 0-2100/ 0-3000/ 0-1300             | 0-1500 / 0-3000 / 0-3300 / -              | 3/8" square    | 271 / 406 / 542 / 20      | 745                     | M16                | 1.5 (M12 HB5)                        |
| 3. | M12 FIW14-0                         | M12 FUEL™                       | -                           | 1300/ 1900/ 3200/ 3200                    | 1300/ 2000/ 4300                          | 1/4" square    | 136                       | 136                     | M12                | 0.90 (M12 B4)                        |
| 3. | M18 BIW12-402C                      | M18™                            | -                           | 0 - 2450                                  | 0 - 3350                                  | 1/2" square    | 240                       | 240                     | M14                | 1.9 (M18 B4)                         |
| 3. | M18 BIW38-0                         | M18™                            | -                           | 0 - 2450                                  | 0 - 3350                                  | 3/8" square    | 210                       | 210                     | M14                | 1.9 (M18 B4)                         |
| 3. | M12 BIW12-202C                      | M12™                            | -                           | 0 - 2550                                  | 0 - 3400                                  | 1/2" square    | 138                       | 138                     | M12                | 1.0 (M12 B2)                         |
| 3. | M12 BIW38-0                         | M12™                            | -                           | 0 - 2500                                  | 0 - 3300                                  | 3/8" square    | 135                       | 135                     | M12                | 1.0 (M12 B2)                         |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE IMPACT SOCKETS





M18 ONEFIW2FC12 M18 FUEL M18 FUEL™ ONE-KEY™ TORQUE-SENSE™ 1/2" CONTROLLED SOLAR COMPACT IMPACT WRENCH WITH FRICTION RING



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- TORQUE-SENSE™ torque control delivers greater torque repeatability than blow counting impact wrenches by utilising proprietary sensors and machine learning algorithms to overcome common job site variability. Customisable torque ranges from 67 to 203 Nm

|                |                                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933493412                                         |
| EAN code       | 4058546482831                                      |

M18 ONEFMTIW2FC12 M18 FUEL M18 FUEL™ ONE-KEY™ TORQUE-SENSE™ 1/2" CONTROLLED SOLAR MID-TORQUE IMPACT WRENCH WITH FRICTION RING



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- TORQUE-SENSE™ torque control delivers greater torque repeatability than blow counting impact wrenches by utilising proprietary sensors and machine learning algorithms to overcome common job site variability. Customisable torque ranges from 67 to 338 Nm

|                |                                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933493413                                         |
| EAN code       | 4058546482848                                      |


M18 ONEFHIWH716 M18 FUEL M18 FUEL™ 7/16" HEX UTILITY HIGH TORQUE IMPACT WRENCH WITH ONE-KEY™



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- Our MILWAUKEE® M18 FUEL™ 7/16" hex utility high torque impact wrench with ONE-KEY™ is the perfect match for our 7/16" accessories range giving you the power when needed in larger wood application
- With up to 1017 Nm max torque, this battery powered impact wrench gives you more power to effortlessly complete your applications or the removal of rusted and corroded hardware

|                |                                                     |
|----------------|-----------------------------------------------------|
| Kit included   | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933479406                                          |
| EAN code       | 4058546372002                                       |



M18 ONEFHIWF1D M18 FUEL M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- The M18 FUEL™ D-handle high torque impact wrench with a 150 mm extended anvil delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

|                |                                                      |
|----------------|------------------------------------------------------|
| Kit included   | 1 x M18 FB12 Battery pack, M12-18 FC Charger, Kitbox |
| Article Number | 4933499252                                           |
| EAN Code       | 4058546564162                                        |

M18 FHIWF1R M18 FUEL M18 FUEL™ 1" RAILWAY IMPACT WRENCH WITH FRICTION RING



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- The M18 FUEL™ 1" railway impact wrench with 2000 Nm of maximum torque has the power to replace petrol solutions
- With a weight of only 6.1 kg it allows fatigue free working even over long periods of time
- Three different speed settings ensure that work can always be done at the optimum speed
- The auto shut-off function integrated in mode 4 prevents over tightening of bolts

|                |                                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article number | 4933493140                                         |
| EAN code       | 4058546480110                                      |

M18 FHIW2F12 M18 FUEL M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- Great power density: the M18 FUEL™ high torque impact wrench delivers 1491 Nm fastening torque and 2034 Nm of nut-busting torque in a compact size of 193 mm, which gives more access in tight spaces
- 2000 RPMs of no load speed to perform your task 35% faster than with the previous gen
- Our battery isolation system provides a secure battery connection and controls vibration transmitted to the pack

|                |                                                    |                                                     |
|----------------|----------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933492782                                         | 4933492784                                          |
| EAN code       | 4058546476533                                      | 4058546476557                                       |



M18 ONEFHIWF1 M18 FUEL M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- The M18 FUEL™ 1" T-handle high torque impact wrench has the power to replace AC, petrol or pneumatic solutions
- Delivering up to 2033 Nm of fastening torque at half the size and weight of AC, petrol or pneumatic solutions
- Packed with 2400 Nm of nut busting torque meaning those rusted stubborn old bolts wont stand a chance

|                |                                                      |
|----------------|------------------------------------------------------|
| Kit included   | 2 x M18 FB8 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933499255                                           |
| EAN Code       | 4058546564193                                        |

M18 ONEFHIWF1DS M18 FUEL M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- The M18 FUEL™ D-handle high torque impact wrench delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

|                |                                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article Number | 4933472071                                         |
| EAN Code       | 4058546324674                                      |

M18 FMTIW2F12 M18 FUEL M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH FRICTION RING



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening torque
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

|                |                                                     |
|----------------|-----------------------------------------------------|
| Kit included   | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478451                                          |
| EAN Code       | 4058546346423                                       |



M18 ONEFHIWF12 M18 FUEL M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1356 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

|                |                                                    |                                                     |
|----------------|----------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933459726                                         | 4933459728                                          |
| EAN Code       | 4058546028985                                      | 4058546029005                                       |

M18 ONEFHIWF34 M18 FUEL M18 FUEL™ ONE-KEY™ 3/4" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1627 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

|                |                                                    |                                                     |
|----------------|----------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933459729                                         | 4933459731                                          |
| EAN Code       | 4058546029012                                      | 4058546029036                                       |

M18 FMTIW2F38 M18 FUEL M18 FUEL™ 3/8" MID TORQUE IMPACT WRENCH WITH FRICTION RING



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 813 Nm of nut-busting torque and 745 Nm of fastening torque
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

|                |                                                     |
|----------------|-----------------------------------------------------|
| Kit included   | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933479405                                          |
| EAN code       | 4058546371999                                       |

M18 ONEIWF12 M18 FUEL M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH FRICTION RING



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

- M18 FIWF12 but with ONE-KEY™ technology
- Connect via Bluetooth® with the ONE-KEY™ app
- Complete tool customisation via ONE-KEY™ app to tune the tool to your needs
- Control speed, torque, start - end speeds and LED light
- Configure to any application choosing optimum tool settings for repeatable precision
- Program / save profiles for unmatched control

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933451153                                                            |
| EAN Code       | 4002395138227                                                         |



M18 FUEL M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING



- Power efficiency under load - outstanding torque of 339 Nm
- Extremely compact design - total length of just 124 mm for access into tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops

|                | M18 FIW2F12-0                                                         | M18 FIW2F12-502X                                    |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933498058                                                            | 4933478445                                          |
| EAN Code       | 4058546512187                                                         | 4058546346362                                       |

M18 BLHIWF12 M18™ BRUSHLESS 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

BRUSHLESS



- Delivers 1085 Nm of fastening torque and 1627 Nm of nut-busting torque to easily work with most occasional applications
- 222 mm body allows for more access in tight spaces
- Integrated LED light to illuminate the working area
- A speed of 1750 RPM to do your task quickly and efficiently

|                | M18 BLHIWF12-0X                                    | M18 BLHIWF12-502X                                  |
|----------------|----------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 C Charger, HD Box |
| Article number | 4933492787                                         | 4933498205                                         |
| EAN code       | 4058546476588                                      | 4058546520748                                      |

M18 BIW38 M18™ 3/8" IMPACT WRENCH



- Compact 3/8" impact wrench measures 152 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- 3/8" square drive for use with universal sockets

|                | M18 BIW38-0                                                           |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933443600                                                            |
| EAN Code       | 4002395003273                                                         |

M18 FUEL M18 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH FRICTION RING



- The most compact cordless impact wrench in its class, delivering the most access in tight spaces, with performance at 339 Nm of fastening torque
- Incredibly compact design for this performance level, with only 124 mm overall length ideal for applications in tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

|                | M18 FIW2F38-0X                                     | M18 FIW2F38-502X                                    |
|----------------|----------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478650                                         | 4933478652                                          |
| EAN Code       | 4058546348434                                      | 4058546348458                                       |

M18 BIW12 M18™ 1/2" IMPACT WRENCH



- Compact 1/2" impact wrench measures 155 mm in length making it ideal for working within confined spaces
- High performance 4-pole motor delivers maximum power whilst maximising the power to weight ratio
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

|                | M18 BIW12-0                                                           | M18 BIW12-202C                                     |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933443590                                                            | 4933443583                                         |
| EAN Code       | 4002395003266                                                         | 4002395003426                                      |

M18 BRAIW M18™ 3/8" RIGHT ANGLE IMPACT WRENCH



- Compact right angle impact wrench measures 307 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque
- Compact 53 mm head design

|                | M18 BRAIW-0                                                           |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933447899                                                            |
| EAN Code       | 4002395006670                                                         |

M18 ONEFLT M18 FUEL™ LOCKBOLT TOOL WITH ONE-KEY™



- The M18 FUEL™ lockbolt tool with ONE-KEY™ is an optimised cordless solution that delivers fast, easy installations while maintaining performance, durability, and size
- 20,000 N of pulling force with a stroke length of 30 mm gives you the power to complete the larger applications effortlessly
- Installs up to 1,200 aluminium 6.4 mm lockbolts with one fully charged M18™ 5.0 Ah battery pack

|                | M18 ONEFLT-0X                                      | M18 ONEFLT-502X                                     |
|----------------|----------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933478637                                         | 4933478639                                          |
| EAN code       | 4058546348304                                      | 4058546348328                                       |

C18 PCG/600 M18™ CAULK GUN WITH 600 ML TUBE



- Up to 4500 N of force. Min 40% higher than previous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

|                    | C18 PCG/600A-201B                                   | C18 PCG/600T-201B                                   |
|--------------------|-----------------------------------------------------|-----------------------------------------------------|
| Standard equipment | 600 ml aluminium                                    | 600 ml transparent                                  |
| Kit included       | 1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag | 1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag |
| Article Number     | 4933448758                                          | 4933441810                                          |
| EAN Code           | 4002395810802                                       | 4002395002399                                       |

C18 PCG/310 M18™ CAULK GUN WITH 310 ML CANISTER



- Up to 4500 N of force. Min 40% higher than previous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

|                    | C18 PCG/310C-201B                                   |
|--------------------|-----------------------------------------------------|
| Standard equipment | 310 ml canister cartridge holder                    |
| Kit included       | 1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag |
| Article Number     | 4933448759                                          |
| EAN Code           | 4002395810819                                       |

M18 ONEFPRT M18 FUEL™ RIVET TOOL WITH ONE-KEY™



- The M18 FUEL™ rivet tool with ONE-KEY™ is an optimised cordless solution that delivers fast, easy riveting while maintaining performance, durability, and size
- Pulls up to 900 rivets with a rivet size of 4.8 mm in aluminium or 500 rivets with a size of 6.4 mm in aluminium on a fully charged M18™ 2.0 Ah battery pack

|                | M18 ONEFPRT-0X                                     | M18 ONEFPRT-202X                                    |
|----------------|----------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478601                                         | 4933478603                                          |
| EAN Code       | 4058546347949                                      | 4058546347963                                       |

C18 PCG/400 M18™ CAULK GUN WITH 400 ML TUBE



- Up to 4500N of force. Min 40% higher than previous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

|                    | C18 PCG/400T-201B                                   |
|--------------------|-----------------------------------------------------|
| Standard equipment | 400 ml transparent tube                             |
| Kit included       | 1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag |
| Article Number     | 4933441814                                          |
| EAN Code           | 4002395002382                                       |

M18 GG M18™ GREASE GUN



- Powerful 18V motor delivers over 690 bar max. operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.9 kg

|                | M18 GG-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933440493                                                            |
| EAN Code       | 4002395000357                                                         |



SCAN TO VIEW OUR RUBBER SLEEVES FOR IMPACT WRENCHES



M18 HMP700 M18™ HYDRAULIC MINI PUMP 700 BAR

FORCELOGIC™



- FORCE LOGIC™ hydraulic mini pump powers commonly available single acting 700 bar head attachments
- Compact size allows usage in confined spaces and allows for easy storage
- The pump is equipped with a connection 3/8" thread to fit most common attachments
- The pump keeps pressure level for reliable use on different applications

|                | M18 HMP700-0                                                          | M18 HMP700-501                                                        |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 B5 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933493928                                                            | 4933493921                                                            |
| EAN code       | 4058546510886                                                         | 4058546510817                                                         |





# GET THE RIGHT ANGLE GRINDER FOR THE JOB

1 HIGH OUTPUT™ designed for the heavy applications, from beveling to cleaning up welds



3 Variable speed. Maximum control, ideal for working with stainless steel and aluminium, and for rust and paint removal



|                             | Milw. Powertool Battery System logo | Milw. Powertool Technology logo | Milw. Power-tool Feature logo | Milw. Power-tool ONEKEY logo | No load speed (rpm) | Disc diameter (mm) | Weight with battery pack (EPTA) (kg) | Switch type             | Brake | Anti_kickback protection | FIXTEC™ | Line lock out function |
|-----------------------------|-------------------------------------|---------------------------------|-------------------------------|------------------------------|---------------------|--------------------|--------------------------------------|-------------------------|-------|--------------------------|---------|------------------------|
| 1. M18 ONEFLAG230XPDB-122C  | M18 FUEL™                           |                                 | RAPIDSTOP™                    | ONE-KEY™                     | 6600                | 230                | 5.4 (M18 FB12)                       | Paddle (Deadman) switch | Yes   | Yes                      | Yes     | Yes                    |
| 1. M18 FLAG230XPDB-121C     | M18 FUEL™                           |                                 | -                             | -                            | 6600                | 230                | 5.3 (M18 FB12)                       | Paddle (Deadman) switch | Yes   | Yes                      | Yes     | Yes                    |
| 1. M18 FHSAGO180VXPDB2-0X   | M18 FUEL™                           |                                 | RAPIDSTOP™                    | ONE-KEY™                     | 5000 - 8400         | 180                | 3.6 (M18 FB8)                        | Paddle (Deadman) switch | Yes   | Yes                      | Yes     | Yes                    |
| 1. M18 FHSAG125XPDB2-802X   | M18 FUEL™                           |                                 | RAPIDSTOP™                    | -                            | 9000                | 125                | 3.5 (M18 FB8)                        | Paddle (Deadman) switch | Yes   | Yes                      | Yes     | Yes                    |
| 2. M18 FSAG125XPDB-0X       | M18 FUEL™                           |                                 | RAPIDSTOP™                    | -                            | 8500                | 125                | 2.6 (M18 B5)                         | Paddle (Deadman) switch | Yes   | Yes                      | Yes     | Yes                    |
| 3. M18 FSAGSV0125X-502X     | M18 FUEL™                           |                                 | RAPIDSTOP™                    | ONE-KEY™                     | 3500 - 8500         | 125                | 3.0 (M18 B5)                         | Deadman switch          | Yes   | Yes                      | Yes     | Yes                    |
| 3. M18 FHSAGO125VXPDB2-802X | M18 FUEL™                           |                                 | RAPIDSTOP™                    | ONE-KEY™                     | 3500 - 9000         | 125                | 3.5 (M18 FB8)                        | Paddle (Deadman) switch | Yes   | Yes                      | Yes     | Yes                    |
| 4. M18 BLSAG125XPD-402X     | M18™                                | Brushless                       | -                             | -                            | 11,000              | 125                | 2.4 (M18 B4)                         | Paddle (Deadman) switch | No    | Yes                      | Yes     | Yes                    |
| 4. M18 BLSAG115XPD-402X     | M18™                                | Brushless                       | -                             | -                            | 11,000              | 115                | 2.4 (M18B4)                          | Paddle (Deadman) switch | No    | Yes                      | Yes     | Yes                    |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE CUTTING DISCS

REDLITHIUM™

## M18 ONEFLAG230XPDB M18 FUEL™ ONE-KEY™ 230 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- Delivering corded performance similar to a 2200 W grinder
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- RAPIDSTOP™ for fastest disc brake in less than 3 seconds and best user protection

|                |                                                    |
|----------------|----------------------------------------------------|
|                | M18 ONEFLAG230XPDB-0C                              |
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article number | 4933478782                                         |
| EAN code       | 4058546360641                                      |

## M18 FHSAGO180VXPDB2 M18 FUEL™ HIGH PERFORMANCE 180 MM BRAKING GRINDER WITH VARIABLE SPEED & ONE-KEY™ GEN 2



- M18™ High Performance 180 mm small angle grinder, delivering corded performance similar to a 1800 W grinder
- Maximum control for every application with 4-mode push button, ideal for working with stainless steel and aluminium & for rust and paint removal
- RAPIDSTOP™ for fastest disc brake in less than 3 seconds and best user protection

|                |                                                    |
|----------------|----------------------------------------------------|
|                | M18 FHSAGO180VXPDB2-0X                             |
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933498942                                         |
| EAN code       | 4058546528119                                      |

## M18 FHSAG125XPDB2 M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH PADDLE SWITCH



- M18™ High Performance 125 mm small angle grinder, delivering corded performance similar to a 1800 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Increased performance while reducing the housing around the motor for better balance & ergonomics compared to previous model
- Anti-vibration side handle for lower vibration

|                |                                                    |
|----------------|----------------------------------------------------|
|                | M18 FHSAG125XPDB2-0X                               |
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933493417                                         |
| EAN code       | 4058546482886                                      |

## M18 FSAGSV0125X M18 FUEL™ 125 MM SAFETY GRINDER WITH VARIABLE SPEED AND ONE-KEY™



- Dual trigger activation requires the user to have always both hands on the tool and automatically shuts down the tool whenever one hand is taken off
- RAPIDSTOP™ for fastest disc brake in less than 1 second and best user protection
- AUTOSTOP™ shuts down the tool to protect the user in bind-up situations or any unnatural movement

|                |                                                    |
|----------------|----------------------------------------------------|
|                | M18 FSAGSV0125X-0X                                 |
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933493552                                         |
| EAN code       | 4058546484231                                      |

## M18 FLAG230XPDB M18 FUEL™ 230 MM LARGE BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- The world's first single 18V battery operated large angle grinder that delivers the power to grind, lighter than corded tools and makes up to 68 cuts per charge in 42 mm stainless steel pipe

|                |                                                    |                                                      |
|----------------|----------------------------------------------------|------------------------------------------------------|
|                | M18 FLAG230XPDB-0C                                 | M18 FLAG230XPDB-121C                                 |
| Kit included   | No batteries supplied, No charger supplied, Kitbox | 1 x M18 FB12 Battery pack, M12-18 FC Charger, Kitbox |
| Article Number | 4933464114                                         | 4933499273                                           |
| EAN Code       | 4058546220594                                      | 4058546564377                                        |



## M18 FHSAGO125VXPDB2 M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH VARIABLE SPEED AND ONE-KEY™



- M18™ High Performance 125 mm small angle grinder, delivering corded performance similar to a 1800 W grinder
- Maximum control for every application with 4 - speed mode push button, ideal for working with stainless steel and aluminium & for rust and paint removal
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection

|                |                                                    |
|----------------|----------------------------------------------------|
|                | M18 FHSAGO125VXPDB2-0X                             |
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933493419                                         |
| EAN code       | 4058546482909                                      |






M18 FSAGF125XPDB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH PADDLE SWITCH

RAPID STOP



- Flat gear head design - allows user working within acute angles down to 42°
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Non-lockable safety paddle switch with line-lock-out function to prevent automatic start up
- Anti-vibration side handle for lower vibration
- FIXTEC™ nut for tool-free wheel change

|                |                                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933478439                                         |
| EAN code       | 4058546346300                                      |



M18 ONEFSAG115XPDB M18 FUEL™ ONE-KEY™ 115 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH

ONE-KEY™  
UNLOCKING THE DIGITAL JOBSITE™



- Delivering corded performance similar to a 1200 W grinder
- ONE-KEY™ tool locking, tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection

|                |                                                        |
|----------------|--------------------------------------------------------|
| Kit included   | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933478432                                             |
| EAN code       | 4058546346232                                          |

M18 FSAGV115XPDB M18 FUEL™ 115 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- Maximum control for every application - 5-step speed dial ideal for working with stainless steel and aluminum & for rust and paint removal
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Non-lockable safety paddle switch with line-lock-out function to prevent automatic start up
- Anti-vibration side handle for lower vibration

|                |                                                                       |                                                    |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933478774                                                            | 4933478773                                         |
| EAN code       | 4058546360566                                                         | 4058546360559                                      |

M18 BLSAG125XPD M18 BRUSHLESS 125 MM ANGLE GRINDER WITH PADDLE SWITCH

BRUSHLESS



- 11,000 RPM optimised for cutting applications
- Powerful brushless motor delivering corded performance similar to a 800 W grinder
- Most compact and lightest cordless angle grinder in the the range
- Safety clutch protects user the from kickback injuries
- Integrated FIXTEC™ system for tool-free wheel change

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933492645                                                            |
| EAN code       | 4058546413958                                                         |

M18 BLSAG115XPD M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH

BRUSHLESS



- 11,000 RPM optimised for cutting applications
- Powerful brushless motor delivering corded performance similar to a 800 W grinder
- Most compact and lightest cordless angle grinder in the the range
- Safety clutch protects user the from kickback injuries
- Integrated FIXTEC™ system for tool-free wheel change

|                |                                                                       |                                                    |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, HD Box |
| Article number | 4933492647                                                            | 4933492648                                         |
| EAN code       | 4058546413972                                                         | 4058546413989                                      |

M18 FROP21 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM STROKE



- Delivering equal performance as corded random orbital polishers to complete polishing and heavy-correction applications
- 8 position speed dial selection for maximum control and best finishing results
- 21 mm orbital function for fast and efficient polishing with a free hologram finish
- Large ergonomic front grip area with overmold for easy and comfortable handling, especially when working with the tool vertically

|                    |                                                    |
|--------------------|----------------------------------------------------|
| Standard equipment | 150 mm backing pad, dust screen                    |
| Kit included       | No batteries supplied, No charger supplied, HD Box |
| Article number     | 4933478836                                         |
| EAN code           | 4058546361181                                      |



M18 FROP15 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM STROKE



- Delivering equal performance as corded random orbital polishers to complete polishing and heavy-correction applications
- 8 position speed dial selection for maximum control and best finishing results
- 15 mm orbital function for fast and efficient polishing with a free hologram finish
- Large ergonomic front grip area with overmold for easy and comfortable handling, especially when working with the tool vertically

|                    |                                                                       |                                                     |
|--------------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Standard equipment | 125 mm backing pad, dust screen                                       | 125 mm backing pad, dust screen                     |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article number     | 4933499156                                                            | 4933479823                                          |
| EAN code           | 4058546530259                                                         | 4058546376178                                       |



M18 FAP M18 FUEL™ POLISHER



- Cordless polisher with 8 position variable speed selection ranging from 360 - 2200 rpm
- Outstanding run time to polish one full size car per battery charge (on moderate to good paint, light scratches)
- Maximum polishing accessory diameter of 180 mm
- Constant speed electronics with soft start for smooth start up

|                    |                                                                       |                                                                                                                              |
|--------------------|-----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Standard equipment | Polishing backing pad, dust screen, bale handle, AVS side handle      | Polishing backing pad, polishing sponge white, polishing sponge orange, lambswool, dust screen, bale handle, AVS side handle |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box                                                                          |
| Article Number     | 4933451549                                                            | 4933451551                                                                                                                   |
| EAN Code           | 4002395144518                                                         | 4002395144532                                                                                                                |

M18 FMCS66 M18 FUEL™ 66 MM METAL CIRCULAR SAW



- First 18V cordless metal circular saw with 66 mm cutting depth and 1800 W corded performance
- Faster cutting speed compared to corded unit
- Shoe designed to connect directly on MILWAUKEE® guide rail (sold separately). This allows the user to make straight and accurate cuts with minimum setup time
- Performance light indicates when the device is pushed to hard

|                |                                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article Number | 4933472110                                         |
| EAN Code       | 4058546325060                                      |



SCAN TO VIEW OUR ANGLE GRINDER PERFECT MATCH



M18 FMCS M18 FUEL™ 57 MM METAL CIRCULAR SAW



- Dry-cutting technology provides cold, fast and burr-free metal cutting
- Tool-free depth adjustment, quickly and easily adjusts cutting depth from 0 to 57 mm
- Compact and light weight design for most comfortable use
- Dual-action trigger prevents any accidental start up
- Tool-free cutting depth adjustment and plunge lever for fast and effective plunge cuts

|                |                                                                       |                                                     |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933459191                                                            | 4933459194                                          |
| EAN Code       | 4002395289264                                                         | 4002395289295                                       |



SCAN TO VIEW OUR METAL CSBS PERFECT MATCH





M18 FBS127  
M18 FUEL™ DEEP CUT BAND SAW GEN 2



- Fastest cutting band saw in it's class and 30% faster than previous model
- Optimised ergonomics and weight reduced by 1.4 kg compared to previous model
- Maximum control for any material, 4-step speed mode & variable speed trigger; ideal for working with stainless steel and aluminium
- Cut-stop technology, the tool shuts off automatically after the cut for increased user safety

|                | M18 FBS127-0                                                          |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933498309                                                            |
| EAN code       | 4058546521783                                                         |

M18 FBS127DO  
M18 FUEL™ DUAL-TRIGGER DEEP CUT BAND SAW WITH ONE-KEY™



- Dual trigger activation, requires the user to have always both hands on the tool and automatically shuts down the tool whenever one hand is taken off
- Maximum control for any material, 4-step speed mode & variable speed trigger; ideal for working with stainless steel and aluminium

|                | M18 FBS127DO-0C                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article number | 4933498311                                         |
| EAN code       | 4058546521806                                      |

M18 BMS20  
M18™ METAL SHEAR



- Accurate cuts with maximum cutting depth of 2.0 mm in steel
- Unique 360° tool-free rotating head with 12 locking positions to access tight spaces and increasing user comfort
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

|                | M18 BMS20-0                                                           |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933447935                                                            |
| EAN Code       | 4002395006748                                                         |

M18 BHG  
M18™ HEAT GUN



- High performance heat coil allows the tool to reach 470 °C
- Reaches operational temperature in six seconds allowing the user to quickly complete his application
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

|                | M18 BHG-0                                                             | M18 BHG-502C                                       |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933459771                                                            | 4933459773                                         |
| EAN Code       | 4058546029432                                                         | 4058546029456                                      |

M18 FBS85  
M18 FUEL™ COMPACT BAND SAW



- 20% faster cutting compared to previous model
- Large cutting capacity up to a diameter of 85 mm
- Variable speed trigger for quick & easy speed adjustments
- Band saw cover protects user from injuries by preventing any access to the blade - tool-free installation and removal within seconds

|                | M18 FBS85-0C                                       | M18 FBS85-202C                                      |
|----------------|----------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox | 2 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933471496                                         | 4933471498                                          |
| EAN Code       | 4058546293956                                      | 4058546293970                                       |

M18 FDGROVPDB  
M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND PADDLE SWITCH



- Maximum control for every application, 5-step speed dial ideal for working with stainless steel, carbide burs & accessories up to 75 mm
- Delivering corded performance similar to a 1200 W grinder
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

|                | M18 FDGROVPDB-0X                                   |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933480957                                         |
| EAN code       | 4058546412425                                      |

M18 FMS305  
M18 FUEL™ ONE-KEY™ 305 MM MITRE SAW



- Delivers the power to cut at the same rate of an equivalent AC 305 mm saw, with the ability to cut up to 500 pieces of 78 mm pine base board on one 12.0 Ah battery charge
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ and FORGE™ batteries

|                | M18 FMS305-0                                                          |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471205                                                            |
| EAN Code       | 4058546288334                                                         |

M18 FMS254  
M18 FUEL™ 254 MM MITRE SAW



- With a 254 mm blade it delivers large and accurate cut capacities
- Up to 430 cuts in 26 mm x 142 mm decking with a 12.0 Ah battery gives the ability to work a full day without recharging the battery
- Quick release bevel setting with detents allows the simple setting of bevel angles to the left and right

|                | M18 FMS254-0                                                          |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933451729                                                            |
| EAN Code       | 4002395279418                                                         |

M18 FDGROVB  
M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND SLIDE SWITCH



- Maximum control for every application, 5-step speed dial ideal for working with stainless steel, carbide burs & accessories up to 75 mm
- Delivering corded performance similar to a 1200 W grinder
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

|                | M18 FDGROVB-0X                                     |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933480955                                         |
| EAN code       | 4058546412401                                      |

M18 FDGRB  
M18 FUEL™ BRAKING DIE GRINDER WITH SLIDE SWITCH



- Delivering corded performance similar to a 1200 W grinder
- Spindle lock - increased productivity by reducing the need of 2 wrenches
- RAPIDSTOP™ stops all accessories in under the 2 seconds
- Lower angle of battery slot for better balance & ergonomics compared to previous model
- Universal reception to fit both, 6 and 8 mm accessories

|                | M18 FDGRB-0                                                           |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933480952                                                            |
| EAN code       | 4058546412371                                                         |

M18 FMS190  
M18 FUEL™ 190 MM MITRE SAW



- With a 190 mm blade it delivers accurate cut capacities
- Up to 299 cuts in 38 mm 89 mm soft wood with a 5.0 Ah battery gives the ability to work a full day without recharging the battery
- Quick release bevel setting allows the simple setting of bevel angles to the left and right
- Large sliding fences gives maximum support to the material being cut providing stability and accuracy

|                | M18 FMS190-0                                                          |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459619                                                            |
| EAN Code       | 4058546027919                                                         |

MSL 1000  
MITRE SAW STAND EXTENDABLE UP TO 2 M



- Light weight aluminium, easy to transport onto the job site
- 1.08 m total length, will fit into most small vans and cars
- Extendable each side - 2.08 m extended
- Will hold up to 180 kg
- One point leg adjustment for leveling on uneven ground
- Quick release brackets
- Height adjustable length stops

|                | MSL 1000      |
|----------------|---------------|
| Article Number | 4933429970    |
| EAN Code       | 4002395241729 |

M18 FMDP  
M18 FUEL™ MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET



- FUEL™ technology provides corded drilling performance with strongest magnet holding force on 1/4" steel and 40 x 18 mm holes per battery charge
- AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection

|                | M18 FMDP-502C                                       |
|----------------|-----------------------------------------------------|
| Kit included   | 2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933451013                                          |
| EAN Code       | 4002395136667                                       |

M18 BMS12  
M18™ METAL SHEAR



- Accurate cuts with maximum cutting depth of 1.2 mm in steel
- Unique 360° tool-free rotating head with 12 locking positions to access tight spaces and increasing user comfort
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

|                | M18 BMS12-0                                                           |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933447925                                                            |
| EAN Code       | 4002395006731                                                         |

MSL 2000  
MITRE SAW STAND EXTENDABLE UP TO 2.5 M



- Light weight aluminium, easy to transport onto the job site
- 1.09 m total length, will fit into most small vans and cars
- Extendable each side - 2.54 m extended
- Will hold up to 227 kg
- One point leg adjustment for leveling on uneven ground
- Quick release brackets
- Height adjustable length stops

|                | MSL 2000      |
|----------------|---------------|
| Article Number | 4933459617    |
| EAN Code       | 4058546027896 |





# GET THE RIGHT MITRE SAW FOR THE JOB

1

EXTERNAL

Roofing, fencing, decking

CAPACITY



2

INTERNAL

Second fix, smaller cuts, skirting boards, kitchen fitting, door and window surrounds

PORTABILITY



|    |                | Milw. Powertool logo | Milw. Power-Battery System logo | Milw. Power-tool ONEKEY logo | No load speed (rpm) | Blade diameter (mm) | Bevel capacity left (°) | Bevel capacity right (°) | Mitre capacity left (°) | Mitre capacity right (°) | Bore size (mm) | Max. cutting capacity at fence 90 mitre/90 bevel [mm] | Weight with battery pack (EPTA) (kg) |
|----|----------------|----------------------|---------------------------------|------------------------------|---------------------|---------------------|-------------------------|--------------------------|-------------------------|--------------------------|----------------|-------------------------------------------------------|--------------------------------------|
| 1. | M18 FMS305-121 | M18 FUEL™            | ONE-KEY™                        |                              | 3600                | 305                 | 48                      | 48                       | 55                      | 60                       | 30             | 96.5 x 340                                            | 22.5 (M18 FB12)                      |
| 1. | M18 FMS254-0   | M18 FUEL™            | -                               |                              | 4000                | 254                 | 48                      | 48                       | 50                      | 60                       | 30             | 91 x 289                                              | 20.0 (M18 B5)                        |
| 2. | M18 FMS190-0   | M18 FUEL™            | -                               |                              | 5000                | 190                 | 48                      | 48                       | 48                      | 48                       | 30             | -                                                     | 12.7 (M18 B5)                        |

## MITRE SAW EXTENDABLE LEGSTANDS

|          | Height (mm) | Base size (mm) | Extendable up to (mm) | Collapsed size (mm) | Bearing force [kg] | Weight (kg) |
|----------|-------------|----------------|-----------------------|---------------------|--------------------|-------------|
| MSL 1000 | 850         | 1065           | 2125                  | 1065                | 180                | 17.0        |
| MSL 2000 | 860         | 1093           | 2542                  | 1093                | 227                | 14.0        |
| MSUV 280 | 850         | 1160           | 2800                  | 1320                | 136                | 27.0        |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE MITRE SAW BLADES

REDLITHIUM™

### MSUV 280 MITRE SAW STAND EXTENDABLE UP TO 2.8 M



- Upright folding design for easy storage and transportation
- Easy one action foot pedal lock and single lift point allows the stand to be quickly setup with a mitre saw attached
- Universal quick release saw brackets compatible with all MILWAUKEE® mitre saws
- Extra wide work piece support rollers allows larger materials to be more easily handled
- 2.8 m extension width

#### MSUV 280

|                |               |
|----------------|---------------|
| Article Number | 4933478992    |
| EAN Code       | 4058546362744 |

### TSS 1000 TABLE SAW STAND



- Light weight of only 6.6 kg - easy to transport onto the job site
- Will hold up to 82 kg
- Quick release bracket to hold the saw firmly in place
- One point leg adjustment for leveling on uneven ground
- Comfortable work height at 559 mm
- To be used with M18 FUEL™ ONE-KEY™ table saw (M18 FTS210)

#### TSS 1000

|                |               |
|----------------|---------------|
| Article Number | 4933464227    |
| EAN Code       | 4058546221720 |

### M18 FCS552 M18 FUEL™ COMPACT CIRCULAR SAW

M18 FUEL



- The M18 FUEL™ circular saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw, with the ability to cut 200 pieces of 90 mm x 45 mm pine stud on one 3.0 Ah HIGH OUTPUT™ battery as its optimised for HIGH OUTPUT™ technology
- Magnesium shoe reduces weight and maximises durability
- Durable metal rafter hang hook for work space management and safety

#### M18 FCS552-0

|                |                                                      |
|----------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Gift box |
| Article number | 4933493587                                           |
| EAN code       | 4058546484583                                        |

### M18 FCSRH662 M18 FUEL™ REAR HANDLE CIRCULAR SAW FOR WOOD GEN 2

M18 FUEL



- Delivers the power to rip cut at the same feed rate of an equivalent AC circular saw due to the FORGE™ technology built into this saw allows the ability to cross cut up to 700 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery
- 190 mm blade which gives a 68 mm depth of cut, enabling the saw to cut 3 stacked OSB boards
- Magnesium shoe reduces weight and maximises durability

#### M18 FCSRH662-0

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933498992                                                            |
| EAN code       | 4058546528614                                                         |

### M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW

M18 FUEL



- The ONE-KEY™ M18 FUEL™ table saw delivers the power to rip cut at the same feed rate of an equivalent AC saw, with the ability to cut 190 m of 19 mm OSB board on one 12.0 Ah battery charge

#### M18 FTS210-0

#### M18 FTS210-121B

|                |                                                                       |                                                                         |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 FB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933464722                                                            | 4933499180                                                              |
| EAN Code       | 4058546226671                                                         | 4058546563448                                                           |

### M18 FPS55 M18 FUEL™ 55 MM PLUNGE SAW

M18 FUEL



- The M18 FUEL™ plunge saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 45 metres of 18 mm plywood on one 5.5 Ah battery charge
- The depth adjustment has two scales, one for on the rail and one for off the rail, this can easily be adjusted by the press of a button

#### M18 FPS55-0P

#### M18 FPS55-552P

|                |                                                                  |                                                                      |
|----------------|------------------------------------------------------------------|----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, PACKOUT™ xl tool box | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, PACKOUT™ xl tool box |
| Article number | 4933478777                                                       | 4933478779                                                           |
| EAN code       | 4058546360597                                                    | 4058546360610                                                        |

### HD18 CS M18™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC

M18



- Powerful 3500 rpm motor easily cuts most timber construction materials
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Large 50° bevel facility
- Magnesium upper guard provide best in class durability for impact resistance
- Excellent visibility of cutting line

#### HD18 CS-0

#### HD18 CS-402B


|                |                                                                       |                                                      |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Tool bag |
| Article Number | 4933419134                                                            | 4933441400                                           |
| EAN Code       | 4002395238248                                                         | 4002395001613                                        |







# GET THE RIGHT SAW FOR THE JOB



## ① TABLE, PLUNGE AND CIRCULAR SAWS

|                   | Milw. Powertool Battery System logo | Milw. Powertool ONEKEY logo | No load speed (rpm) | Blade diameter (mm) | Bevel capacity (°) | Max. cutting depth 45° (mm) | Max. cutting depth 90° (mm) | Weight with battery pack (EPTA) (kg) |
|-------------------|-------------------------------------|-----------------------------|---------------------|---------------------|--------------------|-----------------------------|-----------------------------|--------------------------------------|
| M18 FTS210-121B   | M18 FUEL™                           | ONE-KEY™                    | 6300                | 210                 | 47                 | -                           | 63.5                        | 22.3 (M18 FB12)                      |
| M18 FPS55-552P    | M18 FUEL™                           | -                           | 2500 - 5600         | 165                 | -1 - 48            | 44                          | 59                          | 4.9 (M18 HB5.5)                      |
| M18 FCS552-302X   | M18 FUEL™                           | -                           | 6000                | 165                 | 50                 | 44                          | 57                          | 3.4 (M18 HB3)                        |
| HD18 CS-402B      | M18™                                | -                           | 3500                | 165                 | 0 - 50             | 39                          | 55                          | 3.8 (M18 B4)                         |
| M18 FCS66GR3-121C | M18 FUEL™                           | -                           | 6,000               | 190                 | 50                 | 53                          | 68                          | 5.7 (M18 FB12)                       |
| M18 FCSRH662-0    | M18 FUEL™                           | -                           | 6,000               | 190                 | 53                 | 53                          | 69                          | 5.2 (M18 FB12)                       |
| M18 BLC66-502X    | M18™                                | -                           | 5000                | 190                 | 0 - 50             | 48                          | 66                          | 4.0 (M18 B5)                         |
| M12 FCS442-502X   | M12 FUEL™                           | -                           | 3850                | 140                 | 0 - 50             | 32                          | 46                          | 2.4 (M12 HB5)                        |

## ② SAWZALL™, HACKZALL™, JIGSAWS

|                 | Milw. Powertool Battery System logo | Milw. Powertool ONEKEY logo | No load stroke rate (spm) | Stroke length (mm) | Weight with battery pack (EPTA) (kg) |
|-----------------|-------------------------------------|-----------------------------|---------------------------|--------------------|--------------------------------------|
| M18 FSX-801C    | M18 FUEL™                           | -                           | 0 - 3000                  | 32                 | 5.06 (M18 FB8)                       |
| M18 ONEFSZ-502X | M18 FUEL™                           | ONE-KEY™                    | 0-3000                    | 32                 | 3.8 (M18 B5)                         |
| M18 FSZ-502X    | M18 FUEL™                           | -                           | 0-3000                    | 32                 | 3.8 (M18 B5)                         |
| M18 BSX-402C    | M18™                                | -                           | 0 - 3000                  | 28.6               | 4.0 (M18 B4)                         |
| M18 FHZ-502X    | M18 FUEL™                           | -                           | 0 - 3000                  | 22                 | 2.6 (M18 B5)                         |
| M18 FBJS-502X   | M18 FUEL™                           | -                           | 800 - 3500                | 25                 | 2.8 (M18 B5)                         |
| M18 FJS-502X    | M18 FUEL™                           | -                           | 0 - 3500                  | 25                 | 2.9 (M18 B5)                         |
| M18 BJS-402C    | M18™                                | -                           | 0 - 2800                  | 25                 | 2.5 (M18 B4)                         |
| M12 CHZ-602X    | M12 FUEL™                           | -                           | 0 - 3000                  | 15.9               | 1.6 (M12 B6)                         |
| C12 HZ-202C     | M12™                                | -                           | 0 - 3000                  | 13                 | 1.2 (M12 B2)                         |
| M12 FJS-422X    | M12 FUEL™                           | -                           | 800 - 3000                | 22                 | 1.7 (M12 B2)                         |

## ③ MULTI-TOOLS

|              | Milw. Powertool Battery System logo | Oscillation angle left/ right (°) | No load speed (rpm) | Weight with battery pack (EPTA) (kg) |
|--------------|-------------------------------------|-----------------------------------|---------------------|--------------------------------------|
| M18 FMT-502X | M18 FUEL™                           | 2.1                               | 10,000 - 20,000     | 1.9 (M18 B5)                         |
| M18 BMT-421C | M18™                                | 1.7                               | 12,000 - 18,000     | 1.7 (M18 B2)                         |
| M12 FMT-422X | M12 FUEL™                           | 1.8                               | 10,000 - 20,000     | 1.6 (M12 B2)                         |
| C12 MT-402B  | M12™                                | 1.5                               | 5000 - 20,000       | 1.2 (M18 B4)                         |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW OUR SAWING AND CUTTING BLADES

REDLITHIUM™

### M18 FCS66GR3 M18 FUEL™ GUIDE RAIL COMPATIBLE CIRCULAR SAW



- The M18 FUEL™ circular saw delivers the power to rip cut and maintain the 6,000 RPM's throughout the cut for a faster cutting experience due to the FORGE™ technology built into this saw - with the ability to cut up to 700 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge or 64 linear metres in 42 mm thick pine panel

|                | M18 FCS66GR3-0                                                                | M18 FCS66GR3-121C                                    |
|----------------|-------------------------------------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Gift boxNo kitbox or bag supplied | 1 x M18 FB12 Battery pack, M12-18 FC Charger, Kitbox |
| Article number | 4933493491                                                                    | 4933493493                                           |
| EAN code       | 4058546483623                                                                 | 4058546483647                                        |

### M18 ONEFSZ M18 FUEL™ ONE-KEY™ SAWZALL™



- M18 FSZ but with ONE-KEY™ technology
- Connect via Bluetooth® with the ONE-KEY™ app
- ONE-KEY™ tool customisation allows the user to optimise their tool for specific applications
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

|                | M18 ONEFSZ-0                                                          | M18 ONEFSZ-0X                                      | M18 ONEFSZ-552X                                        |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------|--------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, HD Box | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933499161                                                            | 4933478296                                         | 4933478295                                             |
| EAN Code       | 4058546530303                                                         | 4058546344733                                      | 4058546344726                                          |

### M18 FSX M18 FUEL™ SUPER SAWZALL™



- The M18 FUEL™ Super SAWZALL™ delivers the power to cut at the same speed as an equivalent AC reciprocating saw - with the ability to cut 150 pieces of 290 mm x 45 mm pine on one 12.0 Ah battery charge

|                | M18 FSX-0C                                         | M18 FSX-801C                                        |
|----------------|----------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox | 1 x M18 FB8 Battery pack, M12-18 FC Charger, Kitbox |
| Article Number | 4933464724                                         | 4933499178                                          |
| EAN Code       | 4058546226695                                      | 4058546563424                                       |

### M18 FHZ M18 FUEL™ HACKZALL™



- With a 22 mm stroke length for controlled cutting wand a no load stroke rate of 3000 spm
- Patented FIXTEC™ clamp for quick and efficient blade change
- Pivoting shoe allows the user to optimise his cutting position
- Built in LED light improves visibility in low light cutting applications

|                | M18 FHZ-0                                                             | M18 FHZ-502X                                        |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933499161                                                            | 4933500563                                          |
| EAN Code       | 4058546530303                                                         | 4058546618650                                       |

### M18 BLC66 M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS



- M18™ brushless circular saw with a 190 mm blade giving a 66 mm depth of cut which enables the saw to cut three stacked 19 mm OSB boards
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

|                | M18 BLC66-0                                                           | M18 BLC66-502X                                      |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933464588                                                            | 4933464591                                          |
| EAN Code       | 4058546225339                                                         | 4058546225360                                       |

### M18 FSZ M18 FUEL™ SAWZALL™



- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting
- Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy blade changes
- Metal reinforced battery connection provides improved durability and battery retention over life

|                | M18 FSZ-0                                                             | M18 FSZ-501X                                       |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 B5 Battery pack, M12-18 FC Charger, HD Box |
| Article Number | 4933498063                                                            | 4933478292                                         |
| EAN Code       | 4058546512231                                                         | 4058546344696                                      |

### M18 BSX M18™ SAWZALL™



- High performance 4-pole motor delivers maximum power whilst maximising the power to weight ratio
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Patented FIXTEC™ clamp for fast and easy keyless blade change
- Counter balance mechanism to reduce vibrations 15.2 m/s<sup>2</sup> in wooden beams

|                | M18 BSX-0                                                             | M18 BSX-402C                                       |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933447275                                                            | 4933447290                                         |
| EAN Code       | 4002395006113                                                         | 4002395006137                                      |





M18 FBJS  
M18 FUEL™ BODY GRIP JIGSAW

M18 FUEL



- Patented FIXTEC™ blade clamp for fast and easy blade change
- 3500 SPM delivers smooth cuts, minimised chipping and vibration
- 5 stage pendulum action for increased cutting performance
- Brushless POWERSTATE™ motor for fast cutting, long tool life and up to 32 m in 19 mm OSB (on a 5.0 Ah pack)

|                | M18 FBJS-0                                                            | M18 FBJS-502X                                       |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933498066                                                            | 4933464801                                          |
| EAN Code       | 4058546512262                                                         | 4058546227463                                       |

M18 BJS  
M18™ TOP HANDLE JIGSAW

M18



- High performance motor delivers 2800 spm for fast cutting
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Patented FIXTEC™ blade clamp for fast and easy blade change
- Keyless bevel facility on the base plate allows for adjustment between 0 - 45°

|                | M18 BJS-0                                                             | M18 BJS-402C                                       |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933451391                                                            | 4933451390                                         |
| EAN Code       | 4002395157990                                                         | 4002395157983                                      |

M18 BMT  
M18™ MULTI-TOOL

M18



- Unique cutting depth stop adaptor to prevent over-cutting in material
- Productivity enhancing FIXTEC™ tool free blade change with universal blade change adaptor included to accept all competitor blades
- 12 variable speed settings from 12,000 - 18,000 orbits per minute and 3.4° oscillation movement allows quick completion of professional applications into materials such as metal, wood and plastic

|                | M18 BMT-0                                                             | M18 BMT-421C                                                   |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 B4, 1 x M18 B2 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933446203                                                            | 4933446272                                                     |
| EAN Code       | 4002395004928                                                         | 4002395005079                                                  |

M18 FR12  
M18 FUEL™ 12 MM ROUTER

M18 FUEL



- POWERSTATE™ brushless motor in combination with the HIGH OUTPUT™ 5.5 Ah battery pack supplies constant power for faster cuts and reduced heat in high demand applications with the equivalent amount of power as a corded unit
- Variable speed from 12,000 RPM to 25,000 RPM for clean and accurate cutting in a wide range of material

|                    | M18 FR12-0X                                                                         | M18 FR12KIT-0P                                                                                      |
|--------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| Standard equipment | 1/4", 8 mm, 12 mm, 1/2" collets, side fence, sub base, wrench, dust extraction pipe | 1/4", 8 mm, 12 mm, 1/2" collets, side fence, sub base, wrench, dust extraction pipe and plunge base |
| Kit included       | No batteries supplied, No charger supplied, HD Box                                  | No batteries supplied, No charger supplied, PACKOUT™ box                                            |
| Article number     | 4933493304                                                                          | 4933493305                                                                                          |
| EAN code           | 4058546481759                                                                       | 4058546481766                                                                                       |

M18 FJS  
M18 FUEL™ TOP HANDLE JIGSAW

M18 FUEL



- Dust blower keeps the cut line free of wood dust
- Keyless bevel facility on the base plate allows for adjustment between 0 - 45°
- Patented FIXTEC™ blade clamp for fast and easy blade change
- 5 stage pendulum action for increased cutting performance

|                | M18 FJS-0                                                             | M18 FJS-502X                                        |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933499153                                                            | 4933464728                                          |
| EAN Code       | 4058546530228                                                         | 4058546226732                                       |

M18 FMT  
M18 FUEL™ MULTI-TOOL

M18 FUEL



- POWERSTATE™ brushless motor pairs with an aggressive oscillation angle of 2.1° (left/ right) and 10,000 – 20,000 OPM to deliver one of the fastest cut speeds in the industry
- Suitable for many demanding applications with ease, such as rip cuts through hardwoods and nail embedded wood
- 10-setting dial with an auto-load feature allows users to adjust the speed to the application

|                | M18 FMT-0                                                             | M18 FMT-522X                                                   |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 B5, 1 x M18B2 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933498065                                                            | 4933478493                                                     |
| EAN Code       | 4058546512255                                                         | 4058546346867                                                  |

M18 BP  
M18™ PLANER

M18



- Adjustable depth of cut from 0 to 2 mm with twenty locking positions allows the user to accurately set the amount of material to be removed in one pass
- Up to 10.7 mm of rebate depth
- High performance 4-pole motor delivers 14,000 rpm to achieve optimum surface finish
- Faster material removal with two double edged carbide blades over a planning width of 82 mm

|                | M18 BP-0                                                              | M18 BP-402C                                        |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933451113                                                            | 4933451115                                         |
| EAN Code       | 4002395137374                                                         | 4002395137398                                      |

M18 FTR8  
M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES

M18 FUEL



- POWERSTATE™ brushless motor delivers the power of AC trim routers, max. 31,000 rpm for powerful, smooth cutting
- Variable speed dial allows users to adjust the speed between 10,000 and 31,000 rpm to choose the best control for the application at hand
- All day run time on a single charge of an M18™ 5.0 Ah battery (up to 115 m)

|                | M18 FTR8-0X                                        |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933471604                                         |
| EAN Code       | 4058546295035                                      |

M18 BQSS  
M18™ QUARTER SHEET SANDER

M18



- High performance motor delivers 11,000 to 13,000 sanding strokes per minute for faster material removal
- Variable speed wheel with 6 speed settings allows the correct speed to be set for different types of material
- Universal hook and loop sanding pad allows easy changing of sanding sheets
- Paper retention clips for use with standard sheet sand paper

|                | M18 BQSS-0                                                            | M18 BQSS-502B                                        |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 C Charger, Tool bag |
| Article number | 4933479966                                                            | 4933479968                                           |
| EAN code       | 4058546377601                                                         | 4058546377625                                        |

M18 FROS125  
M18 FUEL™ 125 MM RANDOM ORBIT SANDER

M18 FUEL



- The M18 FUEL™ sander has a 2.5 mm orbit with 12,000 RPM's which allows a fast and efficient stock removal rate of 220 g of material per charge of one M18™ 5.0 Ah battery
- Fitted with VacLink technology which allows the tool to turn compatible MILWAUKEE® dust extractors on and off via Bluetooth®

|                | M18 FROS125-0B                                       | M18 FROS125-502X                                    |
|----------------|------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Tool bag | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933498253                                           | 4933498255                                          |
| EAN code       | 4058546521226                                        | 4058546521240                                       |

M18 FAC  
M18 FUEL™ AIR COMPRESSOR

M18 FUEL



- POWERSTATE™ brushless motor delivers a maximum air pressure of 9.31 bar and 48 l/m at 2.8 bar which delivers enough performance to run common finish nailers and staplers
- At only 68 dB(A) this is one of the quietest cordless compressors on the market allowing for a more comfortable working environment on the jobsite

|                | M18 FAC-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933472166                                                            |
| EAN Code       | 4058546325626                                                         |

M18 FFN  
M18 FUEL™ 34° FRAMING NAILER 2-MODE

M18 FUEL



- Excellent power to consistently seat nails sub-flush to the surface in hardwoods
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Two mode selection allows for sequential fire for precision or bump fire for speed

|                | M18 FFN-0C                                         | M18 FFN-502C                                        |
|----------------|----------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox | 2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933471406                                         | 4933471405                                          |
| EAN Code       | 4058546290344                                      | 4058546290337                                       |

M18 FBTS75  
M18 FUEL™ 75 MM BELT SANDER

M18 FUEL



- Compact design, with a flat front and side edge allows flush sanding capability
- Captures 90% of dust either through the universal dust port or with the multi layered dust bag
- Variable speed adjustable with a belt speed range from 230 to 410 m/s
- Tool-free adjustableommel allows for adjustment of the front handle letting the user find the optimum sanding position

|                | M18 FBTS75-0                                                          | M18 FBTS75-552X                                        |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933479614                                                            | 4933479616                                             |
| EAN code       | 4058546374082                                                         | 4058546374105                                          |

M18 BOS125  
M18™ 125 MM RANDOM ORBITAL SANDER

M18



- High performance motor delivers 14,000 to 24,000 sanding strokes per minute for faster material removal
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed wheel with 6 speed settings allows the correct speed to be set for different types of material

|                | M18 BOS125-0                                                          | M18 BOS125-502B                                      |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 C Charger, Tool bag |
| Article Number | 4933464228                                                            | 4933464230                                           |
| EAN Code       | 4058546221737                                                         | 4058546221751                                        |

M18 FFN21  
M18 FUEL™ 21° FRAMING NAILER 2-MODE

M18 FUEL



- Fires standard framing nails which fits an angled magazine at 20° to 22°
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Two mode selection allows for sequential fire for precision or bump fire for speed

|                | M18 FFN21-0C                                       |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article Number | 4933478993                                         |
| EAN Code       | 4058546362751                                      |





M18 FDN  
M18 FUEL™ DUPLEX NAILER



- Fires MILWAUKEE® 21° collated duplex nails 3.3 mm x 73 mm and 3.3 mm x 92 mm
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Two mode selection allows for sequential fire for precision or bump fire for speed

M18 FDN-0C

|                |                                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article number | 4933493600                                         |
| EAN code       | 4058546484712                                      |

M18 FRCN45  
M18 FUEL™ ROOFING COIL NAILER



- Our M18 FUEL™ Coil Roofing Nailer delivers cordless innovation to Roofing and Exterior Contractors through optimise performance, best-in-class runtime, and unmatched versatility
- Dry-Fire lockout stops the tool being fired when there are no nails left in the coil cage
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge

M18 FRCN45-0X

M18 FRCN45-302X

|                |                                                    |                                                      |
|----------------|----------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 HB3 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933498168                                         | 4933498170                                           |
| EAN code       | 4058546520373                                      | 4058546520397                                        |

M18 FN15GA  
M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE



- Fires 15 gauge nails with a 34° pitch
- Fires up to 1200 nails per charge on a REDLITHIUM™ 2.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge

M18 FN15GA-0X

|                |                                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933478091                                         |
| EAN code       | 4058546340247                                      |

M18 FN16GS  
M18™ FUEL™ 16 GA STRAIGHT FINISH NAILER



- Fire 16 gauge straight nails with a 0° pitch from 25 mm - 64 mm long
- Quick and easy tool free adjustable nail driving depth
- Smaller nail hole, the exact size of the nail head leaving a neater finish
- Small work contact bracket allows the user to fire and sink nails at a more acute angle
- Dry-Fire lockout stops the tool being fired when there are no nails left in the magazine

M18 FN16GS-0X

|                |                                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933493353                                         |
| EAN code       | 4058546482244                                      |



M18 FN16GA  
M18 FUEL™ 16 GA ANGLED NAIL FINISH NAILER 2-MODE



- Fire 16 Gauge nails with a 20° pitch
- Tool-free, quick and easy depth adjustment to assure nails are driven sub-flush
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Excellent power to consistently seat nails sub-flush to the surface in hardwoods

M18 FN16GA-0

M18 FN16GA-202X

|                |                                                                       |                                                     |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box |
| Article number | 4933499154                                                            | 4933478093                                          |
| EAN code       | 4058546530235                                                         | 4058546340261                                       |

M18 FN18GS  
M18 FUEL™ 18 GS FINISH NAILER



- Fires 18 gauge straight nails with a 0° pitch
- Different shaped noses stored on board allows the user to get the best finish no matter what the application
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Smaller nail hole, the exact size of the nail head leaving a neater finish

M18 FN18GS-0

M18 FN18GS-202X

|                |                                                                       |                                                       |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B2 Battery packs, M12-18 FC Charger, Tool bag |
| Article Number | 4933499155                                                            | 4933471408                                            |
| EAN Code       | 4058546530242                                                         | 4058546290368                                         |

M18 FFUS  
M18 FUEL™ FENCING UTILITY STAPLER







- Power to fire MILWAUKEE® 9 gauge barbed collated staples from 40 mm to 50 mm
- Fires up to 600 staples per charge on a REDLITHIUM™ 3.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance

M18 FFUS-0C

M18 FFUS-302C

|                |                                                    |                                                      |
|----------------|----------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox | 2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox |
| Article number | 4933479834                                         | 4933479833                                           |
| EAN code       | 4058546376284                                      | 4058546376277                                        |

GET THE RIGHT NAILER/  
STAPLER FOR THE JOB



|    |                    | Milw. Powertool Battery System logo | Collation angle [degrees] | Nail diameter [mm] | Nail type (mm) | Staple strip length [mm] | Staple strip width [mm] | Magazine capacity | Weight with battery pack (EPTA) (kg) |
|----|--------------------|-------------------------------------|---------------------------|--------------------|----------------|--------------------------|-------------------------|-------------------|--------------------------------------|
| 1. | M18 FFDN-0C        | M18 FUEL™                           | 20 - 22                   | 2.9 - 3.8          | 50 - 90        | -                        | -                       | 51                | 5.0 (M18 B5)                         |
| 1. | M18 FFDN-502C      | M18 FUEL™                           | 30 - 34                   | 2.9 - 3.3          | 50 - 90        | -                        | -                       | 51                | 5.1 (M18 B5)                         |
| 2. | M18 FN18GS-202X    | M18 FUEL™                           | 0                         | 1.2                | 16 / 54        | -                        | -                       | 110               | 3.1 (M18 B2)                         |
| 2. | M18 FN16GA-202X    | M18 FUEL™                           | 20                        | 1.6                | 32 - 64        | -                        | -                       | 110               | 3.3 (M18 B2)                         |
| 2. | M18 FN16GS-0X      | M18 FUEL™                           | 0                         | 1.6                | 25 - 64        | -                        | -                       | 110               | 3.2 (M18 B2)                         |
| 2. | M18 FN15GA-0X      | M18 FUEL™                           | 34                        | 1.8                | 32 - 64        | -                        | -                       | 110               | 3.3 (M18 B2)                         |
| 2. | M12 FCN18GS-202X   | M12 FUEL™                           | 0                         | 1.2                | 16 - 38        | -                        | -                       | 110               | 2.1 (M12 B2)                         |
| 3. | M18 FFUS-302C      | M18 FUEL™                           | 0                         | 4                  | -              | 38 - 51                  | 10.3                    | 45                | 5.0 (M18 HB3)                        |
| 4. | M18 FNCST18GS-202X | M18 FUEL™                           | 0                         | -                  | -              | 9.5 - 38                 | 5.7 - 6.35              | 108               | 2.8 (M18 B2)                         |
| 4. | M12 BCST-0         | M12™                                | 0                         | -                  | -              | 25.4                     | 19                      | 45                | 2.3 (M12 B2)                         |
| 4. | M12 BST-202X       | M12™                                | 0                         | -                  | -              | 6 - 14                   | 10.6                    | 89                | 1.6 (M12 B2)                         |
| 5. | M18 FDN-0C         | M18 FUEL™                           | 21°                       | 3.3                | 73 - 92        | -                        | -                       | 44                | 5.1 (M18 B5)                         |
| 6. | M18 FRCN45-302X    | M18 FUEL™                           | 15°                       | 3                  | 19 - 45        | -                        | -                       | 120               | 3.8 (M18 HB3)                        |



SCAN HERE TO VIEW  
OUR PPE RANGE



SCAN HERE TO VIEW  
AVAILABLE NAILS  
AND STAPLES

REDLITHIUM™



M18 FUEL

M18 FNC S18GS  
M18 FUEL™ NARROW CROWN STAPLER 2-MODE



- Accepts narrow crown staplers from 9.5 mm to 38 mm
- Ready to fire nail technology eliminates ramp-up time between each staple discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance

|                | M18 FNC S18GS-0X                                   | M18 FNC S18GS-202X                                  |
|----------------|----------------------------------------------------|-----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933471942                                         | 4933471941                                          |
| EAN Code       | 4058546298418                                      | 4058546298401                                       |



M18 FUEL

M18 F2VC23L  
M18 FUEL™ 23L L-CLASS VACUUM



- The M18 FUEL™ 23 litre L class Wet/Dry Vacuum brings outstanding performance, durability, and versatility to jobsite cleanup
- With a maximum air flow of 3086 l/min and 192 mbar this provides excellent performance for both wet and dry clean up applications

|                | M18 F2VC23L-0                                                         |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933478964                                                            |
| EAN code       | 40585462962461                                                        |

M18 FUEL

M18 FBPV  
M18 FUEL™ BACKPACK VACUUM



- HEPA filter will collect 99.97% of airborne particles down to 0.3 microns
- Dust class L. Standard MAK-factor > 1 mg/m³
- Low noise of only 76 db (operating sound level)
- DEK 26 compatible allows the vacuum to be easily connected to a power tool
- Cyclonic technology for longer filter life, extended peak performance and bag-less debris collection

|                | M18 FBPV-0                                                            |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464483                                                            |
| EAN Code       | 4058546224288                                                         |

M18 FUEL

M18 FPOVCL  
M18 FUEL™ PACKOUT™ WET/ DRY VACUUM

PACKOUT



- The M18 FUEL™ PACKOUT™ wet/ dry vacuum is fully compatible with the MILWAUKEE® PACKOUT™ Modular Storage System
- Delivers up to 30 minutes of run time on a HIGH OUTPUT™ 8.0 Ah battery pack in high mode and over 50 minutes in low mode
- Extendable hose up to 1.6 m for extended reach and versatility

|                | M18 FPOVCL-0                                                          |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478187                                                            |
| EAN Code       | 4058546341206                                                         |

PACKOUT

PODS-1  
PACKOUT™ COMPATIBLE DUST SEPERATOR



- Separates up to 99.9% of common jobsite debris
- Captures debris before reaching vacuum, resulting in less filter clogs and longer sustained suction
- Keeps debris in cyclone, eliminating user frustration of vacuum maintenance
- Fully compatible with PACKOUT™ Modular Storage System for easy transportation on, off, and around the job site

|                | PODS-1        |
|----------------|---------------|
| Article number | 4932498256    |
| EAN code       | 4058546521257 |

M18

M18 VC2  
M18™ WET/ DRY VACUUM



- Powerful 18 V motor with a maximum air flow of 1300 l/min/ 80 bar provides excellent suction power for both wet and dry clean up applications
- HEPA filter will collect 99.97% of airborne particles down to 0.03 microns for fine dust collection
- Up to 30 minutes run time with M18™ HIGH OUTPUT™ 5.5 Ah battery pack

|                | M18 VC2-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464029                                                            |
| EAN Code       | 4058546219741                                                         |

M18

M18 CV  
M18™ HAND VAC



- Excellent suction power for wood, metal and common debris
- HEPA filter will collect 99.97% of airborne particles down to 0.3 microns
- Lock on switch reduces fatigue during sustained use
- Versatile accessories for small or large clean up areas
- Secure canister lock guards against unwanted spillage

|                | M18 CV-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459204                                                            |
| EAN Code       | 4002395289998                                                         |

M18

M18 BBL  
M18™ BATTERY BLOWER



- Compact body - clears dirt and debris in tight spaces
- Power control - 3 speed settings with variable speed trigger
- Versatile attachments - nozzle extension (228.6 mm), universal inflator/ deflator attachment
- Removable nozzle for easy, convenient storage
- Lock-on switch

|                | M18 BBL-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933446216                                                            |
| EAN Code       | 4002395004942                                                         |

M18

M18 AFG2  
M18™ AIR FAN



- Variable speed dial and a 180 mm blade diameter for optimised air flow up to 1.444 m³/h
- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 300°
- Compact design with integrated carry handle to maximise portability
- Compatible with the MILWAUKEE® PACKOUT™ system

|                | M18 AFG2-0                                                            |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933493443                                                            |
| EAN code       | 4058546483142                                                         |

M18

M18 PRCDAB+  
M18™ PACKOUT™ RADIO CHARGER



- Premium 360° surround sound speakers with a 40 W amplifier producing rich and full sound for large and outdoor spaces
- DAB+ and AM/FM tuner with the digital processor delivers highest reception accuracy, signal clarity and additional information like: song, artist and accurate time
- Digital Bluetooth® receiver: Plays music up to 30 m away from your smartphone, computer or tablet

|                | M18 PRCDAB+-0                                                         |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933472113                                                            |
| EAN Code       | 4058546325091                                                         |

M18

M18 RC  
M18™ JOBSITE RADIO CHARGER WITH BLUETOOTH®



- Built in charger function allows for quick, convenient charging of any M18™ battery or electronic devices via USB port
- Digital Bluetooth® receiver: play music up to 30 m away from your smartphone, computer, or tablet
- AC/DC versatility: powered by MILWAUKEE® M18™ batteries, or 230 V mains supply

|                | M18 RC-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933446647                                                            |
| EAN Code       | 4002395005437                                                         |

M18

M18 ARFHP  
M18™ HIGH PERFORMANCE AIR FAN



- Three speed settings for optimised air flow up to 6 metres per second
- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 360°
- Efficient air circulation circulates the air up to 5.775 m³/h
- Compact design with integrated carry handle to maximise portability

|                | M18 ARFHP-0                                                           |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933492111                                                            |
| EAN code       | 4058546414788                                                         |

M18

M18 BI  
M18™ INFLATOR



- Compact lightweight design for fast inflation of car, light truck and compact equipment tyres. Top off 235/65R16 sprinter tyres in under 1 minute
- Anti-vibration stand with all rubber feet for no movement while inflating
- Top off up to 30 tyres on an M18™ 5.0 battery pack
- 10.3 max bar capacity

|                | M18 BI-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933478706                                                            |
| EAN code       | 4058546348991                                                         |

M18

M18 RADDAB+G2  
M18™ JOBSITE RADIO DAB+



- High performance audio system - DAB+/FM tuner with digital processor delivers high reception accuracy and signal clarity
- Digital Bluetooth® receiver, plays music up to 36 m away from your smartphone, computer or tablet
- Integrated handles and on board storage allow for easy transport and storage for phones
- Dual 8.89 cm woofers provide balanced & clear sound

|                     | M18 RADDAB+G2-0                                                       |
|---------------------|-----------------------------------------------------------------------|
| Kit included        | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number 240v | 4933492345                                                            |
| EAN code 240v       | 4058546417123                                                         |

M18

M18 SPEJSG2  
M18™ JOBSITE SPEAKER



- Advanced technology Bluetooth® job site speaker
- Bluetooth® 5.3 plays music up to 60 m away from your smartphone, computer or tablet
- Balanced & clear sound at all volumes
- Premium speaker with bass port
- Provides audio for small to medium sized areas
- Audio link connects over 200 MILWAUKEE® speakers

|                | M18 SPEJSG2-0                                                         |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933493530                                                            |
| EAN code       | 4058546484019                                                         |



# M12 FUEL™

## DRIVEN TO OUTPERFORM.™

M12 FUEL™ is engineered for the most demanding tradesmen in the world. M12 FUEL™ delivers extreme performance in a compact structure and features three MILWAUKEE® exclusive innovations - the POWERSTATE™ brushless motor, REDLINK PLUS™ intelligence hardware and software - that deliver incredible power, run time and durability.

Simply put, M12 FUEL™ offers the best, full circle technology that drives, protects and powers your cordless tools.

1

### POWERSTATE™ BRUSHLESS MOTOR

- MILWAUKEE® designed and built brushless motor
- Provides increased efficiency
- Lasts longer and delivers maximum power\*

2

### REDLINK PLUS™ INTELLIGENCE

- Individual cell monitoring to optimise tool run time and ensure long term pack durability
- Advanced system electronics with unique digital performance enhancement
- Total system communication with overload protection increases tool life

3

### REDLITHIUM™ BATTERY PACKS

- Total system communication with overload protection increases tool life
- Fade-free performance to deliver more run time and more work over pack life
- Fuel gauge displays remaining charge
- Operates down to -20°C



MORE CAPABLE.

LIGHTWEIGHT.

MORE COMPACT.

### M12 FHAC16 M12 FUEL™ COMPACT 16 MM SDS-PLUS HAMMER



- Compact and balanced 12 V rotary hammer with 1.15 J of impact energy
- 4-mode operation: rotary hammer, hammer only, rotation only and selectable work position of the chisel (varioclock) for maximum versatility
- Anti-vibration system (AVS) for decreased user fatigue and lower vibration exposure. Also, an added anti-vibration side handle for lowering the vibration exposure even further
- Optimised hammer drilling up to 10 mm

|                | M12 FHAC16-0                                                          | M12 FHAC16-502X                                  |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 HB5 Battery packs, C12 C Charger, HD Box |
| Article number | 4933499183                                                            | 4933499186                                       |
| EAN code       | 4058546563479                                                         | 4058546563509                                    |

### M12 FPD2 M12 FUEL™ SUB COMPACT PERCUSSION DRILL



- Extremely compact design of 152 mm length for access into tight spaces
- 45 Nm of torque - superior power to size ratio
- 13 mm heavy duty metal chuck for quick bit changes and bit retention
- Mechanical clutch with 13 torque settings, plus 1 for locked clutch drilling and 1 for locked clutch hammer
- On board fuel gauge, metal belt clip and LED light

|                | M12 FPD2-602X                                   |
|----------------|-------------------------------------------------|
| Kit included   | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article number | 4933479871                                      |
| EAN code       | 4058546376659                                   |

### M12 FDDX M12 FUEL™ INSTALLATION DRILL/DRIVER WITH INTERCHANGEABLE HEADS



- High performance compact 4-in-1 installation drill for extreme versatility
- Removable chuck system with 4 different heads for multiples of applications
- 1/4" hex drive behind chuck fitting, reduces drill length to 130 mm when required
- In-line grip for unrivaled access and control
- Brushless POWERSTATE™ motor delivers up to 34 Nm of torque
- Magnetic holder for easy bit access

|                    | M12 FDDXKIT-202X                                                                    |
|--------------------|-------------------------------------------------------------------------------------|
| Standard equipment | 10 mm metal chuck, right angle attachment, offset attachment and 6mm hex attachment |
| Kit included       | 2 x M12 B2 Battery packs, C12 C Charger, HD Box                                     |
| Article Number     | 4933464980                                                                          |
| EAN Code           | 4058546229252                                                                       |

### M12 BDDX M12™ SUB COMPACT DRILL DRIVER WITH REMOVABLE CHUCK



- High performance sub compact 5-in-1 drill driver system for extreme versatility
- Removable chuck system with 3 different heads for multiples of applications
- Standard 10 mm keyless chuck, full metal right angle 1/4" hex drive head and full metal offset 1/4" hex drive head
- 1/4" hex drive behind chuck fitting, reduces drill length to 153 mm when required

|                    | M12 BDDXKIT-202C                                                                                  |
|--------------------|---------------------------------------------------------------------------------------------------|
| Standard equipment | Removable FIXTEC chuck, offset attachment, right angle drill attachment, belt clip, 25 mm P22 bit |
| Supplied in        | Kitbox                                                                                            |
| Article Number     | 4933447773                                                                                        |
| EAN Code           | 4002395006625                                                                                     |

### M12 UDEL M12™ UNIVERSAL DUST EXTRACTOR



- Fits all MILWAUKEE® SDS-plus and the majority of competitor's hammers between 41-61 mm neck size with just one adjustable side handle which can be mounted right or left of the hammer
- Delivering more than 40 min run time on a single M12 B2 2.0 Ah battery
- Due to telescopic nozzle capable of operating with up to 210 mm long SDS-plus drill bits

|                | M12 UDEL-0B                                          | M12 UDEL-201B                                    |
|----------------|------------------------------------------------------|--------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Tool bag | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number | 4933471460                                           | 4933471462                                       |
| EAN Code       | 4058546290887                                        | 4058546299132                                    |

### M12 FDD2 M12 FUEL™ SUB COMPACT DRILL DRIVER



- Extremely compact design of 151 mm length for access into tight spaces
- 45 Nm of torque - superior power to size ratio
- 13 mm heavy duty metal chuck for quick bit changes and bit retention
- Mechanical clutch with 13 torque settings,
- On board fuel gauge, metal belt clip and LED light

|                | M12 FDD2-602X                                   |
|----------------|-------------------------------------------------|
| Kit included   | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article number | 4933479970                                      |
| EAN code       | 4058546377649                                   |

### M12 FPDX M12 FUEL™ SUB COMPACT PERCUSSION DRILL WITH REMOVABLE CHUCK



- High performance compact 6-in-1 percussion drill system for extreme versatility
- Removable chuck system with 3 different heads for multiples of applications
- Brushless POWERSTATE™ motor delivers up to 44 Nm of torque
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

|                    | M12 FPDXKIT-602X                                           |
|--------------------|------------------------------------------------------------|
| Standard equipment | Removable chuck, offset attachment, right angle attachment |
| Kit included       | 2 x M12 B6 Battery packs, C12 C Charger, HD Box            |
| Article Number     | 4933464189                                                 |
| EAN Code           | 4058546221348                                              |

### C12 RAD M12™ SUB COMPACT RIGHT ANGLE DRILL



- Heavy Duty full metal gearbox and gears for superior durability and maximum torque
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed paddle switch trigger for comfortable working in any situation
- 10 mm chuck for quick bit changes and bit retention

|                | C12 RAD-0                                                             | C12 RAD-202B                                      |
|----------------|-----------------------------------------------------------------------|---------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, Tool bag |
| Article Number | 4933416900                                                            | 4933441218                                        |
| EAN Code       | 4002395237678                                                         | 4002395001804                                     |



M12 CD
M12 FUEL™ SUB COMPACT DRIVER



- 1/4" Hex chuck for quick easy one handed bit change
- On board fuel gauge and LED light
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

|                | M12 CD-202C                                    |
|----------------|------------------------------------------------|
| Kit included   | 2 x M12 B2 Battery packs, C12 C Charger,Kitbox |
| Article Number | 4933440568                                     |
| EAN Code       | 4002395001026                                  |

M12 BD
M12™ SUB COMPACT DRIVER



- High performance sub compact screw driver measures 175 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- 1/4" Hex chuck for quick easy one handed bit change
- Optimised handle for better control and improved grip

|                | M12 BD-202C                                     |
|----------------|-------------------------------------------------|
| Kit included   | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933443885                                      |
| EAN Code       | 4002395004171                                   |

M12 FCIWF38G3
M12 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH FRICTION RING



- Best in class power: 542 Nm of fastening and 745 Nm of nut-busting torque to tackle most common applications
- A weight of 1 kg without battery and a length of 122 mm means better access to tight spaces and less user fatigue
- 3,000 RPMs for exceptional application speed
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

|                | M12 FCIWF38G3-0                                                       | M12 FCIWF38G3-502X                               |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 HB5 Battery packs, C12 C Charger, HD Box |
| Article number | 4933493451                                                            | 4933493452                                       |
| EAN code       | 4058546483227                                                         | 4058546483234                                    |

M12 FCIWP12G3
M12 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH PIN DETENT



- Best in class power: 542 Nm of fastening and 746 Nm of nut-busting torque to tackle mid torque applications
- A mass of 1 kg without battery and a length of 122 mm means better access and less fatigue
- 3,000 RPMs for exceptional application speed
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

|                | M12 FCIWP12G3-0                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933493457                                                            |
| EAN code       | 4058546483289                                                         |

M12 FID2
M12 FUEL™ SUB COMPACT 1/4" IMPACT DRIVER



- The compact design with a length of only 127 mm is ideal for working in confined spaces
- Outstanding power to size ratio with 170 Nm of torque
- Fast driving speed with up to 3,600 rpm and 4,000 ipm
- Tri-LEDs deliver high definition lighting to increase workspace visibility

|                | M12 FID2-0                                                            | M12 FID2-602X                                   |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article number | 4933479876                                                            | 4933479878                                      |
| EAN code       | 4058546376703                                                         | 4058546376727                                   |

SCAN TO VIEW OUR SHOCKWAVE IMPACT DUTY SETS

M12 FQID
M12 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER



- The M12 FUEL™ SURGE™ 1/4" Hex hydraulic impact driver is MILWAUKEE®'s quietest 12V impact driver, delivers best in class sound at only 76 dB(A) in wood fastening applications
- FLUID-DRIVE™ hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact

|                | M12 FQID-0                                                            | M12 FQID-202X                                   |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933464972                                                            | 4933464974                                      |
| EAN Code       | 4058546229177                                                         | 4058546229191                                   |

SCAN TO VIEW OUR 1/2" SHOCKWAVE IMPACT DUTY AUTOMOTIVE IMPACT SOCKETS

M12 BRAID
M12™ SUB COMPACT RIGHT ANGLE IMPACT DRIVER



- Compact right angle impact driver measures 287 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics delivers best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque of 68 Nm
- Compact head design with diameter of 35.6 mm

|                | M12 BRAID-0                                                           |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933451247                                                            |
| EAN Code       | 4002395167715                                                         |

M12 FCIWF12G3
M12 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING



- Best in class power: 542 Nm of fastening and 745 Nm of nut-busting torque to tackle most common applications
- A weight of 1 kg without battery and a length of 122 mm means better access to tight spaces and less user fatigue
- 3,000 RPMs for exceptional application speed
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

|                | M12 FCIWF12G3-0                                                       | M12 FCIWF12G3-502X                               |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 HB5 Battery packs, C12 C Charger, HD Box |
| Article number | 4933493454                                                            | 4933493456                                       |
| EAN code       | 4058546483258                                                         | 4058546483272                                    |

M12 FRAIWF12
M12 FUEL™ 1/2" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING



- Delivers up to 270 Nm fastening torque and 300 Nm nut-busting torque
- 4-Mode DRIVE CONTROL includes Auto Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway
- The long body profile allows for more access in hard to reach spaces
- Only 71 mm head with anvil profile design allows for more access in tight spaces

|                | M12 FRAIWF12-0                                                        | M12 FRAIWF12-622X                                    |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B6, 1 x M12 B2 Battery packs, C12 C Charger, |
| Article Number | 4933471699                                                            | 4933478807                                           |
| EAN Code       | 4058546295981                                                         | 4058546360894                                        |

M12 FRAIWF38
M12 FUEL™ 3/8" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING



- Delivers up to 270 Nm fastening torque and 300 Nm nut-busting torque
- 4-Mode DRIVE CONTROL includes Auto Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway
- The long body profile allows for more access in hard to reach spaces
- Only 71 mm head profile design allows for more access in tight spaces

|                | M12 FRAIWF38-0                                                        | M12 FRAIWF38-622X                                           |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B6, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933471700                                                            | 4933478808                                                  |
| EAN Code       | 4058546295998                                                         | 4058546360900                                               |





# GET THE RIGHT RATCHET FOR THE JOB

1

## PRECISION TOOLS

Delivering increased productivity, precise torque accuracy, and user demanded reporting functionality

2

## LONG REACH

Slim head profile and an extended reach that gives you the longest reach in tight spaces

3

## HIGH SPEED

Faster speed while installing and removing fasteners

4

## COMPACT

Perfect mix of size and power to get into those tight areas

|                      | Milw. Powertool Battery System logo | Milw. Powertool ONEKEY logo | Tool reception | Max. torque (Nm) | Torque range [Nm] | Accuracy         | No load speed (rpm)            | Length (mm) | Weight with battery pack (EPTA) (kg) |
|----------------------|-------------------------------------|-----------------------------|----------------|------------------|-------------------|------------------|--------------------------------|-------------|--------------------------------------|
| 1. M12 ONEFTR12-201C | M12 FUEL™                           | ONE-KEY™                    | ½" square      | 203.4            | 16.9 - 203.4      | CW ±2 %, CCW ±3% | 0 - 100                        | 596,9       | 2.6 (M12 B2)                         |
| 1. M12 ONEFTR38-201C | M12 FUEL™                           | ONE-KEY™                    | ¾" square      | 135.6            | 13.6 - 135.6      | CW ±2 %, CCW ±3% | 0 - 100                        | 591,8       | 2.5 (M12 B2)                         |
| 2. M12 FPTR-202X     | M12 FUEL™                           | -                           | 14.4 mm Hex    | 81               | -                 | -                | 0 - 350                        | 386         | 1.2 (M12 B2)                         |
| 2. M12 FHIR14LR-0    | M12 FUEL™                           | -                           | ¼" square      | 47               | -                 | -                | 0 - 450                        | 348         | 1.1 (M12 B2)                         |
| 2. M12 FHIR38LR-0    | M12 FUEL™                           | -                           | ¾" square      | 47               | -                 | -                | 0 - 450                        | 363         | 1.1 (M12 B2)                         |
| 2. M12 FIR38LR-0     | M12 FUEL™                           | -                           | ¾" square      | 75               | -                 | -                | 0 - 200                        | 363         | 1.4 (M12 B2)                         |
| 3. M12 FHIR14-0      | M12 FUEL™                           | -                           | ¼" square      | 47               | -                 | -                | 0 - 450                        | 272         | 1.0 (M12 B2)                         |
| 3. M12 FHIR38-0      | M12 FUEL™                           | -                           | ¾" square      | 47               | -                 | -                | 0 - 450                        | 272         | 1.0 (M12 B2)                         |
| 4. M12 FIR12-0       | M12 FUEL™                           | -                           | ½" square      | 81               | -                 | -                | 0 - 175                        | 290         | 1.5 (M12 B2)                         |
| 4. M12 FIR38-0       | M12 FUEL™                           | -                           | ¾" square      | 75               | -                 | -                | 0 - 200                        | 281         | 1.4 (M12 B2)                         |
| 4. M12 IR-201B 3/8   | M12™                                | -                           | ¾" square      | 47               | -                 | -                | 0 - 250                        | 274         | 0.9 (M12 B2)                         |
| 4. M12 IR-201B 1/4   | M12™                                | -                           | ¼" square      | 40               | -                 | -                | 0 - 250                        | 274         | 0.90 (M12 B2)                        |
| 4. M12 FRAWF12-0     | M12 FUEL™                           | -                           | ½" square      | 270              | -                 | -                | 0-1150/ 0-2300/ 0-3000/ 0-3000 | -           | 1.7 (M12 B4)                         |
| 4. M12 FRAWF38-0     | M12 FUEL™                           | -                           | ¾" square      | 270              | -                 | -                | 0-1550/ 0-2300/ 0-3000/ 0-3000 | -           | 1.7 (M12 B4)                         |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE IMPACT SOCKETS

REDLITHIUM™

### M12 ONEFTR12

M12 FUEL™ ONE-KEY™ ½" DIGITAL TORQUE WRENCH

ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE

- MILWAUKEE®'s first digital torque wrench, delivers up to 50% faster installation by replacing the hand tool
- Provides 16.9 - 203.4 Nm of torque range and accuracy within ±2% for torque critical fasteners
- Faster, more productive torque reporting with ONE-KEY™ providing torque data and customisable reports for inspectors or owners

|                | M12 ONEFTR12-0C                                    | M12 ONEFTR12-201C                              |
|----------------|----------------------------------------------------|------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B2 Battery pack, C12 C Charger, Kitbox |
| Article Number | 4933464969                                         | 4933464971                                     |
| EAN Code       | 4058546229146                                      | 4058546229160                                  |

### M12 FPTR

M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET

M12 FPTR-0

- With up to 81 Nm of max torque and 350 rpm's, this tool offers the perfect combination of power and speed
- Features the lowest-profile head for best-in-class access in confined spaces
- The extended neck allows users better access in hard-to-reach places
- Pass-through sockets up to a size of 15 mm allow users to comfortably fasten and unfasten nuts on bolts of any length

|                | M12 FPTR-0                                                            | M12 FPTR-202X                                   |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article number | 4933499413                                                            | 4933499412                                      |
| EAN code       | 4058546565770                                                         | 4058546565763                                   |

### M12 FHIR38LR

M12 FUEL™ ¾" EXTENDED REACH HIGH SPEED RATCHET

M12 FHIR38LR-0

- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design and extended neck allow users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

|                | M12 FHIR38LR-0                                                        |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933480791                                                            |
| EAN code       | 4058546410766                                                         |

### M12 FHIR14

M12 FUEL™ ¼" HIGH SPEED RATCHET

M12 FHIR14-0

- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design allows users better access in tight spaces
- Variable speed metal trigger provides ultimate control of the tool

|                | M12 FHIR14-0                                                          |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478171                                                            |
| EAN Code       | 4058546341046                                                         |

### M12 ONEFTR38

M12 FUEL™ ONE-KEY™ ¾" DIGITAL TORQUE WRENCH

ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE

- MILWAUKEE®'s first digital torque wrench, delivers up to 50% faster installation by replacing the hand tool
- Provides 13.6 - 135.6 Nm of torque range and accuracy within ±2% for torque critical fasteners
- Faster, more productive torque reporting with ONE-KEY™ providing torque data and customisable reports for inspectors or owners

|                | M12 ONEFTR38-0C                                    | M12 ONEFTR38-201C                              |
|----------------|----------------------------------------------------|------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B2 Battery pack, C12 C Charger, Kitbox |
| Article Number | 4933464966                                         | 4933464968                                     |
| EAN Code       | 4058546229115                                      | 4058546229139                                  |

### M12 FHIR14LR

M12 FUEL™ ¼" EXTENDED REACH HIGH SPEED RATCHET

M12 FHIR14LR-0

- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design and extended neck allow users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

|                | M12 FHIR14LR-0                                                        |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933480790                                                            |
| EAN code       | 4058546410759                                                         |

### M12 FIR38LR

M12 FUEL™ ¾" EXTENDED REACH RATCHET

M12 FIR38LR-0

- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user
- Extended reach ratchet adding additional 82 mm of length for access into tight spaces

|                | M12 FIR38LR-0                                                         |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471500                                                            |
| EAN Code       | 4058546293994                                                         |

### M12 FHIR38

M12 FUEL™ ¾" HIGH SPEED RATCHET

M12 FHIR38-0

- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design allows users better access in tight spaces
- Variable speed metal trigger provides ultimate control of the tool

|                | M12 FHIR38-0                                                          | M12 FHIR38-201B                             |
|----------------|-----------------------------------------------------------------------|---------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B2 Battery pack, C12 C Charger, Bag |
| Article Number | 4933478172                                                            | 4933478809                                  |
| EAN Code       | 4058546341053                                                         | 4058546360917                               |



M12 FIR12  
M12 FUEL™ SUB COMPACT 1/2" RATCHET



- With up to 81 Nm of max torque and 175 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- Low profile head design allows users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

|                | M12 FIR12-0                                                           |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459800                                                            |
| EAN Code       | 4058546029722                                                         |

M12 IR  
M12™ SUB COMPACT RATCHET



- Pneumatic performance with cordless convenience, 47 Nm of torque and no load speed of 250 rpm
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Reinforced housing - provides high durability similar to steel ratchets
- Compact design - ideal for tight spaces and small engine bays

|                | M12 IR-201B 1/4                                  | M12 IR-201B 3/8                                  |
|----------------|--------------------------------------------------|--------------------------------------------------|
| Kit included   | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number | 4933451019                                       | 4933448110                                       |
| EAN Code       | 4002395136728                                    | 4002395006984                                    |

M12 PCG/600  
M12™ SUB COMPACT CAULK GUN WITH 600 ML TUBE



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

|                    | M12 PCG/600A-201B                                |
|--------------------|--------------------------------------------------|
| Standard equipment | 600 ml alum. tube                                |
| Kit included       | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number     | 4933448764                                       |
| EAN Code           | 4002395810864                                    |

M12 PCG/310  
M12™ SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE HOLDER



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

|                    | M12 PCG/310C-201B                                |
|--------------------|--------------------------------------------------|
| Standard equipment | 310 ml cart. holder                              |
| Kit included       | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number     | 4933448763                                       |
| EAN Code           | 4002395810857                                    |

M12 FIR38  
M12 FUEL™ SUB COMPACT 3/8" RATCHET



- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- Low profile head design allows users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

|                | M12 FIR38-0                                                           | M12 FIR38-201B                                   |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number | 4933459797                                                            | 4933459799                                       |
| EAN Code       | 4058546029692                                                         | 4058546029715                                    |

M12 GG  
M12™ SUB COMPACT GREASE GUN



- Powerful 12 V motor delivers over 562 bar max operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.2 kg

|                | M12 GG-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933440435                                                            |
| EAN Code       | 4002395000951                                                         |

M12 PCG/400  
M12™ SUB COMPACT CAULK GUN WITH 400 ML TUBE



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

|                    | M12 PCG/400A-201B                                |
|--------------------|--------------------------------------------------|
| Standard equipment | 400 ml alum. tube                                |
| Kit included       | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number     | 4933451225                                       |
| EAN Code           | 4002395137459                                    |

M12 ATB  
M12™ AUTOMOTIVE TECHNICIAN BORESCOPE



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 5.0 mm camera head allows great access to tight places like spark plug holes, fuel injector ports and cylinders
- Front and side view camera guarantees to identify hairline cracks and other issues on the engine and other areas of the vehicle

|                | M12 ATB-0C                                         |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article number | 4933493136                                         |
| EAN code       | 4058546480073                                      |

M12 FROS2.5  
M12 FUEL™ 150 MM RANDOM ORBITAL SANDER WITH 2.5 MM ORBIT



- High performance motor delivers 6,400 to 24,000 sanding strokes per minute for faster material removal
- 2.5 mm orbit function to deliver a paint-ready finish on primer
- Variable speed wheel with 8 speed settings allows the correct speed to be set for different types of material
- Compact and ergonomic design for fatigue-free working

|                    | M12 FROS2.5-0                                                           | M12 FROS2.5-502X                                                        |
|--------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|
| Standard equipment | Universal vacuum adaptor, left-hand vacuum port, right-hand vacuum port | Universal vacuum adaptor, left-hand vacuum port, right-hand vacuum port |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied   | 2 x M12 HB5 Battery packs, C12 C Charger, HD Box                        |
| Article number     | 4933493647                                                              | 4933493649                                                              |
| EAN code           | 4058546485184                                                           | 4058546485207                                                           |

M12 FROS5  
M12 FUEL™ 150 MM RANDOM ORBITAL SANDER WITH 5.0 MM ORBIT



- High performance motor delivers 6,400 to 24,000 sanding strokes per minute for faster material removal
- 5.0 mm orbit function to deliver efficient body filler removal
- Variable speed wheel with 8 speed settings allows the correct speed to be set for different types of material
- Compact and ergonomic design for fatigue-free working

|                    | M12 FROS5-0                                                             | M12 FROS5-502X                                                          |
|--------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|
| Standard equipment | Universal vacuum adaptor, left-hand vacuum port, right-hand vacuum port | Universal vacuum adaptor, left-hand vacuum port, right-hand vacuum port |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied   | 2 x M12 HB5 Battery packs, C12 C Charger, HD Box                        |
| Article number     | 4933493650                                                              | 4933493652                                                              |
| EAN code           | 4058546485214                                                           | 4058546485238                                                           |

M12 BI  
M12™ SUB COMPACT INFLATOR



- Compact lightweight design for fast inflation of car, light truck and compact equipment tires
- High efficiency motor & pump
- Anti-vibration stand with all rubber feet for no movement while inflating
- Auto shut-off technology inflates to users pre-selected pressure for highly accurate inflation
- Illuminated LCD display with a digital pressure and fuel gauge that displays remaining charge

|                | M12 BI-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464124                                                            |
| EAN Code       | 4058546220693                                                         |

M12 FTB  
M12 FUEL™ LOW SPEED TYRE BUFFER



- The M12 FUEL™ low speed tyre buffer has a two-speed mode selector for reaming & buffing applications
- Optimal speed settings of 1200 RPM in first mode and 2500 RPM in second mode help to avoid burning the rubber and damaging the tyre
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

|                | M12 FTB-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933472215                                                            |
| EAN Code       | 4058546326111                                                         |



M12 APB  
M12™ AUTOMOTIVE PREMIUM BORESCOPE



- WiFi functionality enables the borescope to be connected to a network to send images and videos conveniently by email
- Possibility to transfer files via USB-A, USB-C, micro SD card and email
- 5.5" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- Intuitive operation of the touchscreen thanks to self-explanatory user interface

|                | M12 APB-0C                                         |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article number | 4932492937                                         |
| EAN code       | 4058546478087                                      |

M12 SI  
M12™ SUB COMPACT SOLDERING IRON



- Quick heat up time: the tool is ready to use in 20 - 30 seconds
- 3 locking head positions to work in multiple orientations - 0°, 45°, 90°
- Tool free replaceable tips
- Dual color LED lights to notify user: flashing green when tool is heating up, solid green when the tool is ready for operation and solid red when the tool is off but the tip is hot to touch until the red LED turns off

|                | M12 SI-0                                                              | M12 SI-201C                                    |
|----------------|-----------------------------------------------------------------------|------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B2 Battery pack, C12 C Charger, Kitbox |
| Article Number | 4933459760                                                            | 4933459762                                     |
| EAN Code       | 4058546029326                                                         | 4058546029340                                  |

M12 BLROT  
M12™ BRUSHLESS ROTARY TOOL

BRUSHLESS



- Compact and balanced in all orientation design allow the user to hold the tool close to the work piece
- Variable speed from 5000 rpm to 27,500 rpm with 12 speed settings allows the user to dial in the correct speed for each application
- 3.2 mm collet included, compatible with most common accessories
- Soft grip and low vibration allows user to work comfortably and for longer periods

|                | M12 BLROT-0                                                           |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933493591                                                            |
| EAN code       | 4058546484620                                                         |



C12 RT  
M12™ SUB COMPACT ROTARY TOOL

M12



- Versatile cordless solution for cutting and removal applications
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed (5000 - 32,000 rpm)
- 3.2 mm collet fits most current accessories in the market
- Spindle lock mechanism for easy accessory changes

|                | C12 RT-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933427183                                                            |
| EAN Code       | 4002395239030                                                         |

M12 FBS64  
M12 FUEL™ SUB COMPACT BAND SAW WITH 64 MM CUTTING CAPACITY

M12 FUEL



- First 12V band saw with 64 mm cutting capacity on the market
- Compact light weight design, especially for cutting overhead with one hand in existing installations and in tight spaces
- Variable speed trigger for quick & easy speed adjustments
- Integrated blade cover protects user from injuries by preventing any access to the blade

|                | M12 FBS64-0C                                       | M12 FBS64-402C                                  |
|----------------|----------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox | 2 x M12 B4 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933478440                                         | 4933478442                                      |
| EAN Code       | 4058546346317                                      | 4058546346331                                   |

M12 FNB16  
M12 FUEL™ 1.6 MM NIBBLER

M12 FUEL



- First 12V Nibbler with max. cutting capacity in mild Steel: 1.6 mm, in Stainless Steel: 1.2 mm, in Aluminium: 2.1 mm
- With only 1.6 kg (6.0 Ah battery included) it is the lightest cordless Nibbler on the market, while still outperforming 18V brushed competitors
- Maximum control for any material, with a 5-step speed dial it is ideal for working with stainless steel and aluminium

|                | M12 FNB16-0X                                       |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933479618                                         |
| EAN code       | 4058546374129                                      |

M12 FDGA  
M12 FUEL™ ANGLED DIE GRINDER

M12 FUEL



- The first cordless right angle die grinder that delivers more power vs. pneumatic models
- Compact size (only 119 mm long) to help fit in tight places, and offers great mobility and access
- Features a 4-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to Ø50 mm
- Supplied with 6 and 8 mm collets

|                | M12 FDGA-0                                                            | M12 FDGA-422B                                                 |
|----------------|-----------------------------------------------------------------------|---------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Tool bag |
| Article Number | 4933471438                                                            | 4933471440                                                    |
| EAN Code       | 4058546290665                                                         | 4058546290689                                                 |

M12 FCOT  
M12 FUEL™ SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL

M12 FUEL



- Fast accurate cutting with up to 20,000 RPM
- Optimised ergonomic design for easy control and one-handed use. Only 1.1 kg and 226 mm in length
- Multi-material cutting capability with variety of blades available (metal cut-off wheel, carbide abrasive blade and diamond tile blade)
- A very capable problem solving tool for cutting steel, stainless steel, non-ferrous materials, drywall, fibre cement, plastic and ceramics

|                | M12 FCOT-0                                                            | M12 FCOT-622X                                               |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B6, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933464618                                                            | 4933464620                                                  |
| EAN Code       | 4058546225636                                                         | 4058546225650                                               |

M12 BS  
M12™ SUB COMPACT BANDSAW

M12



- Compact light weight design for cutting with one hand overhead in existing installations and in tight spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Cuts a multitude of materials: steel, stainless steel, copper, plastic, aluminium
- Cold cutting - spark and burr free

|                | M12 BS-0                                                              | M12 BS-402C                                     |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B4 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933431310                                                            | 4933446135                                      |
| EAN Code       | 4002395242092                                                         | 4002395004751                                   |

M12 FDGS  
M12 FUEL™ STRAIGHT DIE GRINDER

M12 FUEL



- The first cordless in-line die grinder that delivers more power vs. pneumatic models
- Best-in-class size (262 mm long) to help reach in tight places, and offers great mobility and access
- Features a 3-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to Ø50 mm
- Supplied with 6 and 8 mm collets

|                | M12 FDGS-0                                                            | M12 FDGS-422B                                                 |
|----------------|-----------------------------------------------------------------------|---------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Tool bag |
| Article Number | 4933471435                                                            | 4933471437                                                    |
| EAN Code       | 4058546290634                                                         | 4058546290658                                                 |

M12 BPS  
M12™ SUB COMPACT POLISHER / SANDER

M12



- Variable 2 speed selection (0-2800 / 0-8300 RPM) for both polishing and sanding applications
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Large capacity of 76 mm polishing sponge and 50 mm sanding pad size for fast job completion

|                | M12 BPS-0                                                             | M12 BPS-421X                                                |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933447791                                                            | 4933447802                                                  |
| EAN Code       | 4002395006557                                                         | 4002395006571                                               |

M12 FBFL10  
M12 FUEL™ BAND FILE 10 MM

M12 FUEL



- Lightest cordless band file on the market, only 1.0 kg with a 2.0 Ah battery
- Outperforms pneumatic competitor while providing better balance
- 2 speed modes and variable speed trigger provide maximum control from taking down welds to precise work with inox, aluminium and wood

|                | M12 FBFL10-0                                                            |
|----------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied , No charger supplied , No kitbox or bag supplied |
| Article number | 4933480958                                                              |
| EAN code       | 4058546412432                                                           |

M12 FSDR75  
M12 FUEL™ 75 MM RANDOM ORBIT SANDER

M12 FUEL



- High performance motor delivers 4,000 to 10,000 sanding strokes per minute with a 2.5 mm orbit allows for faster material removal
- Variable speed trigger with 4 speed settings allows the correct speed to be set for different types of material
- Small, compact and light weight ,only 900 g, allows the users to easily work in tight or hard to reach place

|                | M12 FSDR75-0B                                         | M12 FSDR75-202B                            |
|----------------|-------------------------------------------------------|--------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Hard case | 2 x M12 B2 Battery packs, C12 C , Tool bag |
| Article number | 4933498232                                            | 4933498233                                 |
| EAN code       | 4058546521011                                         | 4058546521028                              |

M12 FDSS  
M12 FUEL™ SUB COMPACT SPOT SANDER

M12 FUEL



- Compact detail sander with a penta shaped pad allows uncompromised corner accessibility
- Four speed modes allows the correct speed to be set for different types of material
- Low vibration at only 4.3 m/s²
- Sponge interface pad included optimises the tool for profiles and contours which increases the precision and removal of material

|                | M12 FDSS-0B                                          | M12 FDSS-422X                                               |
|----------------|------------------------------------------------------|-------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Tool bag | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article number | 4933479680                                           | 4933479682                                                  |
| EAN code       | 4058546374747                                        | 4058546374761                                               |

M12 FMT  
M12 FUEL™ MULTI-TOOL

M12 FUEL



- Brushless POWERSTATE™ motor delivers fast cutting speed through common materials without slowing or bogging down in hardwoods
- Adjustable 10,000 to 20,000 opm allow the user to get the perfect cut whatever the material
- Lowest vibration in its class, 4.56 m/s² driving productivity through performance and safety

|                | M12 FMT-0                                                             | M12 FMT-422X                                                |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933472238                                                            | 4933472240                                                  |
| EAN Code       | 4058546326340                                                         | 4058546326364                                               |

M12 FBFL13  
M12 FUEL™ BAND FILE 13 MM

M12 FUEL



- Worlds first cordless 12V band file with a capacity of 13mm belt width
- Lightest cordless band file on the market, only 1.1 kg with a 2.0 Ah battery
- Outperforms pneumatic competitor while providing better balance
- 2 speed modes and variable speed trigger provide maximum control from taking down welds to precise work with inox, aluminium and wood

|                | M12 FBFL13-0                                      | M12 FBFL13-402B                                                         |
|----------------|---------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | 2 x M12 B4 Battery packs, C12 C Charger, Tool bag | No batteries supplied , No charger supplied , No kitbox or bag supplied |
| Article number | 4933480961                                        | 4933480962                                                              |
| EAN code       | 4058546412463                                     | 4058546412470                                                           |



M12 BCST  
M12™ SUB COMPACT CABLE STAPLER

M12



- The new battery powered cable stapler is twice as fast than manual staple installation. It eliminates majority of hand stapling of low voltage cable into wood
- Moveable cable guides ensure proper alignment over cable prior to fastening over a variety of cable sizes

|                | M12 BCST-0                                                            |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933480488                                                            |
| EAN code       | 4058546407735                                                         |

C12 MT  
M12™ SUB COMPACT MULTI-TOOL

M12



- Versatile cordless solution for cutting and removal applications
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed (5000 - 20,000 rpm) and 1.5° left/right oscillation movement allows quick completion of professional applications into materials such as metal, wood and plastic
- Will accept competitor accessories

|                | C12 MT-0                                                              | C12 MT-402B                                       |
|----------------|-----------------------------------------------------------------------|---------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B4 Battery packs, C12 C Charger, Tool bag |
| Article Number | 4933427180                                                            | 4933441708                                        |
| EAN Code       | 4002395239276                                                         | 4002395001996                                     |



M12 BLP  
M12™ BRUSHLESS PLANER

M12

BRUSHLESS



- M12™ Brushless Planer with a 2 mm planning depth and 51 mm planning width allows the tool to perform in the most common user applications
- Compact and light weight, comfortable to use in a variety of orientations and allows for one handed usage
- Dual-sided dust port for improved chip ejection to the left or right

|                | M12 BLP-0X                                         | M12 BLP-402X                                    |
|----------------|----------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M12 B4 Battery packs, C12 C Charger, HD Box |
| Article number | 4933492850                                         | 4933492852                                      |
| EAN code       | 4058546477219                                      | 4058546477233                                   |

M12 FCS442  
M12 FUEL™ SUB COMPACT CIRCULAR SAW

M12 FUEL



- Redesigned brushless POWERSTATE™ motor for up to 25% increase in performance when combined with MILWAUKEE® M12™ HIGH OUTPUT™ batteries
- Magnesium shoe reduces weight and maximises durability
- Integrated dust blower keeps cut line clear
- LED light illuminates the cut line for better visibility

|                | M12 FCS442-0                                                          | M12 FCS442-502X                                  |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 HB5 Battery packs, C12 C Charger, HD Box |
| Article number | 4933493488                                                            | 4933493490                                       |
| EAN code       | 4058546483593                                                         | 4058546483616                                    |

C12 PN  
M12™ SUB COMPACT PALM NAILER

M12



- Professional power effectively drives 100 mm framing nails in less than 3 seconds
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Superior ergonomics – user-preferred palm style grip provides outstanding comfort and control
- Fits into locations where a hammer cannot be swung

|                | C12 PN-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933427182                                                            |
| EAN Code       | 4002395239238                                                         |

M12 AUN  
M12™ AIR-TIP™ UTILITY NOZZLE

M12



- The M12™ powered utility nozzle is a great accessory that is designed to clean jobsite debris on short and medium hair carpeted surfaces
- The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)

|                | M12 AUN-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4932479461                                                            |
| EAN code       | 4058546372552                                                         |

M12 CHZ  
M12 FUEL™ SUB COMPACT HACKZALL™

M12 FUEL



- Counter balance mechanism lowers vibration to 6.5 m/s² allowing the operator to work safely for longer periods of time reducing fatigue
- Sealed gearbox prevents water and debris entering the housing
- Patented FIXTEC™ clamp for fast and easy keyless blade change
- LED light illuminates the cutline in low light conditions

|                | M12 CHZ-0                                                             | M12 CHZ-602X                                    |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933446960                                                            | 4933451908                                      |
| EAN Code       | 4002395005727                                                         | 4002395282173                                   |

C12 HZ  
M12™ SUB COMPACT HACKZALL™

M12



- High performance compact one handed use HACKZALL™, measuring only 280 mm in length, making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Patented FIXTEC™ clamp for fast and easy keyless blade change
- Low vibration at 10.5 m/s²

|                | C12 HZ-0                                                              | C12 HZ-202C                                     |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933411925                                                            | 4933441198                                      |
| EAN Code       | 4002395236367                                                         | 4002395001798                                   |

M12 FVCL  
M12 FUEL™ WET/ DRY VACUUM

M12 FUEL



- Powerful M12 FUEL™ motor with a maximum air flow of 1275 l/min & 105 mbar provides 18V performance for both wet and dry clean up applications
- With a 6.0 Ah battery the vacuum provides 14 minutes of run time on high and 26 minutes on the low setting, this compact vacuum is ideal for spot and service focused wet/ dry quick clean up needs

|                | M12 FVCL-0                                                            |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478186                                                            |
| EAN Code       | 4058546341190                                                         |

M12 HV  
M12™ SUB COMPACT STICK VAC

M12



- Excellent suction power for wood, metal and common debris
- Clear viewing window gives the user the ability to see debris build up
- Lock on switch reduces fatigue during sustained use
- Versatile accessories for small or large clean up areas
- Compact design makes it easy to clean in tight spaces

|                | M12 HV-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933448390                                                            |
| EAN Code       | 4002395262908                                                         |

M12 FJS  
M12 FUEL™ BODYGRIP JIGSAW

M12 FUEL



- Delivering outstanding power, durability with a run time of up to 24 m in 19 mm OSB (on a 4.0 Ah battery pack)
- Patented FIXTEC™ blade clamp for fast and easy blade change
- 6-speed settings with auto controlled start mode allows the tool to start slow and ramp up to full speed when load is detected for smooth and accurate cut starts

|                | M12 FJS-0                                                             | M12 FJS-422X                                                |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article number | 4933493347                                                            | 4933493349                                                  |
| EAN code       | 4058546482183                                                         | 4058546482206                                               |

M12 FCN18GS  
M12 FUEL™ 18 GA STRAIGHT BRAD NAILER

M12 FUEL



- Fires 18 gauge straight nails with a 0° pitch in lengths from 16 mm - 38 mm
- Dry-Fire lockout stops the tool being fired when there are no nails left in the magazine
- Quick access for tool free jam removals
- Small work contact bracket allows the user to fire and sink nails at a more acute angle
- Smaller nail hole, the exact size of the nail head leaving a neater finish

|                | M12 FCN18GS-0X                                     | M12 FCN18GS-202X                                |
|----------------|----------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box | 2 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article number | 4933493354                                         | 4933493356                                      |
| EAN code       | 4058546482251                                      | 4058546482275                                   |

M12 BBL  
M12™ BLOWER

M12



- Powerful motor can generate up to 4.81 m³ / min of air volume at 177 km/h for fast cleaning of the jobsite
- Lightweight, compact body clears dirt and debris in tight spaces
- Perfect control of the power with the 2 speed adjustable trigger
- Versatile attachments like the nozzle extension (25.5 cm) and a tip tube for accurate working are included

|                | M12 BBL-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933472214                                                            |
| EAN code       | 4058546326104                                                         |

M12 AF  
M12™ AIR FAN

M12



- Three speed settings delivering max air speed of 22.53 km/h
- High efficient 150 mm blade diameter generates a maximum air volume of 680 m³/h
- The 360° head rotation allow an unlimited directional airflow
- Boundless hanging and mounting possibilities with the integrated magnets, key holes, hooks and pass through holes

|                | M12 AF-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933478228                                                            |
| EAN code       | 4058546344054                                                         |

M12 BST  
M12™ SUB COMPACT STAPLER

M12



- Breakthrough performance limits user fatigue by eliminating the repetitive motion of hand tools
- Ready to Fire Technology eliminates ramp-up time between each staple discharge
- Bump fire and sequential fire operation allows the user to fire quickly and accurately
- 2000 staples fired with one 2.0 Ah battery pack
- Fires standard T11 T50 and T140 10.6 mm staples from 6 to 14 mm

|                | M12 BST-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459634                                                            |
| EAN Code       | 4058546028060                                                         |



M12 RCDAB+  
M12™ RADIO CHARGER DAB+

M12



- Premium speaker and high frequency tweeter provides high sound quality
- DAB+ and AM/FM tuner with the digital processor delivers highest reception accuracy, signal clarity and additional information like: song, artist and accurate time
- Digital Bluetooth® receiver: Plays music up to 30 m away from your smartphone, computer or tablet

|                | M12 RCDAB+-0                                                          |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933472115                                                            |
| EAN Code       | 4058546325114                                                         |

M12 SPEJSG2  
M12™ JOBSITE SPEAKER

M12



- Advanced technology Bluetooth® job site speaker
- Bluetooth® 5.3 plays music up to 60 m away from your smartphone, computer or tablet
- Balanced & clear sound at all volumes
- Premium speaker with bass port
- Provides audio for small sized areas
- Audio link connects over 200 MILWAUKEE® M18 and M12 speakers

|                | M12 SPEJSG2-0                                                         |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933498433                                                            |
| EAN code       | 4058546523022                                                         |



WORK GEAR

SCAN HERE FOR  
MORE INFORMATION



M12 HJ5  
M12™ HEATED JACKET

M12



- Heat on demand - sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller - 3 heat settings: High, Medium, Low
- TOUGHSHELL™ stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Water and wind resistant, provides comfort and durability in harsh environments
- Big hand & chest pocket, ideal for storing mobile devices

| Black |                     |                                                                       |                |               |
|-------|---------------------|-----------------------------------------------------------------------|----------------|---------------|
| Size  | Model Variant       | Kit included                                                          | Article number | EAN code      |
| S     | M12 HJ BL5-0 (S)    | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933478967     | 4058546362492 |
| M     | M12 HJ BL5-0 (M)    | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933478968     | 4058546362508 |
| L     | M12 HJ BL5-0 (L)    | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933478969     | 4058546362515 |
| XL    | M12 HJ BL5-0 (XL)   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933478970     | 4058546362522 |
| XXL   | M12 HJ BL5-0 (XXL)  | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933478971     | 4058546362539 |
| XXXL  | M12 HJ BL5-0 (XXXL) | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933479362     | 4058546371562 |

| Grey |                       |                                                                       |                |               |
|------|-----------------------|-----------------------------------------------------------------------|----------------|---------------|
| Size | Model Variant         | Kit included                                                          | Article number | EAN code      |
| S    | M12 HJ GREY5-0 (S)    | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933478972     | 4058546362546 |
| M    | M12 HJ GREY5-0 (M)    | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933478973     | 4058546362553 |
| L    | M12 HJ GREY5-0 (L)    | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933478974     | 4058546362560 |
| XL   | M12 HJ GREY5-0 (XL)   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933478975     | 4058546362577 |
| XXL  | M12 HJ GREY5-0 (XXL)  | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933478976     | 4058546362584 |
| XXXL | M12 HJ GREY5-0 (XXXL) | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4933479363     | 4058546371579 |



M12 HJ CAMO6  
M12™ HEATED CAMOUFLAGE JACKET

M12



- REALTREE XTRA™ Camo pattern blends perfectly year round in a variety of habitats
- Quiet-shell stretch 100% polyester material to reduce noise during movement
- Heat on demand - 5 sewn in carbon fibre heating zones distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller concealed inside the lapel - 3 heat settings: High, Medium, Low
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- Water and wind resistant, provides comfort and durability in harsh environments
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket

|                | M12 HJ CAMO6-0 (S)                                                    | M12 HJ CAMO6-0 (M)                                                    | M12 HJ CAMO6-0 (L)                                                    | M12 HJ CAMO6-0 (XL)                                                   | M12 HJ CAMO6-0 (XXL)                                                  |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933478977                                                            | 4933478978                                                            | 4933478979                                                            | 4933478980                                                            | 4933478981                                                            |
| EAN code       | 4058546362591                                                         | 4058546362607                                                         | 4058546362614                                                         | 4058546362621                                                         | 4058546362638                                                         |

M12 HPJBL2  
M12™ HEATED PUFFER JACKET - BLACK

M12



- M12™ Heated Jacket powered by anM12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 5 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable

|                | M12 HPJBL2-0 (S)                                       | M12 HPJBL2-0 (M)                                       | M12 HPJBL2-0 (L)                                       | M12 HPJBL2-0 (XL)                                      | M12 HPJBL2-0 (XXL)                                     |
|----------------|--------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|
| Kit included   | No batteries supplied , No charger supplied , Gift box | No batteries supplied , No charger supplied , Gift box | No batteries supplied , No charger supplied , Gift box | No batteries supplied , No charger supplied , Gift box | No batteries supplied , No charger supplied , Gift box |
| Article number | 4932480071                                             | 4932480072                                             | 4932480073                                             | 4932480074                                             | 4932480075                                             |
| EAN code       | 4058546403560                                          | 4058546403577                                          | 4058546403584                                          | 4058546403591                                          | 4058546403607                                          |

M12 HPJLBL2  
M12™ HEATED PUFFER JACKET LADIES - BLACK

M12



- M12™ Heated Jacket powered by anM12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 5 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable

|                | M12 HPJLBL2-0 (S)                                                       | M12 HPJLBL2-0 (M)                                                       | M12 HPJLBL2-0 (L)                                                       | M12 HPJLBL2-0 (XL)                                                      | M12 HPJLBL2-0 (XXL)                                                     |
|----------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied , No charger supplied , No kitbox or bag supplied | No batteries supplied , No charger supplied , No kitbox or bag supplied | No batteries supplied , No charger supplied , No kitbox or bag supplied | No batteries supplied , No charger supplied , No kitbox or bag supplied | No batteries supplied , No charger supplied , No kitbox or bag supplied |
| Article number | 4932480085                                                              | 4932480086                                                              | 4932480087                                                              | 4932480088                                                              | 4932480089                                                              |
| EAN code       | 4058546403706                                                           | 4058546403713                                                           | 4058546403720                                                           | 4058546403737                                                           | 4058546403744                                                           |

M12 HPVBL2  
M12™ HEATED PUFFER VEST

M12



- M12™ Heated Jacket powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to placeM12™ battery in front or rear for increased comfort
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable

|                | M12 HPVBL2-0 (S)                                     | M12 HPVBL2-0 (M)                                     | M12 HPVBL2-0 (L)                                     | M12 HPVBL2-0 (XL)                                    | M12 HPVBL2-0 (XXL)                                   |
|----------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box |
| Article number | 4932480076                                           | 4932480077                                           | 4932480078                                           | 4932480079                                           | 4932480080                                           |
| EAN code       | 4058546403614                                        | 4058546403621                                        | 4058546403638                                        | 4058546403645                                        | 4058546403652                                        |

M12 HVGREY1  
M12™ HEATED VEST - GREY

M12



- M12™ Heated TOUGHSHELL™ vest powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest & back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- TOUGHSHELL™ stretch 90% Polyester and 10% spandex material to withstand harsh working conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable
- Battery holder included
- Flexible battery system: works with all MILWAUKEE® M12™ batteries

|                | M12 HVGREY1-0 (S)                                    | M12 HVGREY1-0 (M)                                    | M12 HVGREY1-0 (L)                                    | M12 HVGREY1-0 (XL)                                   | M12 HVGREY1-0 (XXL)                                  | M12 HVGREY1-0 (XXXL)                                 |
|----------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box |
| Article number | 4932480100                                           | 4932480101                                           | 4932480102                                           | 4932480103                                           | 4932480104                                           | 4932480105                                           |
| EAN code       | 4058546403850                                        | 4058546403867                                        | 4058546403874                                        | 4058546403881                                        | 4058546403898                                        | 4058546403904                                        |



M12 HH4  
M12™ HEATED HOODIE

M12



- M12™ Heated Hoodie powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

| Black |                   |                                                      |                |               |
|-------|-------------------|------------------------------------------------------|----------------|---------------|
| Size  | Model Variant     | Kit included                                         | Article number | EAN code      |
| S     | M12 HHBL4-0 (S)   | No batteries supplied, No charger supplied, Gift box | 4932480061     | 4058546403461 |
| M     | M12 HHBL4-0 (M)   | No batteries supplied, No charger supplied, Gift box | 4932480062     | 4058546403478 |
| L     | M12 HHBL4-0 (L)   | No batteries supplied, No charger supplied, Gift box | 4932480063     | 4058546403485 |
| XL    | M12 HHBL4-0 (XL)  | No batteries supplied, No charger supplied, Gift box | 4932480064     | 4058546403492 |
| XXL   | M12 HHBL4-0 (XXL) | No batteries supplied, No charger supplied, Gift box | 4932480065     | 4058546403508 |



M12 HHLBL1  
M12™ HEATED LADIES HOODIE - BLACK

M12



- M12™ Heated Hoodie for ladies powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

|                | M12 HHLBL1-0 (S)                                     | M12 HHLBL1-0 (M)                                     | M12 HHLBL1-0 (L)                                     | M12 HHLBL1-0 (XL)                                    |
|----------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box |
| Article number | 4932480090                                           | 4932480091                                           | 4932480092                                           | 4932480093                                           |
| EAN code       | 4058546403751                                        | 4058546403768                                        | 4058546403775                                        | 4058546403782                                        |

L4 HBLB  
USB RECHARGEABLE HEATED WORKSKIN™ BASE LAYER

RED LITHIUM



- Mid-weight construction out of durable, pilling resistant material, keeps body warm and dry
- Fully heats-up in 2.5 min
- Heat is created and distributed to the chest and back
- Powered by L4 USB rechargeable REDLITHIUM™ battery pack
- A one-touch LED controller allows the user to select from 2 heat settings, delivering ideal heat for any environment
- Durable, pilling resistant material with raglan designed sleeves and seamless shoulders for improved mobility and comfort
- Superior run time – Up to 180 min of heat on low level
- L4 battery holder - concealed battery pocket for minimal user interference
- Machine washable

|                   | L4 HBLB-301S                                                               | L4 HBLB-301M                                                               | L4 HBLB-301L                                                               | L4 HBLB-301XL                                                              | L4 HBLB-301XXL                                                             |
|-------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------|
| Kit included [L4] | 1 x L4 B3 Battery pack, USB cable and wall plug, No kitbox or bag supplied | 1 x L4 B3 Battery pack, USB cable and wall plug, No kitbox or bag supplied | 1 x L4 B3 Battery pack, USB cable and wall plug, No kitbox or bag supplied | 1 x L4 B3 Battery pack, USB cable and wall plug, No kitbox or bag supplied | 1 x L4 B3 Battery pack, USB cable and wall plug, No kitbox or bag supplied |
| Article Number    | 4933478459                                                                 | 4933478460                                                                 | 4933478461                                                                 | 4933478462                                                                 | 4933478463                                                                 |
| EAN Code          | 4058546346508                                                              | 4058546346515                                                              | 4058546346522                                                              | 4058546346539                                                              | 4058546346546                                                              |

LASERS RANGE

SCAN HERE FOR  
MORE INFORMATION



M18 RLOHV1200  
M18™ 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE ROTARY LASER WITH ONE-KEY™

M18

ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.



- The ultimate tool for grading applications
- Fast, accurate automatic dual grade match up to 12.5 % in X & Y axis, and can adjust slope remotely with a duplicated remote display
- Adjustable masking to prevent laser interference and laser reflection from windows at jobsite
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops

|                    | M18 RLOHV1200-501C                                |
|--------------------|---------------------------------------------------|
| Standard equipment | 1x RD1200, detector clamp, 1x remote control      |
| Kit included       | 1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox |
| Article number     | 4933493205                                        |
| EAN code           | 4058546480769                                     |

M18 RLOH600  
M18™ 600 M HORIZONTAL ROTARY LASER WITH ONE-KEY™

M18

ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.



- The ultimate tool for accurate results when leveling on the jobsite
- Easy to use, one button setup
- Manual masking shutters to prevent laser interference and laser reflection from windows
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops
- ±5° self levelling range for fast and accurate setup

|                    | M18 RLOH600-201C                                  |
|--------------------|---------------------------------------------------|
| Standard equipment | 1x RD600, detector clamp                          |
| Kit included       | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox |
| Article number     | 4933493192                                        |
| EAN code           | 4058546480639                                     |

M18 RLOHVG300  
M18™ 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER WITH ONE-KEY™

M18

ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.



- Designed for interior and exterior jobs, for long distance applications
- Automatic centre find with one press off a button, for long range alignment
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- Adjustable masking to prevent laser interference and laser reflection from windows
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops

|                    | M18 RLOHVG300-501C                                |
|--------------------|---------------------------------------------------|
| Standard equipment | 1x RD300G, detector clamp                         |
| Kit included       | 1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox |
| Article number     | 4933493195                                        |
| EAN code           | 4058546480660                                     |

M12 CLL4P  
M12™ CROSS LINE LASER WITH 4 POINTS

M12




- M12™ green cross line laser with 4 points, provides an all-in-one functionality with horizontal levelling, vertical alignment, plumb point transfer from floor to ceiling and horizontal point transfer
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector
- Provides all-day run time of 9+ hours with an M12 B3 battery pack

|                    | M12 CLL4P-0C                                       | M12 CLL4P-301C                                 |
|--------------------|----------------------------------------------------|------------------------------------------------|
| Standard equipment | Track clip, HVIST                                  | Track clip, HVIST                              |
| Kit included       | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B3 Battery pack, C12 C Charger, Kitbox |
| Article number     | 4933479202                                         | 4933479204                                     |
| EAN code           | 4058546369965                                      | 4058546369989                                  |

M12 3PL  
M12™ GREEN 360° 3 PLANE LASER

M12



- M12™ green 360° 3 plane laser provides an all-in-one functionality with one horizontal line and two vertical lines for fast and easy alignment, leveling, squaring, and transfers allowing you to easily layout large spaces with one tool
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector

|                    | M12 3PL-0C                                         | M12 3PL-401C                                   | M12 3PLKIT-401P                                      |
|--------------------|----------------------------------------------------|------------------------------------------------|------------------------------------------------------|
| Standard equipment | Track clip, HVIST                                  | Track clip, HVIST                              | HVIST, LLD50, LM360, TRP120, Track Clip              |
| Kit included       | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B4 Battery pack, C12 C Charger, Kitbox | 1 x M12 B4 Battery pack, C12 C Charger, PACKOUT™ box |
| Article Number     | 4933478103                                         | 4933478246                                     | 4933478990                                           |
| EAN Code           | 4058546340360                                      | 4058546344238                                  | 4058546362720                                        |





M12 CLLP
M12™ GREEN CROSS LINE LASER WITH PLUMB POINTS

M12



- M12™ green cross line laser with plumb points provides an all-in-one functionality with horizontal levelling, vertical alignment and plumb point transfer from floor to ceiling
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector
- Provides all-day run time of 15+ hours with an M12 B3 battery pack

|                    | M12 CLLP-0C                                        | M12 CLLP-301C                                  |
|--------------------|----------------------------------------------------|------------------------------------------------|
| Standard equipment | Track clip, HVIST                                  | Track clip, HVIST                              |
| Kit included       | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B3 Battery pack, C12 C Charger, Kitbox |
| Article Number     | 4933478101                                         | 4933478245                                     |
| EAN Code           | 4058546340346                                      | 4058546344221                                  |

L4 CLL
USB RECHARGEABLE GREEN CROSS LINE LASER

REDLITHIUM USB



- REDLITHIUM™ USB rechargeable green cross line laser provides an all-in-one functionality with horizontal levelling and vertical alignment
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 30 m and up to 100 m with a detector
- The rechargeable and removable REDLITHIUM™ USB 3.0 Ah battery provides all day run time of over 8 hours

|                    | L4 CLL-301C                                             |
|--------------------|---------------------------------------------------------|
| Standard equipment | Track clip                                              |
| Kit included [L4]  | 1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox |
| Article Number     | 4933478243                                              |
| EAN Code           | 4058546344207                                           |

RD1200
ROTARY LASER DETECTOR 1200 M

II 2



- 1200 m detection range in combination with the M18 RLOHV1200 laser, for long distance applications
- With automatic vertical and horizontal grade match and slope adjustment, the M18 RLOHV1200 laser will automatically align itself to the centre of the detector
- Easy-to-read, mm/in back and front backlit display, making it more visible for any application

|                | RD1200                                      |
|----------------|---------------------------------------------|
| Kit included   | 2 x AA Batteries, No kitbox or bag supplied |
| Article number | 4932493207                                  |
| EAN code       | 4058546480783                               |

RD300G
ROTARY LASER DETECTOR 300 M GREEN

II 2



- 300 m detection range in combination with the M18 RLOHVG300 laser, for long distance applications
- The RD300G detector with integrated remote control allows the M18 RLOHVG300 laser to be controlled from distance
- Easy-to-read, mm/in back and front backlit display for clear visibility, whether used indoors or outdoors

|                | RD300G                                      |
|----------------|---------------------------------------------|
| Kit included   | 2 x AA Batteries, No kitbox or bag supplied |
| Article number | 4932493198                                  |
| EAN code       | 4058546480691                               |

L4 CLLP
USB RECHARGEABLE GREEN CROSS LINE LASER WITH PLUMB POINTS

REDLITHIUM USB



- REDLITHIUM™ USB rechargeable green cross line laser with plumb points provides an all-in-one functionality with horizontal levelling, vertical alignment and plumb point transfer from floor to ceiling
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 30 m and up to 100 m with a detector

|                    | L4 CLLP-301C                                            |
|--------------------|---------------------------------------------------------|
| Standard equipment | Track clip                                              |
| Kit included [L4]  | 1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox |
| Article Number     | 4933478244                                              |
| EAN Code           | 4058546344214                                           |

CLL
ALKALINE GREEN CROSS LINE LASER

III 4



- Alkaline cross line laser provides an all-in-one functionality with horizontal levelling and vertical alignment
- High intensity green beams provide a working range of 30 m and up to 50 m with a detector
- The 4x AA alkaline batteries provides all day run time of over 8 hours

|                    | CLL-C                    |
|--------------------|--------------------------|
| Standard equipment | Track clip               |
| Kit included       | 4 x AA Batteries, Kitbox |
| Article number     | 4933478753               |

RD600
ROTARY LASER DETECTOR 600 M

II 2



- 600 m detection range in combination with the M18 RLOH600 laser, for long distance applications
- Easy-to-read, mm/in back and front backlit display for clear visibility
- IP67 rated and withstands up to 2 m drops
- Adjustable accuracy at five steps from 0.5 mm to 10 mm
- LED and audio indication for the most versatile detector read out

|                | RD600                                       |
|----------------|---------------------------------------------|
| Kit included   | 2 x AA Batteries, No kitbox or bag supplied |
| Article number | 4932493197                                  |
| EAN code       | 4058546480684                               |

LRD100
LINE/ ROTARY LASER DETECTOR

I 1



- The MILWAUKEE® LRD100 detector extends laser line functionality up to 100 metre in combination with all MILWAUKEE® cross line and plane lasers and can be universally used with rotary lasers up to 250 metre radius
- The millimetre display on front and back allows easy and accurate detection of the laser beam to improve the set-up process
- Red and green laser diodes detection for most versatile use

|                | LRD100                                    |
|----------------|-------------------------------------------|
| Kit included   | 1 x AA Battery, No kitbox or bag supplied |
| Article number | 4932479555                                |
| EAN code       | 4058546373498                             |

LLD50
LASER LINE DETECTOR

I 1



- The MILWAUKEE® LLD50 laser line detector extends laser line functionality up to 50 metres
- The LEDs on front and back allow easy and accurate detection of the laser beam to improve the set-up process
- Rare earth magnets located on two sides of the detector allow it to easily attach to metal surfaces, ideal for suspended ceiling installations

|                | LLD50                                     |
|----------------|-------------------------------------------|
| Kit included   | 1 x AA Battery, No kitbox or bag supplied |
| Article number | 4932478104                                |
| EAN code       | 4058546340377                             |

LWM
LASER WALL MOUNT



- Vertical micro adjustment for most precise alignment during setup
- Hanghole and material clamp for most versatile setup at walls and ceilings
- Levelling adjustment screw to get laser in self levelling range
- Ruler scale to speed up setup and adjustment process
- Compatible with all MILWAUKEE® rotary lasers and M12™ line lasers in the range

|                | LWM           |
|----------------|---------------|
| Article number | 4932493201    |
| EAN code       | 4058546480721 |

LMP
3.6 M TELESCOPING LASER POLE



- The MILWAUKEE® telescoping laser pole with 3.6 m extension range is ideal to setting up line lasers even on high ceilings
- The spring loaded swivel head makes setup easy, even at uneven surfaces
- The included quick release clamp opens to 6.3 cm and can be attached to round and square materials

|                | LMP           |
|----------------|---------------|
| Article number | 4932479205    |
| EAN code       | 4058546369996 |

TRP300
3.0 METRE LASER TRIPOD



- Up to 2.95 m extension range for easy setup at most common working heights
- Most versatile setup in all environments with spiked feet and rubber feet
- 1.10 m elevation range to fine adjust the laser at height
- Shoulder strap for comfortable and hands-free transport, when carry the laser
- 5/8" standard threading to setup all rotary lasers and all MILWAUKEE® M12™ lasers

|                | TRP300        |
|----------------|---------------|
| Article number | 4932493200    |
| EAN code       | 4058546480714 |


LM360
360° LASER MOUNT



- The MILWAUKEE® 360° laser mount is an adaptable laser attachment that provides the fastest laser setup
- Multi-plane rotational adjustment, users can easily attach all MILWAUKEE® lasers to the mount
- A micro vertical adjustment that makes aligning horizontal lines much faster

|                | LM360         |
|----------------|---------------|
| Article number | 4932478105    |
| EAN code       | 4058546340384 |

HI-VIST
HIGH VISIBILITY LASER TARGET PLATE



- The MILWAUKEE® high visibility laser target plate provides fast and visible alignment with a wide magnetic base for floors & ferrous surfaces
- High contrast reflective surface for use with green lasers
- The X design provides responsive centering feedback that guides the line to the centre, making the alignment process faster

|                | HI-VIST       |
|----------------|---------------|
| Article number | 4932478108    |
| EAN code       | 4058546340414 |

WLB
WIRELESS LASER ALIGNMENT BASE

II 2



- Precision horizontal motorised control with micro and macro alignment feature
- +38 m distance control to cover entire laser working range
- Pivots on point for faster setup when aligning two points
- Quick sliding attachment for fast and easy setup
- Intuitive pairing and control

|                | WLB-C                    |
|----------------|--------------------------|
| Kit included   | 2 x AA Batteries, Kitbox |
| Article number | 4932479198               |
| EAN code       | 4058546369927            |

TRP180
1.8 METER LASER TRIPOD



- The MILWAUKEE® laser tripod with a 1/4" mounting thread is ideal for setting the height of a horizontal laser line or elevating the laser when needed
- Height can be adjusted easily from 72 cm to 180 cm
- Laser can be mounted to the bottom of the tripod with the 360° mount (not included) for low level applications like socket installation

|                | TRP180        |
|----------------|---------------|
| Article number | 4932478106    |
| EAN code       | 4058546340391 |



TRP160  
1.6 METRE LASER TRIPOD



- Up to 1.60 m extension range for easy setup at most common working heights
- Aluminium frame and steel feet to use at any jobsite condition
- Reinforced handle design for improved durability
- Shoulder strap for comfortable and hands-free transport, when carry the laser
- 5/8" standard threading to setup all rotary lasers and all MILWAUKEE® M12™ lasers

|                |               |
|----------------|---------------|
| Article number | 4932493199    |
| EAN code       | 4058546480707 |

TRP120  
1.2 METER COMPACT LASER TRIPOD



- The MILWAUKEE® compact laser tripod with a 1/4" mounting thread and a flat head design is ideal for setting the height of a horizontal laser line or elevating the laser when needed
- Height can be adjusted easily from 47 cm to 120 cm
- 29 cm elevating range for fine adjusting the height

|                |               |
|----------------|---------------|
| Article number | 4932478959    |
| EAN code       | 4058546362416 |

SR240  
240 CM STAFF ROD



- Metric elevation scale up to 2.4 m with integrated detector slider for a fast detector positioning
- Durable aluminium frame to withstand jobsite condition
- Durable endcaps to prevent frame damage
- Adjustable level vial for a more precise setup

|                |               |
|----------------|---------------|
| Article number | 4932493202    |
| EAN code       | 4058546480738 |

ROD500  
500 CM GRADE ROD



- Metric elevation scale up to 5 m for most common heights on jobsite
- Flat top endcap for a solid detector positioning
- Durable aluminium frame to withstand jobsite condition
- Durable endcaps to prevent frame damage
- Detachable level vial for a more precise setup

|                |               |
|----------------|---------------|
| Article number | 4932493203    |
| EAN code       | 4058546480745 |

LDM 50  
50 M LASER DISTANCE METER



- Easy to use one person point and shoot system
- Very slim housing design with belt clip for easy transport
- Area/volume/indirect height and patent pending surface measurement
- Min/Max sweep & continuous tracking
- Distance addition & subtraction for layouting
- Indirect height measurements (Pythagoras 2-point, 3-point, partial height)

|                |                                              |
|----------------|----------------------------------------------|
| Kit included   | 2 x AAA Batteries, No kitbox or bag supplied |
| Article Number | 4933447700                                   |
| EAN Code       | 4002395006540                                |

LDM 30  
30 M LASER DISTANCE METER



- Easy to use one person point and shoot system
- IP54 water & dust protection
- Auto shut off and low power indication
- Metric & Imperial units of measurement
- Very slim housing design with belt clip for easy transport
- Two easy to touch measure buttons on the front and side of the housing

|                |                                      |
|----------------|--------------------------------------|
| Kit included   | 2 x AAA Batteries, Blister packaging |
| Article Number | 4933459276                           |
| EAN Code       | 4058546002428                        |

ELECTRICAL

SCAN HERE FOR  
MORE INFORMATION



M18 HSFC125R  
M18™ FORCE LOGIC™ HYDRAULIC 125 MM SAFETY CABLE CUTTER

M18

FORCELOGIC™ ONE KEY™  
UNLOCKING THE DIGITAL JOBSITE™



- FORCE LOGIC™ Safety Cutter allows linemen to cut aluminium, copper and armored cables up to Ø125 mm remotely, removing any physical connection to the tool
- Enhanced remote control lets users start, pause and reverse the cutting blade all from a distanced position of complete safety
- Green LED lights on wireless remote gives positive indication that the cable is cut through blade positioning sensors

|                    |                                                      |
|--------------------|------------------------------------------------------|
| Standard equipment | Remote control                                       |
| Kit included       | 2 x M18 FB8 Battery packs, M12-18 FC Charger, Kitbox |
| Article number     | 4933492422                                           |
| EAN code           | 4058546417895                                        |



M18 HCC125  
M18™ FORCE LOGIC™ HYDRAULIC 125 MM CABLE CUTTER

M18

FORCELOGIC™ ONE KEY™  
UNLOCKING THE DIGITAL JOBSITE™



- FORCE LOGIC™ Hydraulic Cutter cuts aluminium, copper and armored cables up to Ø125 mm
- Adjustable side handle, in-line tool design and hang hook enable easiest set-up in trenches and vaults
- Quick Lock latch system allows users to easily open and close the latch without any hassle of alignment

|                |                                                     |
|----------------|-----------------------------------------------------|
| Kit included   | 1 x M18 FB8 Battery pack, M12-18 FC Charger, Kitbox |
| Article number | 4933499334                                          |
| EAN code       | 4058546564988                                       |

M18 HCC75R  
M18™ FORCE LOGIC™ HYDRAULIC REMOTE UNDERGROUND CABLE CUTTER

M18

FORCELOGIC™ ONE KEY™  
UNLOCKING THE DIGITAL JOBSITE™



- FORCE LOGIC™ hydraulic remote underground cable cutter cuts cables up to Ø75 mm in less than 10 seconds with 77.8 kN of force
- Wireless remote communicates with the tool via a mutually exclusive Bluetooth® connection, removing any physical connection to the tool and allowing Linemen to make remote cuts wirelessly
- Balanced design, handle and hang hook enable easiest set-up in vaults

|                |                                                     |
|----------------|-----------------------------------------------------|
| Kit included   | 2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933459272                                          |
| EAN Code       | 4058546002381                                       |

M18 HCC45  
M18™ FORCE LOGIC™ HYDRAULIC 44 MM CABLE CUTTER


M18

FORCELOGIC™ ONE KEY™  
UNLOCKING THE DIGITAL JOBSITE™



- FORCE LOGIC™ hydraulic cable cutter cuts ACSR/ACSS cables up to Ø44 mm in less than 9 seconds with 77.8 kN of force
- Patent pending jaw design enables opening with just two fingers, enhancing alignment while delivering easiest operation with Class 3 gloves

|                |                                                                 |
|----------------|-----------------------------------------------------------------|
| Kit included   | 1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933459267                                                      |
| EAN Code       | 4058546002336                                                   |





M18 ONEHCC  
M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER



- FORCE LOGIC™ hydraulic cable cutter cuts cables in less than 3 seconds with 53 kN of force
- Brushless POWERSTATE™ motor provides more power, more run-time and longer life
- Fully balanced tool provides secure control during one hand operation
- One tool provides cutting solutions for ACSR wire, steel guy wire, fine stranded or standard copper and aluminium cable

|                    | M18 ONEHCC-0C CU/AL- SET                           | M18 ONEHCC-201C CU/AL-SET                         | M18 ONEHCC-0C ACSR SET                             | M18 ONEHCC-201C ACSR SET                          | M18 ONEHCC-201C SWA                               |
|--------------------|----------------------------------------------------|---------------------------------------------------|----------------------------------------------------|---------------------------------------------------|---------------------------------------------------|
| Standard equipment | Cu/AL jaw                                          | Cu/AL jaw                                         | ACSR jaw                                           | ACSR jaw                                          | SWA jaw                                           |
| Kit included       | No batteries supplied, No charger supplied, Kitbox | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox | No batteries supplied, No charger supplied, Kitbox | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox |
| Article Number     | 4933464300                                         | 4933464302                                        | 4933464303                                         | 4933464305                                        | 4933464307                                        |
| EAN Code           | 405854622451                                       | 405854622475                                      | 405854622482                                       | 405854622505                                      | 405854622529                                      |

SEE PAGE 132 OR SCAN TO VIEW  
OUR SYSTEM ATTACHMENTS  
FOR M18 ONEHCC - M18™ FORCE  
LOGIC™ HYDRAULIC 35 MM  
CABLE CUTTER



M18 HKP  
M18™ FORCE LOGIC™ HYDRAULIC KNOCKOUT PUNCH



- FORCE LOGIC™ hydraulic knockout punch is the most compact and lightweight tool on the market with 60 kN of force
- The easiest way to punch - for fast, accurate, round, and burr free holes
- Highest accuracy due to industry's finest exact alignment system for dies
- Best balanced tool and easiest control due to one hand operation

|                    | M18 HKP-201CA                                                                                                                   |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Standard equipment | 11.1mm (7/16") draw stud, 19mm (3/4") draw stud, quick connector, ball pull, adaptor, punches and dies: M16, M20, M25, M32, M40 |
| Kit included       | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox                                                                               |
| Article Number     | 4933451205                                                                                                                      |
| EAN Code           | 4002395138937                                                                                                                   |

SEE PAGE 134 OR SCAN TO VIEW  
OUR SYSTEM ATTACHMENTS  
FOR M18 HKP - M18™ FORCE  
LOGIC™ HYDRAULIC KNOCKOUT  
PUNCH



M18 FPFT  
M18 FUEL™ POWERED FISH TAPE



- The M18 FUEL™ Fish Tape is the world's first professional battery powered cable pulling solution
- POWERSTATE™ brushless motor that provides the ability to pull a maximum length of 72 m wire
- AUTO-RUN™ powered feeding and cable pulling is a fast and efficient solution providing higher productivity vs other solutions

|                | M18 FPFT-0                                                            | M18 FPFT-202 30m NC Set                                        |
|----------------|-----------------------------------------------------------------------|----------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B2 Battery packs, M12-18 FC, No kitbox or bag supplied |
| Article Number | 4933471952                                                            | 4933478591                                                     |
| EAN Code       | 4058546298517                                                         | 4058546347840                                                  |

SEE PAGE 133 OR SCAN TO VIEW  
OUR SYSTEM ATTACHMENTS  
FOR M18 FPFT - M18 FUEL™  
POWERED FISH TAPE




M18 HUP700  
M18™ HYDRAULIC UTILITY PUMP



- FORCE LOGIC™ hydraulic utility pump powers every single acting 700 bar crimping, cutting or punching head attachment
- Significantly faster work cycles due to a large 1.6 litre total oil reservoir and 2x higher flow rate compared to other pumps
- The pump is equipped with a industry standard CEJN Series 115, G1/4" female quick connection coupler to suit most common attachments

|                | M18 HUP700-121                                                          |
|----------------|-------------------------------------------------------------------------|
| Kit included   | 1 x M18 FB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933499336                                                              |
| EAN Code       | 4058546565008                                                           |

SEE PAGE 134 OR SCAN TO VIEW  
OUR SYSTEM ATTACHMENTS  
FOR M18 HUP700 - M18™  
HYDRAULIC UTILITY PUMP



L4 HSL  
USB RECHARGEABLE HOT STICK LIGHT



- Fast and easy fuse cutouts
- Two separate LED lights providing 350 lumens of halo lighting on high
- Adjustable output levels give the ability to light the fuse for up to 10 hours on one full battery charge
- The LED hot stick light is built to survive in the toughest conditions and features a high impact aluminium body and IP54 rating for water and dust resistance

|                   | L4 HSL-301                                                   |
|-------------------|--------------------------------------------------------------|
| Kit included [L4] | 1 x L4 B3 Battery pack, USB cable, No kitbox or bag supplied |
| Article number    | 4933493968                                                   |
| EAN code          | 4058546511289                                                |

M18 HCCT  
M18™ FORCE LOGIC™ HYDRAULIC 53 KN CABLE  
CRIMPER



- FORCE LOGIC™ hydraulic cable crimper crimps connectors up to 300 mm² in less than 3 seconds with 53 kN of force
- Revolutionary jaw holds connector for best alignment of cable and connector
- 2 in 1 solution: crimping jaw can be exchanged for an CU/AL cable cutting jaw
- Best balanced tool and easiest control due to one hand operation

|                | M18 HCCT-201C                                     | M18 HCCT-201C L-SET                               |
|----------------|---------------------------------------------------|---------------------------------------------------|
| Kit included   | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox |
| Article Number | 4933451195                                        | 4933464313                                        |
| EAN Code       | 4002395138838                                     | 4058546222581                                     |

M18 HCCT109/42  
M18™ FORCE LOGIC™ HYDRAULIC 109 KN CABLE  
CRIMPER



- Lightest, most balanced tool with ergonomic grip design
- Red alignment marks on the tool jaws aid accuracy in crimp placement
- Crimps connectors up to 400 mm² with 109 kN of force
- 42 mm jaw opening and 350° head rotation provides easy positioning and access, even for large connectors

|                | M18 HCCT109/42-522C                                             |
|----------------|-----------------------------------------------------------------|
| Kit included   | 1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933459274                                                      |
| EAN Code       | 4058546002404                                                   |



M18 HDCT  
M18™ FORCE LOGIC™ HYDRAULIC DIELESS CRIMPER



- M18™ FORCE LOGIC™ HDCT crimps connectors on flexible wire from 10 to 300 mm² without changing dies
- Auto distance control continuously measures distance & pressure for uniform crimp appearance across every size of the crimping range
- 180° rotating head and easy access latch deliver easy alignment and free-up second hand to hold material

|                | M18 HDCT-0C                                        |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article Number | 4933471949                                         |
| EAN Code       | 4058546298487                                      |

SEE PAGES 130 - 131 OR SCAN  
TO VIEW OUR CRIMPER DIES



M18 BSBT  
M18™ SHEAR BOLT TOOL



- Huge capacity up to a cable size of 1000 mm² or connector diameter of 78 mm
- Outstanding power with a max torque of 100 Nm
- Universal compatibility with the industry leading shear bolt lug manufacturers
- IEC-Tested, superior electrical connection integrity of lug and cable thanks to smooth tightening of the screws without an impact mechanism

|                | M18 BSBT-0X                                        |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, HD Box |
| Article number | 4933493288                                         |
| EAN code       | 4058546481599                                      |

M18 BLTRC  
M18™ BRUSHLESS THREADED ROD CUTTER



- M18™ brushless threaded rod cutter delivers a fast and effortless solution for cutting threaded rods
- Integrated brushless motor provides the user the power to cut through M6, M8, M10 and M12 mild steel or M6, M8 and M10 stainless steel threaded rod, with a run time of up to 300 cuts with a 2.0 Ah battery

|                    | M18 BLTRC-0X                                       | M18 BLTRC-522X                                                 |
|--------------------|----------------------------------------------------|----------------------------------------------------------------|
| Standard equipment | M6, M8, M10 & M12 cutting dies                     | M6, M8, M10 & M12 cutting dies                                 |
| Kit included       | No batteries supplied, No charger supplied, HD Box | 1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 C Charger, HD Box |
| Article Number     | 4933471150                                         | 4933471152                                                     |
| EAN Code           | 4058546287788                                      | 4058546287801                                                  |



2212-20  
AUTO VOLTAGE / CONTINUITY TESTER



- Provides measurements down to decimals and displays them on an easy-to-read backlit LCD
- Automatically determines the need for voltage or continuity tests and display all measurements with proper resolution
- Compatible with accessories for carrying or mounting
- LED worklight for low lit areas
- Dual LED and audible indicators for fast and convenient test results

|                |                                              |
|----------------|----------------------------------------------|
| Kit included   | 2 x AAA Batteries, No kitbox or bag supplied |
| Article Number | 4933447776                                   |
| EAN Code       | 4002395006526                                |



2267-40  
10:1 INFRARED TEMP-GUN™



- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised overmolding protects lens and screen from direct impact

|                |                                             |
|----------------|---------------------------------------------|
| Kit included   | 2 x AA Batteries, No kitbox or bag supplied |
| Article Number | 4933451906                                  |
| EAN Code       | 4002395282159                               |



2235-40  
LIGHT COMMERCIAL CLAMP METER



- TRMS always guarantees accurate readings
- CAT III 600 V for increased safety
- Rugged over-moulding increases durability and user grip
- Built-in LED work light – lights the work area
- Side mounted dial for one-handed use
- Thin jaw profile for easier wire measurement in panels or in bundles
- Supplied with electrical test lead set and 2 x AA batteries

|                |                                             |
|----------------|---------------------------------------------|
| Kit included   | 2 x AA Batteries, No kitbox or bag supplied |
| Article Number | 4933427315                                  |
| EAN Code       | 4002395240135                               |

2217-40  
DIGITAL MULTIMETER



- TRMS always guarantees accurate readings
- High contrast, easy to read display provides clearer readings
- Cat III 600 V for increased safety
- Side mounted dial for one-handed use
- Feature set tailored to electrician – for intuitive use
- Lo-Z. – always guaranteed accurate readings
- Versatile contact temperature measurement
- Slide rail for accessory mount

|                |                            |
|----------------|----------------------------|
| Kit included   | 2 x AA Batteries, Tool bag |
| Article Number | 4933416976                 |
| EAN Code       | 4002395238064              |

2200-40  
VOLTAGE DETECTOR



- Wide 50 - 1000 AC voltage range
- CAT IV 1000 V for highest safety rating
- Tip for checking outlets
- Green light indicates tool is on
- Loud beeper indicates voltage
- Blinking red light indicates voltage
- On/Off button
- Pocket clip for easy storage

|                |                                              |
|----------------|----------------------------------------------|
| Kit included   | 2 x AAA Batteries, No kitbox or bag supplied |
| Article Number | 4932352561                                   |
| EAN Code       | 4002395372195                                |

2225-20  
NON CONTACT VOLTAGE DETECTOR WITH LASER THERMOMETER



- Wide measurement range from 12 -1000V, AC
- CAT IV 1000 V safety rating
- Infrared laser thermometer with -30°C - 250°C range
- Highly visible red indicator LED shows presence of voltage
- Additional audible indicator supports voltage detection through beeping sound
- Green light indicates tool is turned on
- IP 54 rating

|                |                                              |
|----------------|----------------------------------------------|
| Kit included   | 2 x AAA Batteries, No kitbox or bag supplied |
| Article number | 4932498859                                   |
| EAN code       | 4058546527280                                |

PLUMBING

SCAN HERE FOR  
MORE INFORMATION



M18 ONEBLHPT  
M18™ FORCE LOGIC™ BRUSHLESS PRESS TOOL WITH ONE-KEY™



FORCELOGIC™

ONE-KEY™  
UNLOCKED THE DIGITAL JOBSITE



- Compact brushless motor in FORCE LOGIC™ press tools delivers up to 10 % faster connections and 20 % more run time
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- One hand operated tool for over head applications and working in narrow spaces
- Tool records & stores every press made. ONE-KEY™ enabled for professional report buildings via ONE-KEY™ app or ONE-KEY™ browser version
- ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes
- Universal jaw reception to fit most common jaws available on the market
- Auto-Cycle ensures a full press cycle is completed with every press connection

|                    | M18 ONEBLHPT-OC                                    | M18 ONEBLHPT-302C U-SET                              | M18 ONEBLHPT-302C M-SET                              |
|--------------------|----------------------------------------------------|------------------------------------------------------|------------------------------------------------------|
| Standard equipment | -                                                  | 3 x U-profile jaws (16/20/25 mm)                     | 3 x M-profile jaws (15/22/28 mm)                     |
| Kit included       | No batteries supplied, No charger supplied, Kitbox | 2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox | 2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number     | 4933478305                                         | 4933478628                                           | 4933478629                                           |
| EAN Code           | 4058546344825                                      | 4058546348212                                        | 4058546348229                                        |

M18 BLHPT  
M18™ FORCE LOGIC™ BRUSHLESS PRESSTOOL



FORCELOGIC™



- New compact brushless motor in FORCE LOGIC™ press tools delivers up to 10% faster connections and 20% more runtime
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- One hand operated tool for over head applications and working in narrow spaces
- Most compact in-line design with 13% less weight for easy operation
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes
- Universal jaw reception to fit most common jaws available on the market
- On board fuel gauge and LED light

|                    | M18 BLHPT-202C                                     | M18 BLHPT-202C M-SET                               | M18 BLHPT-202C V-SET                               | M18 BLHPT-202C TH-SET                              | M18 BLHPT-202C U-SET                               |
|--------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|
| Standard equipment | -                                                  | 3 x M-profile jaws (15/22/28 mm)                   | 3 x V-profile jaws (15/22/28 mm)                   | 3 x TH-profile jaws (16/20/32 mm)                  | 3 x U-profile jaws (16/20/25 mm)                   |
| Kit included       | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox |
| Article Number     | 4933451137                                         | 4933451138                                         | 4933451139                                         | 4933451140                                         | 4933451141                                         |
| EAN Code           | 4002395138067                                      | 4002395138074                                      | 4002395138081                                      | 4002395138098                                      | 4002395138104                                      |

M18 BLHPTXL  
M18™ FORCE LOGIC™ BRUSHLESS XL PRESS TOOL



FORCELOGIC™



- New compact brushless motor in FORCE LOGIC™ press tools delivers up to 10% faster connections and 20% more run time
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- Extended press range up to 108 mm in copper, C- steel & stainless steel & up to 4" in steel pipe
- One hand operated tool for over head applications and working in narrow spaces
- Adjustable stroke length allows usage of all standard MILWAUKEE® J18 jaws + most common competitive jaws available on the market
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Auto-cycle ensures a full press cycle is completed with every press connection
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press
- On board fuel gauge and LED light

|                | M18 BLHPTXL-OC                                           |
|----------------|----------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, PACKOUT™ box |
| Article number | 4933479440                                               |
| EAN code       | 4058546372347                                            |



M12 ONEHPT  
M12™ SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL WITH ONE-KEY™

M12

FORCELOGIC™ ONE-KEY™  
UNLOCKING THE DIGITAL JOBSITE.



- Small, lightweight press tool: weighs only 1.8 kg for greater user comfort
- Tool records & stores every press made. ONE-KEY™ enabled for professional report buildings via ONE-KEY™ app
- 180° rotating head provides maximum flexibility for work in confined spaces
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- Patented one hand operation allows to work in restricted areas
- Outstanding pressing range up to 35 mm metal and 40 mm composite pipes
- Battery-tool communication: pre-press battery check ensures press operation doesn't start to prevent incomplete pressing in case of low charged battery
- 4-step and precise battery status indicator
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval

|                    | M12 ONEHPT-0C                                      | M12 ONEHPT-202C M-Set                           | M12 ONEHPT-202C V-Set                           | M12 ONEHPT-202C TH-Set                          | M12 ONEHPT-202C U-Set                           |
|--------------------|----------------------------------------------------|-------------------------------------------------|-------------------------------------------------|-------------------------------------------------|-------------------------------------------------|
| Standard equipment | -                                                  | 3 x M-profile press jaws (15, 22, 28 mm)        | 3 x V-profile press jaws (15, 22, 28 mm)        | 3 x TH-profile press jaws (16, 20, 26 mm)       | 3 x U-profile press jaws (16, 20, 25 mm)        |
| Kit included       | No batteries supplied, No charger supplied, Kitbox | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article number     | 4933481031                                         | 4933481080                                      | 4933481040                                      | 4933481039                                      | 4933481081                                      |
| EAN code           | 4058546413163                                      | 4058546413651                                   | 4058546413255                                   | 4058546413248                                   | 4058546413668                                   |

SEE PAGES 110 - 113 OR  
SCAN TO VIEW OUR M12™  
AND M18™ PRESS JAWS



M18 FPT2  
M18 FUEL™ PIPE THREADER 2" WITH ONE-KEY™

M18 FUEL

ONE-KEY™  
UNLOCKING THE DIGITAL JOBSITE.



- World's first 18V 2" pipe threader on the market that is fully universal with competitive die heads. It threads pipes from 1/8" up to 2"
- Unique to MILWAUKEE®, pipe threader with AUTO-STOP™ kickback control, senses binding and shuts tool off to provide the user with more safety

|                    | M18 FPT2-0C                                        |
|--------------------|----------------------------------------------------|
| Standard equipment | 1x support arm                                     |
| Kit included       | No batteries supplied, No charger supplied, Kitbox |
| Article Number     | 4933478596                                         |
| EAN Code           | 4058546347895                                      |

M18 FPT114  
M18 FUEL™ PIPE THREADER 1 1/4" WITH ONE-KEY™

M18 FUEL

ONE-KEY™  
UNLOCKING THE DIGITAL JOBSITE.



- Wide threading capacity from 1/8" up to 1 1/4"
- Unique to MILWAUKEE®, pipe threader with AUTOSTOP™ kickback control, senses binding and shuts tool off to provide the user with more safety
- Low weight and compact size allows convenient usage on installed pipes in confined spaces
- Compatible with new MILWAUKEE® FPT114H die heads and Ridgid 11R heads until 1 1/4"

|                    | M18 FPT114-0C                                      |
|--------------------|----------------------------------------------------|
| Included heads     | -                                                  |
| Standard equipment | 1x support arm                                     |
| Kit included       | No batteries supplied, No charger supplied, Kitbox |
| Article number     | 4933480220                                         |
| EAN code           | 4058546405052                                      |

MXF PTR2  
MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™

MX FUEL

ONE-KEY™  
UNLOCKING THE DIGITAL JOBSITE.



- Threading capacity from 1/8" all the way up to 2"
- One stop shop: Cut, Ream and Thread with one tool
- Outstanding performance with 2 speed settings of 39 RPM and 59 RPM matching corded speed
- Maximum mobility thanks to foldable wheel cart with tool free setup
- Integrated auto oil system with oil pump and reservoir

|                    | MXF PTR2-601                                                         |
|--------------------|----------------------------------------------------------------------|
| Standard equipment | 1/2"-3/4" BSPT HS die set, 1"-2" BSPT HS die set                     |
| Kit included       | 1 x MXF XC406 Battery pack, MXF C Charger, No kitbox or bag supplied |
| Article number     | 4933493346                                                           |
| EAN code           | 4058546482176                                                        |

SEE PAGE 103 OR SCAN  
TO VIEW OUR PIPE  
THREADER DIES



SEE PAGE 104 OR SCAN  
TO VIEW OUR PIPE  
THREADER HEADS



MPS  
MILWAUKEE® PIPE STAND



- Worlds first pipe stand, that is flat foldable, which allows for easier transportation and more efficient storage
- Able to clamp materials, such as pipe, strut, channel, angled iron and other materials, up to 165 mm or 6"
- The MILWAUKEE® pipe stand can be used with threaders, angle grinders, sawzalls, hackzalls, metal circular saws and various other tools

|                | MPS           |
|----------------|---------------|
| Article number | 4933472022    |
| EAN code       | 4058546324186 |

M12 PCSS54  
M12™ RAPTORXL™ PIPE CUTTER STAINLESS STEEL

M12



- The MILWAUKEE® RAPTORXL™ is able to cut installed pipe in stainless steel, c-steel and copper
- High performance 330 rpm motor cuts 54 mm stainless steel pipe in less than 30 seconds
- Up to 45 cuts with one M12™ 4.0 Ah battery pack
- Auto locking cut mechanism cuts installed pipe with as little as 43 mm clearance

|                    | M12 PCSS54-0                                                          |
|--------------------|-----------------------------------------------------------------------|
| Standard equipment | 1x spare blade, 1x retaining clip, 1x oil tube                        |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number     | 4933498374                                                            |
| EAN code           | 4058546522438                                                         |

M12 PCSS  
M12™ RAPTOR™ PIPE CUTTER STAINLESS STEEL

M12



- The MILWAUKEE® RAPTOR™ is the worlds first 12V pipe cutter that is able to cut installed pipe in stainless steel, c-steel and copper
- High performance 380 rpm motor cuts 28 mm stainless steel pipe in less than 13 seconds
- Up to 150 cuts in 15 mm stainless steel with one M12™ 2.0 Ah battery pack
- Auto locking cut mechanism cuts installed pipe with as little as 40 mm clearance

|                | M12 PCSS-0                                                            | M12 PCSS-202C                                   |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article number | 4933479241                                                            | 4933492052                                      |
| EAN code       | 4058546370350                                                         | 4058546414191                                   |

C12 PC  
M12™ SUB COMPACT COPPER PIPE CUTTER

M12



- High performance 500 rpm motor cuts 12 mm copper pipe in less than 3 seconds
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Auto locking cut mechanism cuts installed copper tubing with as little as 40 mm clearance
- Auto adjusting jaws automatically adjust to pipe size

|                | C12 PC-0                                                              |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933411920                                                            |
| EAN Code       | 4002395236374                                                         |

SEE PAGE 140 OR SCAN TO  
VIEW OUR ACCESSORIES FOR  
MPS - MILWAUKEE® PIPE STAND



C12 PPC  
M12™ SUB COMPACT PEX CUTTER

M12



- Massive cutting pressure of 175 kg/cm²
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Powerful mechanism cuts up to 50 mm PVC pipe in 3 seconds
- Heavy Duty full metal gearbox and gears for superior durability and maximum torque
- Variable speed trigger for complete cut out control

|                | C12 PPC-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933416550                                                            |
| EAN Code       | 4002395237203                                                         |

SEE PAGE 132 OR SCAN TO VIEW  
OUR SYSTEM ATTACHMENTS  
FOR PIPE CUTTERS





M18 STSO  
M18™ FORCE LOGIC™ STRUT SHEAR

M18

FORCE LOGIC™ ONE KEY™  
UNLOCKING THE DIGITAL JOBSITE



- Cleanest and safest way to cut strut profiles
- Compatible with 41x41 mm, 41x21 mm, 41x22 mm strut
- Compatible with commonly available strut manufacturers in the specified dimensions
- Shears pre- and hot dipped galvanised strut until 3.0 mm wall thickness
- All day run time of over 200 cuts on a single M18™ 5.0 Ah battery
- Cuts 41x41 mm strut in under 5 seconds

M18 STSO-0B

|                |                                                      |
|----------------|------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Tool bag |
| Article number | 4933492097                                           |
| EAN code       | 4058546414641                                        |



SEE PAGE 133 OR SCAN TO VIEW  
OUR SYSTEM ATTACHMENTS  
FOR STRUT SHEAR



M18 BTP  
M18™ COMPACT TRANSFER PUMP

M18



- 18V transfer pump with 3.4 kg in weight, it's lighter than other corded transfer pumps with an equal performance
- With a flow rate of 1817 l/h, it can deliver 908 l of transferred water with one M18™ 5.0 Ah battery charge
- REDLINK™ intelligence can recognise when the tool stops moving water and automatically shuts itself off to avoid dry pumping

M18 BTP-0

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471494                                                            |
| EAN Code       | 4058546293932                                                         |



M18 BLSWP  
M18™ HYDROPASS™ BRUSHLESS STICK WATER PUMP

M18

BRUSHLESS



- HYDROPASS™ unique filter system prevents blocking of the inlet and allows the user to pump water at all times, regardless of the debris encountered
- Effortlessly pump up to 5,670 litres per hour
- Submersible up to 107 cm allows users to easily pump deep puddles of water with a maximum head height of 5.1 metres
- IPX4 battery compartment protects all M18™ batteries

M18 BLSWP-0

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933498559                                                            |
| EAN code       | 4058546524289                                                         |



M12 BSWP  
M12™ HYDROPASS™ BRUSHED STICK WATER PUMP

M12



- HYDROPASS™ unique filter system, prevents blocking of the inlet and allows the user to pump water at all times, regardless of the debris encountered
- Pumps more than 2000 l/hour and up to 1000 l on 1x M12™ 6.0 Ah battery, perfect for emptying trenches, storm drains, outside meter boxes, rain barrels and various other applications

M12 BSWP-0

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933479639                                                            |
| EAN code       | 4058546374334                                                         |

M18 FVP5  
M18 FUEL™ VACUUM PUMP 5 CFM

M18 FUEL



- Up to 90 minutes of run time in Manifold Mode and 60 minutes of run time in Default Mode on an M18™ "HIGH OUTPUT™" 8.0 Ah battery
- Delivers corded performance
- Instant power allows to vacuum a system without generators or temporary power
- 1/2", 3/8" and 1/4" ports and an additional 3/16" adaptor enables to easily fit different hose sizes
- Check valve protects vacuum when pump is not running

M18 FVP5-0

|                    |                                                                       |
|--------------------|-----------------------------------------------------------------------|
| Standard equipment | 500 ml oil bottle, 3/16" adaptor                                      |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number     | 4933492853                                                            |
| EAN code           | 4058546477240                                                         |



M18 FPXP  
M18 FUEL™ UPONOR™ Q&E EXPANSION TOOL

M18 FUEL



- Auto-rotating heads from 9.9 mm to 50 mm provide the most accurate, one-handed expansions
- Most compact 50 mm battery powered pipe expander
- Compatible with all existing M12™ and M18™ expansion heads up to 50 mm
- Fast solution for 50 mm Q&E installations
- Two speed settings: one for up to 32 mm and one for 40 mm and above

M18 FPXP-0C

|                |                                                    |
|----------------|----------------------------------------------------|
| Included heads | -                                                  |
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article number | 4933479436                                         |
| EAN code       | 4058546372309                                      |



HD18 PXP  
M18™ UPONOR™ Q&E EXPANSION TOOL

M18



- Auto rotating head 12 mm to 40 mm (6 bar) and to 32 mm (10 bar) provides accurate, one-handed expansion
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Quick cam mechanism - single pull continuous action installs Q&E up to 4x faster
- Steel gears and integrated magnesium frame

HD18 PXP-H06202C

|                |                                                    |
|----------------|----------------------------------------------------|
| Included heads | 16/20/25/32 mm                                     |
| Kit included   | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933451162                                         |
| EAN Code       | 4002395138319                                      |

M12 FPXP  
M12 FUEL™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL

M12 FUEL



- Auto-rotating head 9.9 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, one-handed expansion
- Quick cam mechanism - single pull, continuous action installs Q&E up to 7 seconds faster
- RAPID SEAL™ heads improve time to seal by 20% or more (depending on the ambient temperatures)
- Dual acting trigger allows expansions from any grip position

M12 FPXP-0C

|                |                                                    |
|----------------|----------------------------------------------------|
| Included heads | -                                                  |
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article Number | 4933472018                                         |
| EAN Code       | 4058546324148                                      |

C12 PXP  
M12™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL

M12



- Auto-rotating head 12 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, one-handed expansion
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Quick cam mechanism - single pull, continuous action installs Q&E up to 4x faster
- Steel gears and integrated frame

C12 PXP-I06202C

|                |                                                 |
|----------------|-------------------------------------------------|
| Included heads | 16/ 20/ 25 mm                                   |
| Kit included   | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933381990                                      |
| EAN Code       | 6414905426706                                   |

SEE PAGE 135 OR SCAN  
TO VIEW THE FULL RANGE  
OF EXPANDER HEADS





# DRAIN CLEANING AND INSPECTION

SCAN HERE FOR MORE INFORMATION



## MXF LSDP MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™

MX  
FUEL



- The MX FUEL™ large sewer drum machine with integrated POWERTREDZ™, requires one person only to move the sewer machine in and out of the service van, up and down building stairs
- World's first battery powered large drum machine that uses MILWAUKEE® 16 mm and 20 mm inner core spirals in drains from 75 mm up to 200 mm, with the power to clear roots up to 60 m down the line

|                    |                                                                                                       |
|--------------------|-------------------------------------------------------------------------------------------------------|
|                    | <b>MXF LSDP-301</b>                                                                                   |
| Standard equipment | 1 x 20 mm x 15.2 m inner core cable, 1 x 20 mm x 7.6 m inner core cable, 1 x 9 pc head attachment kit |
| Kit included       | 1 x MXF CP203 Battery pack, MXF C Charger, No kitbox or bag supplied                                  |
| Article Number     | 4933471852                                                                                            |
| EAN Code           | 4058546297510                                                                                         |

## M18 FFSDC10 M18 FUEL™ FREE STANDING DRAIN CLEANER 10 MM

M18  
FUEL



- World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
- M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes, 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

|                    |                                                                                                  |
|--------------------|--------------------------------------------------------------------------------------------------|
|                    | <b>M18 FFSDC10-0</b>                                                                             |
| Standard equipment | 1 x backpack assembly, 1 x drum assembly, 1 x 10 mm x 15 m cables, 1 x cutter set & removal tool |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied                            |
| Article Number     | 4933459707                                                                                       |
| EAN Code           | 4058546028794                                                                                    |

## M18 FFSDC16 M18 FUEL™ FREE STANDING DRAIN CLEANER 16 MM

M18  
FUEL



- World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
- M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes, 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

|                    |                                                                                                    |
|--------------------|----------------------------------------------------------------------------------------------------|
|                    | <b>M18 FFSDC16-0</b>                                                                               |
| Standard equipment | 1 x backpack assembly, 2 x drum assembly's, 2 x 16 mm x 15 m cables, 1 x cutter set & removal tool |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied                              |
| Article Number     | 4933459709                                                                                         |
| EAN Code           | 4058546028817                                                                                      |

## M18 FFSDC13 M18 FUEL™ FREE STANDING DRAIN CLEANER 13 MM

M18  
FUEL



- World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
- M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes, 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

|                    |                                                                                                    |
|--------------------|----------------------------------------------------------------------------------------------------|
|                    | <b>M18 FFSDC13-0</b>                                                                               |
| Standard equipment | 1 x backpack assembly, 2 x drum assembly's, 2 x 13 mm x 15 m cables, 1 x cutter set & removal tool |
| Kit included       | No batteries supplied, No charger supplied, No kitbox or bag supplied                              |
| Article Number     | 4933459708                                                                                         |
| EAN Code           | 4058546028800                                                                                      |

## SCAN TO VIEW THE AUTO FEED SYSTEM ATTACHMENTS



## M18 FDCPF8 M18 FUEL™ DRAIN CLEANER - POWER FEED 8 MM

M18  
FUEL



- World's first hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm, 8 mm and 10 mm spirals from both MILWAUKEE® and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line, eliminating all electrocution hazards users encounter today with their corded tools

|                    |                                                           |
|--------------------|-----------------------------------------------------------|
|                    | <b>M18 FDCPF8-0C</b>                                      |
| Standard equipment | 8 mm x 10.6 m cable (48532673)                            |
| Kit included       | No batteries supplied, No charger supplied, Closed bucket |
| Article Number     | 4933459683                                                |
| EAN Code           | 4058546028558                                             |

## M12 BDC6 M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM

M12



- Lightest professional drain cleaner on the market
- Versatile design, provides benefits of both handheld and floor based drain cleaners in one machine
- Best user flexibility and manoeuvrability due to the independence of electric power supply

|                    |                                                    |
|--------------------|----------------------------------------------------|
|                    | <b>M12 BDC6-0C</b>                                 |
| Standard equipment | 6 mm x 7.6 m inner core bulb head                  |
| Kit included       | No batteries supplied, No charger supplied, Bucket |
| Article Number     | 4933451634                                         |
| EAN Code           | 4002395141616                                      |

## M18 FCSSM M18 FUEL™ COMPACT SECTIONAL SEWER MACHINE

M18  
FUEL

ONE  
KEY  
UNLOCKING THE DIGITAL JOBSITE.



- World's first compact sectional sewer machine on a 18V battery that uses 16 mm and 22 mm sectional spirals from both MILWAUKEE® and other manufacturers, eliminating all electrocution hazards users encounter today with their corded tools
- Extremely light weight, 14 kg including M18™ 12.0 Ah battery, allowing user to comfortably transport the compact sectional up multiple flights of stairs or over longer distances

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
|                | <b>M18 FCSSM-0</b>                                                    |
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478408                                                            |
| EAN Code       | 4058546345990                                                         |

## M18 HSFSM M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE

M18  
FUEL

ONE  
KEY  
UNLOCKING THE DIGITAL JOBSITE.



- Clears clogs in 32 mm (1 1/4") – 110 mm (4") pipes up to 23 m down the line
- Infinite variable speed from 600 – 2200 RPM for more control in the line and best wall to wall clean
- Integrated mechanical clutch protecting the cable when binding up
- Nylon coated 8 mm cable with universal reception to fit and use with most common attachment heads available on the market

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
|                | <b>M18 HSFSM-0</b>                                                    |
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933480721                                                            |
| EAN code       | 4058546410063                                                         |

## M12 BDC8 M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 8 MM

M12



- Lightest professional drain cleaner on the market
- Versatile design, provides benefits of both handheld and floor based drain cleaners in one machine
- Best user flexibility and manoeuvrability due to the independence of electric power supply

|                    |                                                    |
|--------------------|----------------------------------------------------|
|                    | <b>M12 BDC8-0C</b>                                 |
| Standard equipment | 8 mm x 7.6 m inner core bulb head                  |
| Kit included       | No batteries supplied, No charger supplied, Bucket |
| Article Number     | 4933451632                                         |
| EAN Code           | 4002395140992                                      |

## SEE PAGE 108 OR SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR DRAIN CLEANERS



## SEE PAGE 109 OR SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR SECTIONAL SEWER MACHINE





# DRAIN CLEANING AND INSPECTION

## STEP 1 CHOOSE YOUR DESIRED REEL

### M18 SIC60SC HDR

M18™ SEWER INSPECTION CAMERA REEL 60 M, 25 MM CAMERA HEAD

M18



- The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the jobsite
- The new 25 mm HDR (High Dynamic Range) camera guarantees better images in low light conditions
- 60 m long, 10 mm mid stiff push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends
- Fully enclosed reels for better mess containment
- Rubber stand for putting reel on back
- Extendable handle for easier transportation

M18 SIC60SC HDR-0

|                |               |
|----------------|---------------|
| Article number | 4933493955    |
| EAN code       | 4058546511159 |

### M18 SIC60 HDR

M18™ SEWER INSPECTION CAMERA REEL 60 M, 60 MM CAMERA HEAD

M18



- The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the jobsite
- The new 34 mm HDR (High Dynamic Range) camera guarantees better images in low light conditions
- 60 m long, 12 mm stiff push rod for easier reach of longer runs but still flexible enough to run through 75 mm 90 degree bends
- Fully enclosed reels for better mess containment
- Built-in sonde for easy locating: 512 Hz, 640 Hz, 33 kHz to be used with all common locators

M18 SIC60 HDR-0

|                |               |
|----------------|---------------|
| Article number | 4933493954    |
| EAN code       | 4058546511142 |

### M18 SIC36 HDR

M18™ SEWER INSPECTION CAMERA REEL 36 M, 25 MM HDR CAMERA HEAD

M18



- The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the jobsite
- The new 25 mm HDR (High Dynamic Range) camera guarantees better images in low light conditions
- 36 m long, 9.5 mm mid stiff push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends
- Built-in sonde for easy locating: 512 Hz, 640 Hz, 33 kHz to be used with all common locators
- Built-in line trace for locating the push rod
- Back pack straps for easier transportation

M18 SIC36 HDR-0

|                |               |
|----------------|---------------|
| Article number | 4933493953    |
| EAN code       | 4058546511135 |

### M18 SIC30 HDR

M18™ SEWER INSPECTION CAMERA REEL 30 M, 25 MM HDR CAMERA HEAD

M18



- The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the jobsite
- The new 25 mm HDR (High Dynamic Range) camera guarantees better images in low light conditions
- Pitch sensing camera heads provide pipe pitch reading on-screen indicator
- Built-in sonde for easy locating: 512 Hz, 640 Hz, 33 kHz to be used with all common locators
- Built-in line trace for locating the push rod
- Fully enclosed reels for better mess containment

M18 SIC30 HDR-0

|                |               |
|----------------|---------------|
| Article number | 4933493952    |
| EAN code       | 4058546511128 |

### M12 SICO20

M12™ SEWER INSPECTION CAMERA 20 M WITH ONE-KEY™

M12

ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE



- The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the job site
- The new 16 mm HD camera guarantees the highest maneuverability in small pipe diameters with best-in-class images
- 20 m long, 7.5 mm ultra flexible push rod to run through several 32 mm 90° bends
- Integrated Smart-Hub With a USBport for data storage
- Wi-Fi functionality enables the sewer inspection camera to transfer data via USB-A, USB-C and over the air

M12 SICO20-0

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933498231                                                            |
| EAN code       | 4058546521004                                                         |

### M12 SICO26

M12™ SEWER INSPECTION CAMERA 26 M WITH ONE-KEY™

M12

ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE



- The modular MILWAUKEE® camera system allows the user to pick the camera reel that suits the most their specific needs on the job site
- The new 20mmself-leveling HD camera centers itself automatically and guarantees top-class images
- 26 m long, 9.5 mm high flexible push rod to run through several 40 mm 90° bends
- Integrated Smart-Hub with a USBport for data storage
- Wi-Fi functionality enables the sewer inspection camera to transfer data via USB-A, USB-C and over the air

M12 SICO26-0

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933498230                                                            |
| EAN code       | 4058546520991                                                         |

## STEP 2 SMART HUB (FOR M18™ REELS ONLY)

### M18 SISH

M18™ SEWER INSPECTION SMART HUB

M18

ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE



- Easily interchangeable between reels with one push on the button
- Integrated WI-FI for connection with MILWAUKEE® monitor and tablet or smartphone with NEW MILWAUKEE® App
- Share customised reports
- Multiple screen viewing and recording
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- 500 GB SSD-drive store multiple jobs and extract when needed
- USB 3.0 and USB-C ports

M18 SISH-0

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471415                                                            |
| EAN Code       | 4058546290436                                                         |



## STEP 3 CHOOSE YOUR VIEWING DEVICE

### M18 SIM

M18™ SEWER INSPECTION MONITOR

M18

ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE



- Wireless 8" high resolution, 800 x 600, LCD screen for optimal viewing
- Sun readable screen for best viewing of inspection
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

M18 SIM-0

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471414                                                            |
| EAN Code       | 4058546290429                                                         |

### M12 SIM

M12™ SEWER INSPECTION MONITOR

M12



- The M12™SIM can be connected to the M12™andM18™ reels via Wifi or used as an endoscope camera with the camera cable Attachments
- Possibility to transfer files via USB-A, USB-C, microSD card and conveniently over the air
- The 5.5" LCD touchscreen provides sharp and clear images and allows the user to see detailed areas

M12 SIM-0

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933493592                                                            |
| EAN code       | 4058546484637                                                         |



## M12™ & M18™ SYSTEMS ARE COMPATIBLE WITH EACH OTHER

M12™ & M18™ reels both work with M12™ & M18™ monitors or the MILWAUKEE® Pipeline Inspection App

VIEW ON YOUR PHONE WITH THE



Download on the App Store

ANDROID APP ON Google play

## STEP 4 SAVE YOUR RECORDINGS

USB OR





M12 PL  
M12™ PLUMBING LOCATOR

M12

ONE KEY  
UNLOCKING THE DIGITAL JOBSITE



- Easy to use plumbing locator: 2 omni directional antennas make locating sondes and tracing energised lines easy without any ghost signals
- First locator on the market on a 12V battery with 13 hours run time on a M12™ 2.0 Ah battery, no alkaline batteries that need frequent changing
- 4.3" colour LCD screen with backlit buttons for better visibility

M12 PL-OC

|                |                                                    |
|----------------|----------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Kitbox |
| Article Number | 4933471995                                         |
| EAN Code       | 4058546298944                                      |



M12 360IC12  
M12™ 360° INSPECTION CAMERA 1.2 M 2ND GEN

M12



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 270° rotating screen provides the user fluid image control in every position of use
- 1.2 metre cable balances flexibility and rigidity for both drain line and behind wall inspections
- Included 32 GB micro SD card allows to record and store images and videos

M12 360IC12-OC

|                    |                                                    |
|--------------------|----------------------------------------------------|
| Standard equipment | 4x Accessories                                     |
| Kit included       | No batteries supplied, No charger supplied, Kitbox |
| Article number     | 4933480739                                         |
| EAN code           | 4058546410247                                      |



M12 360IC32  
M12™ 360° INSPECTION CAMERA 3 M 2ND GEN

M12



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 270° rotating screen provides the user fluid image control in every position of use
- 3 metre cable balances flexibility and rigidity for both drain line and behind wall inspections
- Included 32 GB micro SD card allows to record and store images and videos

M12 360IC32-OC

|                    |                                                    |
|--------------------|----------------------------------------------------|
| Standard equipment | 4x Accessories                                     |
| Kit included       | No batteries supplied, No charger supplied, Kitbox |
| Article number     | 4933480741                                         |
| EAN code           | 4058546410261                                      |

AIC2  
ALKALINE INSPECTION CAMERA 2ND GEN

M12



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 1.2 metre cable balances flexibility and rigidity for both drain line and behind wall inspections
- 5 modes of brightness provide best in class illumination without shadow or glare
- 720p camera resolution provides outstanding image quality

AIC2

|                    |                          |
|--------------------|--------------------------|
| Standard equipment | 4x Accessories           |
| Kit included       | 4 x AA Batteries, Kitbox |
| Article number     | 4933480738               |
| EAN code           | 4058546410230            |



SEE PAGE  
138 OR SCAN  
TO VIEW OUR  
SYSTEM  
ATTACHMENTS  
FOR  
INSPECTION  
CAMERAS



OPE

SCAN HERE FOR  
MORE INFORMATION



M18 F2LM46  
M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN  
MOWER 46 CM

M18 FUEL



- 46 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Compact deck design for more maneuverability in tight access areas
- 3-in-1 grass management system to mulch, bag, or rear side discharge

|                | M18 F2LM46-0                                                          | M18 F2LM46-802                                                         |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M18 DBSC Charger, No kitbox or bag supplied |
| Article number | 4933492010                                                            | 4933499216                                                             |
| EAN code       | 4058546413774                                                         | 4058546563806                                                          |

M18 F2LM53  
M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN  
MOWER 53 CM

M18 FUEL



- 53 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Instant start in tall grass, outstanding peak power and start up torque to complete demanding applications
- 3-in-1 grass management system to mulch, bag, or rear side discharge
- Automatic blade speed adjustment to the required power for more efficiency

|                | M18 F2LM53-0                                                          | M18 F2LM53-122                                                          |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB12 Battery packs, M18 DBSC Charger, No kitbox or bag supplied |
| Article number | 4933479584                                                            | 4933499214                                                              |
| EAN code       | 4058546373788                                                         | 4058546563783                                                           |

M18 BLT  
M18™ BRUSHLESS GRASS TRIMMER

M18

BRUSHLESS



- The M18™ brushless grass trimmer has the power to clear thick brush and reaches full throttle in under 1 second
- Up to 4600 RPM in first mode and 6200 RPM in second mode
- 2-speed variable trigger allows the user to choose between higher performance or extended run time
- Adjustable cutting swath of 35 cm – 40 cm

|                | M18 BLT-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933472218                                                            |
| EAN Code       | 4058546326142                                                         |

M18 FBCU  
M18 FUEL™ BRUSH CUTTER

M18 FUEL



- Powerful brush cutter designed to clear grass, weeds, thick brush and saplings up to 3 cm diameter
- Full throttle in under 1 second for instantaneous power and ultimate control
- Supplied with a trimmer head for a 35 - 40 cm cutting swath and a 23 cm blade featuring a 4-tooth design to take on more demanding applications

|                | M18 FBCU-0                                                            | M18 FBCU-802                                                            |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933492297                                                            | 4933492299                                                              |
| EAN code       | 4058546416645                                                         | 4058546416669                                                           |

M18 F2BCU  
M18 FUEL™ DUAL BATTERY BRUSH CUTTER

M18 FUEL



- Powerful and robust brush cutter designed to clear high and dense grass, weeds and thick brush
- M18 FUEL™ technology allows the tool to maintain speed in the most demanding applications without bogging down
- Instantaneous throttle response for ultimate control and increased productivity
- Supplied with a trimmer head and a 3-tooth blade to take on more demanding applications

|                | M18 F2BCU-0                                                           | M18 F2BCU-122                                                           |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB12 Battery packs, M18 DBSC Charger, No kitbox or bag supplied |
| Article number | 4933480859                                                            | 4933480861                                                              |
| EAN code       | 4058546411442                                                         | 4058546411466                                                           |

SEE PAGES 128 - 130 OR  
SCAN TO VIEW OUR OUTDOOR  
POWER EQUIPMENT  
ACCESSORIES RANGE





M18 FEDG  
M18 FUEL™ EDGER

M18 FUEL



- Delivers the power and torque to tackle demanding applications
- 20 cm blade and easy adjustable wheel allowing the user to select the appropriate height for the application
- Professional open guard design to avoid clogging, with sight line included for easy blade location
- Debris flap protects the user from dirt, rocks and grass

|                | M18 FEDG-0                                                            |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933493556                                                            |
| EAN code       | 4058546484279                                                         |

M18 FHET60G2  
M18 FUEL™ HEDGE TRIMMER 60 CM

M18 FUEL



- 60 cm double sharpened & dual actuating blades for clean cuts and removal of thicker material
- 32 mm blade gap with the power to cut up to 25 mm hardwood branches
- 5-position rotating handle provides increased control in different blade orientations
- Clipping sweep kitted with the tool allowing to remove clippings during the application

|                | M18 FHET60G2-0                                                        | M18 FHET60G2-802                                                        |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933498384                                                            | 4933498386                                                              |
| EAN code       | 4058546522537                                                         | 4058546522551                                                           |

M18 FHETE22  
M18 FUEL™ EXTENDED POLE HEDGE TRIMMER 216 CM

M18 FUEL



- Overall tool length of 216 cm allowing for maneuverable overhead applications
- 60 cm double sharpened & dual actuating blades for clean cuts
- 25 mm blade gap with the power to cut up to 22 mm branches
- 13 operating positions offer a 270-degree rotating blade set providing increased access in hard-to-reach areas

|                | M18 FHETE22-0                                                         | M18 FHETE22-802                                                         |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933498515                                                            | 4933498517                                                              |
| EAN code       | 4058546523848                                                         | 4058546523862                                                           |

M18 FCHS  
M18 FUEL™ CHAINSAW WITH 40 CM BAR

M18 FUEL



- The M18 FUEL™ chainsaw delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc

|                | M18 FCHS-0                                                            | M18 FCHS-122                                                             |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB12 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933464723                                                            | 4933499218                                                               |
| EAN Code       | 4058546226688                                                         | 4058546563820                                                            |

M18 FHET75G2  
M18 FUEL™ HEDGE TRIMMER 75 CM

M18 FUEL



- 75 cm double sharpened & dual actuating blades for clean cuts and removal of thicker material
- 32 mm blade gap with the power to cut up to 25 mm hardwood branches
- 5-position rotating handle provides increased control in different blade orientations
- Clipping sweep kitted with the tool allowing to remove clippings during the application

|                | M18 FHET75G2-0                                                        | M18 FHET75G2-802                                                        |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933498387                                                            | 4933498389                                                              |
| EAN code       | 4058546522568                                                         | 4058546522582                                                           |

M18 FHETE27  
M18 FUEL™ EXTENDED POLE HEDGE TRIMMER 267 CM

M18 FUEL



- Overall tool length of 267 cm allowing for long extended reach applications
- 60 cm double sharpened & dual actuating blades for clean cuts
- 25 mm blade gap with the power to cut up to 22 mm branches
- 13 operating positions offer a 270-degree rotating blade set providing increased access in hard-to-reach areas

|                | M18 FHETE27-0                                                         | M18 FHETE27-802                                                  |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M12-18 FC , No kitbox or bag supplied |
| Article number | 4933492910                                                            | 4933492912                                                       |
| EAN code       | 4058546477813                                                         | 4058546477837                                                    |

M12 FHT20  
M12 FUEL™ HEDGE TRIMMER 20 CM

M12 FUEL



- 20 cm blade ideal for small detail work like trimming overgrowth or topiary of hedges, shrubs and small bushes
- Delivers fast and precise cuts for upmost productivity
- All metal gear case for increased durability
- Slim ergonomic gripping area for outstanding control in tight to reach areas
- Well balanced and low weight for better control and effortless cutting in multiple positions

|                | M12 FHT20-0                                                           | M12 FHT20-402                                                      |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B4 Battery packs, C12 C Charger, No kitbox or bag supplied |
| Article number | 4933479675                                                            | 4933479973                                                         |
| EAN code       | 4058546374693                                                         | 4058546377670                                                      |

M18 FCHS35  
M18 FUEL™ CHAINSAW WITH 35 CM BAR

M18 FUEL



- Delivers the power to outperform on the most demanding applications vs. petrol chainsaws
- Maintains speed in tough applications without bogging down
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ and FORGE™ batteries

|                | M18 FCHS35-0                                                          | M18 FCHS35-122                                                           |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB12 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933479678                                                            | 4933499223                                                               |
| EAN code       | 4058546374723                                                         | 4058546563875                                                            |

M18 FCHSC  
M18 FUEL™ CHAINSAW WITH 30 CM BAR

M18 FUEL



- Delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc

|                | M18 FCHSC-0                                                           | M18 FCHSC-122                                                            |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB12 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933471441                                                            | 4933499220                                                               |
| EAN Code       | 4058546290696                                                         | 4058546563844                                                            |

M18 FTHCHS35  
M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR

M18 FUEL



- Outstanding speed of cut in hardwood vs petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second
- Up to 150 cuts in 10 x 10 cm cedar on a full M18™ HIGH OUTPUT™ 8.0 Ah battery charge for outstanding productivity

|                | M18 FTHCHS35-0                                                        | M18 FTHCHS35-802                                                        |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933479588                                                            | 4933499226                                                              |
| EAN code       | 4058546373825                                                         | 4058546563905                                                           |

M18 FHS20  
M18 FUEL™ HATCHET™ PRUNING SAW 20 CM

M18 FUEL



- M18 FUEL™ HATCHET™ pruning saw delivers outstanding power and torque to cut hardwood without bogging down
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Compact design for increased control and maneuverability in tight access areas

|                | M18 FHS20-0                                                           | M18 FHS20-552                                                             |
|----------------|-----------------------------------------------------------------------|---------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933480117                                                            | 4933480119                                                                |
| EAN code       | 4058546404024                                                         | 4058546404048                                                             |

M12 BLPRS  
M12™ BRUSHLESS PRUNING SHEARS

M12



- Power to cut branches up to 32 mm
- Trigger tracking technology allowing for blade movement to follow the trigger movement for increased control during the application
- No manual effort required, especially convenient for extended applications
- Mode select board provides ability to lock blades into half capacity of 16 mm, allowing for increased cut speed

|                | M12 BLPRS-0                                                           | M12 BLPRS-202                                                      |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, No kitbox or bag supplied |
| Article number | 4933480114                                                            | 4933480116                                                         |
| EAN code       | 4058546403997                                                         | 4058546404017                                                      |

M18 F2CHS50  
M18 FUEL™ DUAL BATTERY CHAINSAW 50 CM

M18 FUEL



- Outstanding speed of cut in hardwood compared to 60 cc petrol chainsaws
- Peak torque levels of 9.5 Nm maintains the chain speed through tough application and prevents bog downs
- 50 cm cutting system and a peak power of 5.8 HP to tackle felling and bucking applications
- High visibility felling sights to ensure precision and accuracy

|                | M18 F2CHS50-0                                                         | M18 F2CHS50-802                                                       |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M18 DFC Charger, No kitbox or bag supplied |
| Article number | 4933480120                                                            | 4933480122                                                            |
| EAN code       | 4058546404055                                                         | 4058546404079                                                         |

M18 FTHCHS30  
M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR

M18 FUEL



- Outstanding speed of cut in hardwood vs petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second
- Up to 150 cuts in 10 x 10 cm cedar on a full M18™ HIGH OUTPUT™ 8.0 Ah battery charge for outstanding productivity

|                | M18 FTHCHS30-0                                                        | M18 FTHCHS30-802                                                        |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933479586                                                            | 4933499225                                                              |
| EAN code       | 4058546373801                                                         | 4058546563899                                                           |

M12 FHS  
M12 FUEL™ HATCHET™ PRUNING SAW 15 CM

M12 FUEL



- M12 FUEL™ HATCHET™ pruning saw delivers outstanding control & access, has the power to cut 75 mm hardwoods, and delivers up to 120 cuts per charge on an M12 B4 battery pack
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals

|                | M12 FHS-0                                                             | M12 FHS-602X                                    |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933472211                                                            | 4933472213                                      |
| EAN Code       | 4058546326074                                                         | 4058546326098                                   |

M18 FBLG3  
M18 FUEL™ BLOWER

M18 FUEL



- Up to 14.2 m³/min of air volume at 193 km/h to clear debris
- Consistent blowing force of 12.2 N throughout the entire battery discharge
- Reaches full throttle in under 1 second
- Ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications and optimum run time

|                | M18 FBLG3-0                                                           | M18 FBLG3-802                                                           |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933493301                                                            | 4933499234                                                              |
| EAN code       | 4058546481728                                                         | 4058546563981                                                           |



M18 F2BPB M18 FUEL™ DUAL BATTERY BACKPACK BLOWER



- High constant clearing force with a consistent blowing force of 20.5 N over the entire battery discharge
- 2 x 18V dedicated backpack blower with a padded back pad and padded adjustable straps for extreme comfort
- Up to four battery slots for extended run time
- Up to 18.5 m³/min of air volume at 250 km/h to clear leaves, gravel and debris

|                | M18 F2BPB-0                                                           | M18 F2BPB-124                                                          |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4 x M18 FB12 Battery packs, M18 PC6 Charger, No kitbox or bag supplied |
| Article number | 4933493212                                                            | 4933499232                                                             |
| EAN code       | 4058546480837                                                         | 4058546563967                                                          |

M18 FTSP30 M18 FUEL™ TELESCOPIC POLE SAW 30 CM



- Powerful cutting performance due to a chain speed of 25.4 m/s, high torque and 30 cm cutting length for fast results
- Outperforms petrol pole saws in demanding applications
- Features a telescopic shaft with a square profile and a quick length adjustment collar, allowing for optimal length adjustment of up to 400 cm

|                | M18 FTSP30-0                                                          | M18 FTSP30-121                                                          |
|----------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 FB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933480868                                                            | 4933480870                                                              |
| EAN code       | 4058546411534                                                         | 4058546411558                                                           |

M12 BHCS3L M12™ HANDHELD CHEMICAL SPRAYER 3.7 L



- Instant, constant and adjustable pressure for best in class control
- Three pressure settings deliver the capability to optimise performance for a wide range of applications like spot, broadcast and distance spraying
- No manual pumping allows faster application speed and reduces user fatigue versus other manual sprayers

|                | M12 BHCS3L-0                                                          |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933480781                                                            |
| EAN code       | 4058546410667                                                         |

M18 BBPFP2-WST M18™ SWITCH TANK™ 15L WATER SUPPLY



|                | M18 BBPFP2-WST |
|----------------|----------------|
| Article number | 4933498965     |
| EAN code       | 4058546528348  |

- Fully compatible with SWITCH TANK™ G2
- Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and equipment
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water into tank

M18 F2BL M18 FUEL™ DUAL BATTERY BLOWER



- Up to 17 m³/min of air volume at 233 km/h to clear leaves, gravel and debris
- High constant clearing force with a consistent blowing force of 17.7 N over the entire battery discharge
- Best clearing control due to balanced design and ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications

|                | M18 F2BL-0                                                            | M18 F2BL-802                                                           |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M18 DBSC Charger, No kitbox or bag supplied |
| Article number | 4933479987                                                            | 4933499230                                                             |
| EAN code       | 4058546377816                                                         | 4058546563943                                                          |

M18 BLTS M18™ BRUSHLESS TELESCOPIC SHEAR



- Power to cut up to 4.4 cm softwood branches
- Telescopic function with an easy-to-use collar allows to expand from 2.1 up to 3 metres for versatile applications
- Up to 2000 cuts in 2.5 cm softwood branches with an M18 HB5.5 HIGH OUTPUT™ battery pack
- Outer shaft jacket for increased control & optimum grip

|                | M18 BLTS-0                                                            | M18 BLTS-551                                                             |
|----------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB5.5 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933480865                                                            | 4933480867                                                               |
| EAN code       | 4058546411503                                                         | 4058546411527                                                            |

M18 BBPFP2 M18™ BACK PACK FLUID PUMP GEN2



- New design for improved user comfort and durability
- The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18™ SWITCH TANK™ powered base
- Add on and replace tank assemblies to eliminate cross-chemical contamination and lower cost of ownership

|                | M18 BBPFP2-0                                                          | M18 BBPFP2-301                                                         |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB3 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article number | 4933498961                                                            | 4933498963                                                             |
| EAN code       | 4058546528300                                                         | 4058546528324                                                          |

M18 BBPFP2-CST M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER



|                | M18 BBPFP2-CST |
|----------------|----------------|
| Article number | 4933498964     |
| EAN code       | 4058546528331  |

- Fully compatible with SWITCH TANK™ G2
- Up to 7.4 m vertical spray distance and adjustable spray pattern - from cone to straight stream for end user preference and application.
- Chemical sprayer tank for pesticides/fertilizers/treatments/herbicides/fungicides/insecticides/de-icing agents and more
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank

M18 FOPH2 M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™



- 30% increase in power and thermal performance: unlocks unmatched capabilities for superior performance
- 3-speed settings with variable speed trigger best suited for numerous applications
- Versatile outdoor power equipment system, powered by a single power head
- Delivers the capability to swap between multiple attachments to complete a wide range of applications

|                | M18 FOPH2-0                                                           | M18 FOPH2-802                                                    |
|----------------|-----------------------------------------------------------------------|------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 FB8 Battery packs, M12-18 FC , No kitbox or bag supplied |
| Article number | 4933492662                                                            | 4933492665                                                       |
| EAN code       | 4058546414122                                                         | 4058546414153                                                    |


M18 FOPHLTKIT2 M18 FUEL™ OUTDOOR POWER HEAD - GRASS TRIMMER KIT



- 30% increase in power and thermal performance: unlocks unmatched capabilities for superior performance
- 3-speed settings with variable speed trigger best suited for numerous applications
- Versatile outdoor power equipment system, powered by a single power head
- Delivers the capability to swap between multiple attachments to complete a wide range of applications

|                | M18 FOPHLTKIT2-0                                                      |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933492663                                                            |
| EAN code       | 4058546414139                                                         |

M18 FOPH2 ATTACHMENTS



|     | Model Variant | Catalogue product description            | Article number | EAN code      |
|-----|---------------|------------------------------------------|----------------|---------------|
| 1.  | M18 FOPH-LTA  | QUIK-LOK™ grass trimmer attachment       | 4932464955     | 4058546229009 |
| 2.  | M18 FOPH-HTA  | QUIK-LOK™ hedge trimmer attachment       | 4932464959     | 4058546229047 |
| 3.  | M18 FOPH-CSA  | QUIK-LOK™ chainsaw attachment            | 4932464957     | 4058546229023 |
| 4.  | M18 FOPH-EA   | QUIK-LOK™ edger attachment               | 4932464958     | 4058546229030 |
| 5.  | M18 FOPH-EXA  | QUIK-LOK™ extension attachment           | 4932464960     | 4058546229054 |
| 6.  | M18 FOPH-BCA  | QUIK-LOK™ brush cutter attachment        | 4932479986     | 4058546377809 |
| 7.  | M18 FOPH-RBA  | QUIK-LOK™ rubber broom attachment        | 4932479984     | 4058546377786 |
| 8.  | M18 FOPH-BBA  | QUIK-LOK™ bristle brush attachment       | 4932479985     | 4058546377793 |
| 9.  | M18 FOPH-SHTA | QUIK-LOK™ short hedge trimmer attachment | 4932492666     | 4058546475376 |
| 10. | M18 FOPH-CA   | QUIK-LOK™ cultivator attachment          | 4932492667     | 4058546475383 |
| 11. | M18 FOPH-BA   | QUIK-LOK™ blower attachment              | 4932492668     | 4058546475390 |
| 12. | M18 FOPH-RA   | QUIK-LOK™ reciprocator attachment        | 4932492669     | 4058546475406 |





M18

RUN TIME DATA

| APPLICATION                                                                                               |                                                                                     | PRODUCT NAME                            | BATTERY                       |          |          |           |          |          |
|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------|----------|----------|-----------|----------|----------|
| M18                                                                                                       |                                                                                     |                                         | M18 HB3                       | M18 B4   | M18 B5   | M18 HB5.5 | M18 HB8  | M18 HB12 |
| HEDGE TRIMMERS                                                                                            |                                                                                     |                                         |                               |          |          |           |          |          |
| NO LOAD RUN-TIME AT FULL THROTTLE<br>(SIMULATES LIGHT TRIMMING APPLICATION)                               |    | M18 FHET60 / M18 FHET45                 | 52 min                        | 56 min   | 70 min   | 105 min   | 140 min  | 211 min  |
| TRIMMING - HIGH MODE<br>NO LOAD RUN TIME AT FULL THROTTLE<br>(SIMULATES LIGHT TRIMMING APPLICATION)       |    | M18 FOPH-HTA                            | 26 min                        | 35 min   | 44 min   | 52 min    | 70 min   | 105 min  |
|                                                                                                           |                                                                                     | M18 FOPH-SHTA                           | 22 min                        | 30 min   | 37 min   | 45 min    | 60 min   | 90 min   |
| BRUSH CUTTERS                                                                                             |                                                                                     |                                         |                               |          |          |           |          |          |
| TRIMMING - HIGH MODE<br>*MEASURED UNDER NO LOAD SPEED,<br>SIMULATES LIGHT GRASS TRIMMING APPLICATION      |    | M18 FBCU                                | 12 min                        | 13 min   | 16 min   | 24 min    | 33 min   | 49 min   |
| TRIMMING - LOW MODE<br>*MEASURED UNDER NO LOAD SPEED,<br>SIMULATES LIGHT GRASS TRIMMING APPLICATION       |    |                                         | 22 min                        | 23 min   | 29 min   | 44 min    | 58 min   | 88 min   |
| TRIMMING - HIGH MODE<br>NO LOAD RUN-TIME WITH THE BLADE AT FULL THROTTLE (SIMULATES LIGHT BRUSH TRIMMING) |    | M18 FOPH-BCA                            | 23 min                        | 30 min   | 38 min   | 46 min    | 61 min   | 91 min   |
| GRASS TRIMMERS                                                                                            |                                                                                     |                                         |                               |          |          |           |          |          |
| TRIMMING - HIGH MODE<br>*MEASURED UNDER NO LOAD SPEED,<br>SIMULATES LIGHT GRASS TRIMMING APPLICATION      |    | M18 BLLT                                | 13 min                        | 17 min   | 22 min   | 26 min    | 35 min   | 53 min   |
|                                                                                                           |                                                                                     | M18 FOPH-LTA                            | 12 min                        | 16 min   | 20 min   | 24 min    | 33 min   | 50 min   |
|                                                                                                           |                                                                                     | M18 FOPH-RA                             | 11 min                        | 15 min   | 18 min   | 22 min    | 30 min   | 45 min   |
| TRIMMING -LOW MODE<br>*MEASURED UNDER NO LOAD SPEED,<br>SIMULATES LIGHT GRASS TRIMMING APPLICATION        |  | M18 BLLT                                | 26 min                        | 35 min   | 43 min   | 54 min    | 70 min   | 105 min  |
|                                                                                                           |                                                                                     | M18 FOPH-LTA                            | 22 min                        | 29 min   | 36 min   | 44 min    | 59 min   | 88 min   |
| NO LOAD RUN-TIME AT FULL THROTTLE<br>(SIMULATES LIGHT EDGING APPLICATION)                                 |  | M18 FOPH-EA                             | 40 min                        | 53 min   | 66 min   | 79 min    | 106 min  | 160 min  |
| BLOWERS                                                                                                   |                                                                                     |                                         |                               |          |          |           |          |          |
| TOUGH BLOWING - HIGH MODE                                                                                 |  | M18 F2BPB<br>(WITH 4 X M18 BATTERIES)   | OPTIMISED FOR<br>HIGH OUTPUT™ |          |          | 15 min    | 20 min   | 30 min   |
| MID BLOWING - MID MODE                                                                                    |  |                                         |                               |          |          | 22 min    | 30 min   | 45 min   |
| LOW BLOWING - LOW MODE                                                                                    |  |                                         |                               |          |          | 30 min    | 40 min   | 60 min   |
| TOUGH BLOWING - HIGH MODE                                                                                 |  | M18 F2BL<br>(WITH 2 X M18 BATTERIES)    | OPTIMISED FOR<br>HIGH OUTPUT™ |          |          | 13 min    | 18 min   | 26 min   |
| MID BLOWING - MID MODE                                                                                    |  |                                         |                               |          |          | 33 min    | 44 min   | 66 min   |
| TOUGH BLOWING - HIGH MODE                                                                                 |  | M18 FBLG3                               | 5 min                         | 6 min    | 8 min    | 10 min    | 13 min   | 19 min   |
|                                                                                                           |                                                                                     | M18 FOPH-BA                             | 4 min                         | 6 min    | 7 min    | 9 min     | 12 min   | 18 min   |
| CHAINSAWS                                                                                                 |                                                                                     |                                         |                               |          |          |           |          |          |
| LOG CUTTING<br>CUTS IN 10CM CEDAR                                                                         |  | M18 FCHSC                               | 38 cuts                       | 50 cuts  | 63 cuts  | 75 cuts   | 100 cuts | 150 cuts |
|                                                                                                           |                                                                                     | M18 FCHS35                              | 38 cuts                       | 50 cuts  | 63 cuts  | 75 cuts   | 100 cuts | 150 cuts |
|                                                                                                           |                                                                                     | M18 FCHS                                | 38 cuts                       | 50 cuts  | 63 cuts  | 75 cuts   | 100 cuts | 150 cuts |
|                                                                                                           |                                                                                     | M18 FTHCHS30                            | 56 cuts                       | 75 cuts  | 93 cuts  | 112 cuts  | 150 cuts | 225 cuts |
|                                                                                                           |                                                                                     | M18 FTHCHS35                            | 56 cuts                       | 75 cuts  | 93 cuts  | 112 cuts  | 150 cuts | 225 cuts |
|                                                                                                           |                                                                                     | M18 FHS20                               | 90 cuts                       | 120 cuts | 150 cuts | 180 cuts  | 240 cuts | 360 cuts |
| M18 REDLITHIUM FORGE                                                                                      |                                                                                     |                                         |                               |          |          | M18 FB6   | M18 FB8  | M18 FB12 |
| LOG CUTTING<br>CUTS IN 40CM HARDWOOD                                                                      |  | M18 F2CHS50<br>(WITH 2 X M18 BATTERIES) | OPTIMISED FOR<br>FORGE™       |          |          | 12 cuts   | 16 cuts  | 24 cuts  |

M18 M12

RUN TIME DATA

| APPLICATION                                                                                |                                                                                       | PRODUCT NAME                           | BATTERY                               |           |           |           |           |           |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|---------------------------------------|-----------|-----------|-----------|-----------|-----------|
|         |                                                                                       |                                        | M18 HB3                               | M18 B4    | M18 B5    | M18 HB5.5 | M18 HB8   | M18 HB12  |
| POLE SAWS                                                                                  |                                                                                       |                                        |                                       |           |           |           |           |           |
| LOG CUTTING<br>CUTS IN 15CM CEDAR                                                          |    | M18 FTPS30                             | 17 cuts                               | 23 cuts   | 29 cuts   | 35 cuts   | 46 cuts   | 70 cuts   |
| PRUNING<br>CUTS IN 7,5CM OAK                                                               |    | M18 FOPH-CSA                           | 62 cuts                               | 82 cuts   | 103 cuts  | 123 cuts  | 166 cuts  | 247 cuts  |
| BRUSHES                                                                                    |                                                                                       |                                        |                                       |           |           |           |           |           |
| HIGH MODE<br><i>*MEASURED UNDER LOAD MOVING WOOD<br/>CHIPS AND DIRT AT FULL THROTTLE</i>   |    | M18 FOPH-BBA                           | 11 min                                | 14 min    | 18 min    | 22 min    | 29 min    | 43 min    |
|                                                                                            |                                                                                       | M18 FOPH-RBA                           | 9 min                                 | 12 min    | 15 min    | 18 min    | 25 min    | 37 min    |
| LAWN MOWERS                                                                                |                                                                                       |                                        |                                       |           |           |           |           |           |
| GRASS CUTTING<br><i>*REMOVING 2.5 CM OF GRASS AT 4.8 KM/H</i>                              |    | M18 F2LM53<br>(WITH 2 X M18 BATTERIES) | <b>OPTIMISED FOR<br/>HIGH OUTPUT™</b> |           |           | 1000 m²   | 1300 m²   | 2000 m²   |
|                                                                                            |                                                                                       | M18 F2LM46<br>(WITH 2 X M18 BATTERIES) |                                       |           |           | 1200 m²   | 1600 m²   | 2400 m²   |
| SHEARS                                                                                     |                                                                                       |                                        |                                       |           |           |           |           |           |
| BRANCH CUTTING<br>CUTS IN 2.5CM SOFTWOOD                                                   |    | M18 BLTS                               | 1000 cuts                             | 1300 cuts | 1650 cuts | 2000 cuts | 2650 cuts | 4000 cuts |
| SPRAYERS                                                                                   |                                                                                       |                                        |                                       |           |           |           |           |           |
| SPRAYING<br><i>*NUMBER OF TANKS ON SPEED ONE<br/>WHICH IS EQUIVALENT TO LIGHT SPRAYING</i> |  | M18 BPFP-CST                           | 9 tanks                               | 12 tanks  | 15 tanks  | 18 tanks  | 24 tanks  | 36 tanks  |
| CULTIVATORS                                                                                |                                                                                       |                                        |                                       |           |           |           |           |           |
| CULTIVATE - HIGH MODE<br><i>MEASURED UNDER LOAD TO CULTIVATE SOIL</i>                      |  | M18 FOPH-CA                            | 5 min                                 | 7 min     | 9 min     | 11 min    | 15 min    | 22 min    |

| APPLICATION                                                                                    |                                                                                       | PRODUCT NAME | BATTERY    |            |            |            |            |            |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------|------------|------------|------------|------------|------------|------------|
|           |                                                                                       |              | M12 B2     | M12 B3     | M12 B4     | M12 B6     | M12 HB2.5  | M12 HB5    |
| HATCHET SAWS                                                                                   |                                                                                       |              |            |            |            |            |            |            |
| LOG CUTTING<br>CUTS IN 5CM OAK                                                                 |  | M12 FHS      | 60 cuts    | 90 cuts    | 120 cuts   | 180 cuts   | 86 cuts    | 172 cuts   |
| HEDGE TRIMMERS                                                                                 |                                                                                       |              |            |            |            |            |            |            |
| LIGHT TRIMMING<br>*NO LOAD RUN TIME AT FULL THROTTLE<br>(SIMULATES LIGHT TRIMMING APPLICATION) |  | M12 FHT      | 25 min     | 37 min     | 50 min     | 75 min     | 36 min     | 72 min     |
| SPRAYERS                                                                                       |                                                                                       |              |            |            |            |            |            |            |
| SPRAYING<br>*FIRST MODE - SPOT SPRAYING                                                        |  | M12 BHCS3L   | 300 litres | 450 litres | 600 litres | 900 litres | 431 litres | 862 litres |
| SHEARS                                                                                         |                                                                                       |              |            |            |            |            |            |            |
| BRANCH CUTTING<br>CUTS IN 1,25 CM SOFTWOOD                                                     |  | M12 BLPRS    | 1000 cuts  | 1500 cuts  | 2000 cuts  | 3000 cuts  | 1400 cuts  | 2800 cuts  |

SCAN TO VIEW OUR  
OPE RANGE



\*Charge times are based on a fully-charged battery. These given guidelines are indicative only and may not be replicated due to the varying usage conditions. Results can vary depending on the user and the application.



# TRUEVIEW™

1

TRUEST COLOUR ACCURACY

- True representation of colours and details
- Neutral white light for greatest clarity and comfort
- Designed to represent sunlight at 10 am or 2 pm

2

BEST-IN-CLASS BEAM PATTERN OPTICS

- Even and consistent beam pattern from edge to edge
- Accurate and efficient work environment, no hot spots or washed-out borders
- Reflectors and diffusers optimised for each light

3

REDLITHIUM™ BATTERY TECHNOLOGY

- Portable solutions
- Long lasting reliability
- System compatibility

SCAN HERE FOR MORE INFORMATION

## MXF TL

MX FUEL™ TOWER LIGHT

- TRUEVIEW™ high definition light output with up to 27,000 lumens in AC and up to 20,000 lumens in DC mode for both task and area lighting
- Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed

|                     | MXF TL-0                                                              | MXF TL-601                                                                |
|---------------------|-----------------------------------------------------------------------|---------------------------------------------------------------------------|
| Kit included [L4]   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x MXF XC406 Battery pack, Integrated charger, No kitbox or bag supplied |
| Article Number 110V | 4933492341                                                            | 4933471845                                                                |
| EAN Code 110V       | 4058546417086                                                         | 4058546297442                                                             |
| Article Number 240V | 4933492342                                                            | 4933471846                                                                |
| EAN Code 240V       | 4058546417093                                                         | 4058546297459                                                             |

## M18 ONESLDP

M18™ ONE-KEY™ LED COMPACT SITE LIGHT CHARGER

- Optimise brightness and run time by adjusting the light output from 0 - 9000 lumens
- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

|                | M18 ONESLDP-0                                                         |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459161                                                            |
| EAN Code       | 4002395287161                                                         |

## MXF TLIC

MX FUEL™ COMPACT SITE LIGHT

- TRUEVIEW™ high definition light output with up to 15,000 lumens in AC and DC mode for both task and area lighting
- Has the ability to manoeuvre the light head, allowing the user to direct light to wherever it's needed
- Low weight of 17.5 kg without battery allows for easy transportation across wet and uneven job site terrains with minimum effort

|                     | MXF TLIC-0                                                            | MXF TLIC-601                                                          |
|---------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|
| Kit included        | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x MXF XC406 Battery pack, MXF FC Charger, No kitbox or bag supplied |
| Article number 110v | 4933498073                                                            | 4933498070                                                            |
| EAN code 110v       | 4058546512330                                                         | 4058546512309                                                         |
| Article number 240v | 4933498074                                                            | 4933498071                                                            |
| EAN code 240v       | 4058546512347                                                         | 4058546512316                                                         |

## M18 ONESLSP

M18™ ONE-KEY™ LED COMPACT SITE LIGHT

- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- Optimise brightness and run time by adjusting the light output between 0 - 4400 lumens

|                | M18 ONESLSP-0                                                         |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459156                                                            |
| EAN Code       | 4002395287116                                                         |

## M18 TAL

M18™ TRADESMAN AREA LIGHT

- TRUEVIEW™ high definition lighting with 2,200 lumens of light output in Area mode and 1,000 lumens in Flood mode
- Advanced LED technology provides 360° of area light, while an independent array of LEDs on the side provide 90° of task lighting
- Compact design allowing for one-handed transport on the jobsite, with a built-in carry handle

|                | M18 TAL-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464134                                                            |
| EAN Code       | 4058546220792                                                         |

## M18 HOSALC

M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER

- 6000 lumens TRUEVIEW™ of High Definition Output
- Up to 10 hours of run time on M18™ REDLITHIUM™ 8.0 Ah battery pack
- 3 impact resistant adjustable heads with highly durable lens can be rotated 180° vertically and pivoted 240° horizontally to have the perfect workplace illumination
- Integrated M18™ charger and 2.1 AMP USB output for USB device charging

|                      | M18 HOSALC-0                                                          | M18 HOSALC-552B                                         |
|----------------------|-----------------------------------------------------------------------|---------------------------------------------------------|
| Kit included         | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB5.5 Battery packs, M12-18 C Charger, Tool bag |
| Article Number 110 V | 4933478117                                                            | 4933479350                                              |
| EAN Code             | 4058546340506                                                         | 4058546371449                                           |

## M12 SAL

M12™ STAND LIGHT

- TRUEVIEW™ high definition lighting
- 12 high performance LEDs provide 1400 lumens on high light output
- Impact resistant adjustable head with highly durable polycarbonate lens to withstand drops up to 3 m
- Head can be rotated 210° vertically and pivoted 270° horizontally to have the best perfect workplace illumination

|                | M12 SAL-0                                                             |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464823                                                            |
| EAN Code       | 4058546227685                                                         |

## M12 POAL

M12™ PACKOUT™ AREA LIGHT 1400 LUMENS

- 1400 Lumens of TRUEVIEW™ high definition output
- IP 54: water and dust resistant
- 3 modes to manage output and run time
- 300° of horizontal rotation and 180° of vertical rotation for complete light head adjustability
- Storage compartment for devices and small items

|                | M12 POAL-0                                                            |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933480473                                                            |
| EAN code       | 4058546407582                                                         |

## M18 ONERSAL

M18™ ONE-KEY™ LED REMOTE STAND LIGHT

- Optimise brightness and run time by adjusting the light output from 0 - 5400 lumens
- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

|                | M18 ONERSAL-0                                                         |
|----------------|-----------------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459431                                                            |
| EAN Code       | 4058546010928                                                         |

## M18 SAL2

M18™ LED STAND LIGHT

- TRUEVIEW™ high definition lighting
- Twelve high performance LEDs provides up to 2800 lumens on high light output
- Impact resistant adjustable head with highly durable polycarbonate lens can be rotated 230° vertically and pivoted 240° horizontally
- Protective guard secures the head and lens when the light is collapsed for storage or transport

|                | M18 SAL2-0                                                            | M18 SAL2-502B                                 |
|----------------|-----------------------------------------------------------------------|-----------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 C , Tool bag |
| Article number | 4933492486                                                            | 4933492902                                    |
| EAN code       | 4058546418533                                                         | 4058546477738                                 |

## M18 POALC

M18™ PACKOUT™ AREA LIGHT CHARGER

- Three independent pivoting light heads provide 3000 lumens of TRUEVIEW™ High Definition Output
- All three pivot light heads combined provide up to 12 hours of run time on a M18™ REDLITHIUM™ 5.0 Ah battery pack
- IP54: water and dust resistant

|                     | M18 POALC-0                                                           |
|---------------------|-----------------------------------------------------------------------|
| Kit included        | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number 240V | 4933479583                                                            |
| EAN Code            | 4058546373771                                                         |

## M18 HOAL

M18™ HIGH OUTPUT AREA LIGHT

- 4000 lumens TRUEVIEW™ of High Definition Output
- Up to 12 hours of run time on M18™ REDLITHIUM™ 5.0 Ah battery pack
- 120° rotatable light head and integrated key holes for horizontal and vertical hanging
- Impact resistant design and durable roll cage to protect the light from rough jobsite conditions

|                      | M18 HOAL-0                                                            |
|----------------------|-----------------------------------------------------------------------|
| Kit included         | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number 110 V | 4933478119                                                            |
| EAN Code             | 4058546340520                                                         |



M18 AL  
M18™ LED AREA LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Eight high performance LEDs provide 1500 lumens of light output - up to 30% brighter than 250 W halogen lights
- Compact roll cage design provides superior durability
- Convenient built-in handle - ability to hang vertically or horizontally

|                |                                                               |
|----------------|---------------------------------------------------------------|
|                | M18 AL-0                                                      |
| Kit included   | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430392                                                    |
| EAN Code       | 4002395380534                                                 |

M12 AL  
M12™ LED AREA LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Five high performance LEDs provide 1000 lumens of light output replacing 250 W halogen lights
- Highly durable and impact resistant polycarbonate lens to withstand drops up to 2.7 metres
- Integrated magnets, clamping mechanism, and key hole for screws / nails provide multiple mounting options for different surfaces

|                |                                                               |
|----------------|---------------------------------------------------------------|
|                | M12 AL-0                                                      |
| Kit included   | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4933451394                                                    |
| EAN Code       | 4002395158621                                                 |

M12 SLED  
M12™ LED SPOT LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Up to 35% longer beam distance than competition - 650 m intense and highly focused beam of light with 750 lumens
- Especially useful for long range identification - utility pole/high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work

|                |                                                               |
|----------------|---------------------------------------------------------------|
|                | M12 SLED-0                                                    |
| Kit included   | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4933451261                                                    |
| EAN Code       | 4002395170159                                                 |

M18 IL  
M18™ LED INSPECTION LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Three LED design with 2 light settings provides 300 lumens on High and 130 lumens on Low setting
- Pivoting 45° forward & backward head allows for 180° coverage
- 2 adjustable metal hooks for hanging in vertical and horizontal position
- Thanks to its compact design it operates in locations other lights cannot

|                |                                                               |
|----------------|---------------------------------------------------------------|
|                | M18 IL-0                                                      |
| Kit included   | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430564                                                    |
| EAN Code       | 4002395382255                                                 |

M18 PAL2  
M18™ PIVOTING AREA LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 2,000 lumens
- Up to 24 hours of run time on M18™ 5.0 Ah battery pack
- 3 modes to manage output and run time
- Magnetic mounting and up to 7.62 cm clamp opening
- 359° of horizontal rotation and 170° of vertical rotation for complete light head adjustability

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
|                | M18 PAL2-0                                                            |
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933493547                                                            |
| EAN code       | 4058546484187                                                         |

M12 PAL  
M12™ PIVOT AREA LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 700 lumens
- Up to 24 hours of run time on M12™ 4.0 Ah battery pack
- With powerful magnets as well as a rotating light head design with 110° rotation in each direction to provide multiple beam options
- Highly durable and impact resistant design to withstand drops up to 3 m

|                |                                                               |
|----------------|---------------------------------------------------------------|
|                | M12 PAL-0                                                     |
| Kit included   | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4933478226                                                    |
| EAN Code       | 4058546344030                                                 |

M12 SL  
M12™ LED STICK LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Powerful three LED design provides 220 lumens
- Adjustable metal hook allows for light to be hung in multiple orientations when being used
- Compact design - operates in locations other lights cannot
- Flexible battery system: works with all MILWAUKEE® M12™ batteries

|                |                                                               |
|----------------|---------------------------------------------------------------|
|                | M12 SL-0                                                      |
| Kit included   | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430178                                                    |
| EAN Code       | 4002395378395                                                 |

M12 UCL  
M12™ UNDERCARRIAGE LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 1,200 Lumens
- Up to 15 hours of run time on M12™ 4.0 Ah battery pack
- Designed for the on-the-go needs of automotive maintenance and service trades
- Dual joints swivel 300° horizontally and 180° vertically to ensure full undercarriage illumination coverage

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
|                | M12 UCL-0                                                             |
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933478868                                                            |
| EAN code       | 4058546361501                                                         |

M18 ABL  
M18™ AREA BOOM LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 2,500 lumens
- Up to 12 hours of run time on M18 B5 battery pack
- Designed for the on-the-go needs of maintenance and service trades of large vehicles
- 890° of horizontal rotation and 900° of vertical rotation for complete light head adjustability
- 3 modes to manage output

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
|                | M18 ABL-0                                                             |
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933498147                                                            |
| EAN code       | 4058546513078                                                         |

M18 ALIS  
M18™ SERVICE AREA LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 1,000 lumens
- Up to 110 hours of run time on M18™ 5.0 Ah battery pack
- USB-A (12 W) & USB-C (27 W) small device charging
- Integrated rafter hook
- 300° horizontal and 180° vertical light head mobility
- Most compact light on the M18™ platform

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
|                | M18 ALIS-0                                                            |
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933498148                                                            |
| EAN code       | 4058546513085                                                         |

M12 CML  
M12™ COLOUR MATCHING LIGHT

M12

TRUEVIEW™



- High definition lighting with up to 1000 lumens
- 98+ colour rendering index for use to identify accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements
- Up to 14 hours of run time on M12™ 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant

|                |                                                                   |
|----------------|-------------------------------------------------------------------|
|                | M12 CML-401                                                       |
| Kit included   | 1 x M12 B4 Battery pack, C12 C Charger, No kitbox or bag supplied |
| Article number | 4933479367                                                        |
| EAN code       | 4058546371616                                                     |

M12 UHL  
M12™ LED UNDERHOOD LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition light output delivers consistent beam, optimised colour temperature and true representation of colours and detail
- Two light output settings with 1350 and 600 lumens to maximise run time and to optimise lighting output
- M12™ 4.0 Ah battery provides 4 hours of run time in high and 8 hours of run time in low setting

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
|                | M12 UHL-0                                                             |
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459432                                                            |
| EAN Code       | 4058546010935                                                         |

M18 MDTL  
M18™ MULTI-DIRECTIONAL TASK LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 4,500 lumens
- 3 individual light heads for task or area lighting
- 9 total output modes to manage output or run time
- Magnetic base, integrated hook, and screw holes for optimal surface mounting
- 270° horizontal rotation and 270° vertical articulation
- Integrated handles for easy carrying

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
|                | M18 MDTL-0                                                            |
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article number | 4933499000                                                            |
| EAN code       | 4058546528690                                                         |

M18 SLED  
M18™ LED SEARCH LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Pivoting head provides 1250 lumens with up to 650 m beam distance
- 4 output modes: Spot, Flood, Spot/Flood, Strobe delivering multiple options in workspace illumination
- Spot mode for long range identification: utility pole/ high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work...

|                |                                                                       |
|----------------|-----------------------------------------------------------------------|
|                | M18 SLED-0                                                            |
| Kit included   | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459159                                                            |
| EAN Code       | 4002395287147                                                         |

M18 LL  
M18™ LED LANTERN LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- 180° - 360° adjustable beam - versatile design, allows the user to select between area lighting and task lighting
- Best-in-class performance - outstanding light output 700 lumens, designed to illuminate large areas
- High powered USB charger charges tablets, smart phones, MP3 players and other electronic devices

|                |                                                               |
|----------------|---------------------------------------------------------------|
|                | M18 LL-0                                                      |
| Kit included   | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430563                                                    |
| EAN Code       | 4002395382248                                                 |

M12 LL  
M12™ LED LANTERN LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- 180° - 360° adjustable beam - versatile design, allows the user to select between area lighting and task lighting
- Best-in-class performance - outstanding light output 400+ lumens, designed to illuminate large areas
- High powered 2.1A USB charger charges tablets, smart phones, MP3 players and other electronic devices

|                |                                                               |
|----------------|---------------------------------------------------------------|
|                | M12 LL-0                                                      |
| Kit included   | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430562                                                    |
| EAN Code       | 4002395382231                                                 |



M18 TLED  
M18™ LED TORCH

M18

M12 TLED  
M12™ LED TORCH

M12

TRUEVIEW™



- The 120 lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- M18™ LED electronics deliver 2x longer run time on a single charge with less heat than conventional removable light bulbs
- Sealed aluminium head is designed for impact- and weather-resistant durability
- 135° rotating head allows the user to easily direct the light beam at the desired work area
- Integrated hook for hands-free use

M18 TLED-0

|                |                                                               |
|----------------|---------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430361                                                    |
| EAN Code       | 4002395380220                                                 |

TRUEVIEW™



- The 120 lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- M12™ LED electronics deliver 2x longer run time on a single charge with less heat
- Sealed aluminium head is designed for impact- and weather-resistant durability
- 90° rotating head allows the user to easily direct the light beam at the desired work area
- Magnetic back for hands-free use

M12 TLED-0

|                |                                                               |
|----------------|---------------------------------------------------------------|
| Kit included   | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430360                                                    |
| EAN Code       | 4002395380213                                                 |

PERSONAL LIGHTS

REDLITHIUM™ USB

REDLITHIUM  
USB

|  |                | Lumen                   | Max. run time [h]      | IP protection class | Features          | Kit included [L4]                                            | Article number | EAN code      |
|--|----------------|-------------------------|------------------------|---------------------|-------------------|--------------------------------------------------------------|----------------|---------------|
|  | L4 FL-301      | 445/- / 100/-           | 2.5/- / 12.5/-         | IP54                | Magnet, Clip      | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933479763     | 4058546375577 |
|  | L4 PWL-301     | 400/- / 100/ 500        | 3.5/- / 11.75/ 3.5     | IP54                | Magnet, Clip      | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933479765     | 4058546375591 |
|  | L4 FFL-301     | 550/ 250/ 100/-         | 2.5/ 6/ 13.25/-        | IP54                | Magnet, Carabiner | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933479766     | 4058546375607 |
|  | L4 HL-VIS-301  | 600/ 400/ 200/ 25/ 400  | 2.5/ 4.5/ 8.5/ 22/ 4.5 | IP53                | Hard hat clips    | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933479768     | 4058546375621 |
|  | L4 HLRP-301    | 600/ 350/ 125/ 25       | 3/ 7.5/ 13/ 28         | IP54                | Hard hat clips    | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933479767     | 4058546375614 |
|  | L4 TMLED-301   | 1100/ 600/ 100/-        | 1.5/ 4/ 12/-           | IP67                | Clip              | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933479769     | 4058546375638 |
|  | L4 FMLED-301   | 800/- / 100/-           | 2.5/- / 10/-           | IP67                | Clip              | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933479770     | 4058546375645 |
|  | L4 SL550-301   | 550/ 250 ; 250/ 100     | 2/ 4.5/ 2/ 5           | IP52                | Magnet, Hook      | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933478869     | 4058546361518 |
|  | L4 NL400-301   | 400/ 250                | 2.5/ 8                 | IP50                | -                 | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933479898     | 4058546376925 |
|  | L4 BOLT HL-301 | 600/ 400/ 150/ 25       | 4/ 8/ 14/ 32           | IP54                | -                 | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933479902     | 4058546376963 |
|  | L4 HL2-301     | 600/ 100/ 400/ 100/ 400 | 5/ 20/ 9/ 14/ 9        | IP54                | Hard hat clips    | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933479963     | 4058546377571 |
|  | L4 FL2000-301  | 2000/ 1300/ 800/ 100    | 4/ 8/ 24               | IP66                | Clip              | 1 x L4 B3 Battery pack, USB cable, Blister packaging         | 4933479637     | 4058546374310 |
|  | L4 HSL-301     | 350                     | 2.5/ 10                | IP54                | -                 | 1 x L4 B3 Battery pack, USB cable, No kitbox or bag supplied | 4933493968     | 4058546511289 |

INTERNAL RECHARGEABLE

RECHARGEABLE

|  |          | Lumen                  | Max. run time [h] | IP protection class | Features                                                | Kit included                                             | Article number | EAN code      |
|--|----------|------------------------|-------------------|---------------------|---------------------------------------------------------|----------------------------------------------------------|----------------|---------------|
|  | IR FFL   | 500                    | 4/ 8/ 12          | IP54                | Carabiner, Magnet                                       | Integrated battery, USB cable, No kitbox or bag supplied | 4933493528     | 4058546483999 |
|  | IR HL450 | 450/ 100/ 250/ 50/ 250 | 2.5/ 8/ 4/ 14/ 4  | IP54                | Magnet, Hard hat clips, BOLT Low-profile headlamp mount | Integrated battery, USB cable, Blister packaging         | 4933478587     | 4058546347802 |
|  | IR FL500 | 500 / 100 / 10/-       | 3.5 / 16/ 40/-    | IP67                | Clip                                                    | Integrated battery, USB cable, Blister packaging         | 4933478586     | 4058546347796 |
|  | IR PL250 | 250/- / 50/-           | 1.5/- / 8/-       | IP67                | Bite zone, Clip                                         | Integrated battery, USB cable, Blister packaging         | 4933478705     | 4058546348984 |

ALKALINE

2 AAA  
3 AAA

|  |          | Lumen                  | Max. run time [h] | IP protection class | Features                                        | Kit included                                 | Article number | EAN code      |
|--|----------|------------------------|-------------------|---------------------|-------------------------------------------------|----------------------------------------------|----------------|---------------|
|  | IPL-LED  | 100                    | 3                 | IP67                | Clip, Bite zone                                 | 2 x AAA Batteries, Blister packaging         | 4933459440     | 4058546011017 |
|  | ML-LED   | 325/- / 25/-           | 5/- / 18/-        | IP67                | Clip                                            | 3 x AAA Batteries, Blister packaging         | 4933464825     | 4058546227708 |
|  | FL-LED   | 300/- / 100/-          | 5/- / 16/-        | IP54                | Magnet, Clip                                    | 2 x AA Batteries, Blister packaging          | 4933464824     | 4058546227692 |
|  | HL-SF    | 450/ 350/ 150/ 25/ 350 | 2/ 4/ 10/ 26/ 4   | IP52                | Hard hat clips, BOLT Low-profile headlamp mount | 3 x AAA Batteries, Blister packaging         | 4933471388     | 4058546290160 |
|  | ISHL-LED | 310/ 235/ 155/ 25/ 155 | 4/ 6/ 10/ 40/ 8   | IP64                | Hard hat clips, BOLT Low-profile headlamp mount | 3 x AAA Batteries, No kitbox or bag supplied | 4933478112     | 4058546340452 |
|  | HL2-LED  | 350/ 150/ 25/-         | 4/ 8.5/ 28/-      | IP52                | Hard hat clips, BOLT Low-profile headlamp mount | 3 x AAA Batteries, Blister packaging         | 4933471286     | 4058546289140 |





BATTERIES

|                                                                                    |           | Catalogue<br>product<br>description         | Charge time<br>M18 PC6/<br>MPC6 AC<br>charger | Charge time<br>M18 DBSC/<br>MDBSC AC<br>charger | Charge time<br>M12_18 FC<br>charger | Charge<br>time<br>M12_18 C<br>charger | Charge<br>time<br>M12_18 AC<br>charger | Charge<br>time<br>M1418C6<br>charger | Charge<br>time<br>M18 DFC<br>charger | Charge<br>time C12 C<br>charger | Charge<br>time<br>M12 TC2<br>charger | Charge<br>time M12<br>C4 charger | Charge<br>time L4 C<br>charger | Article<br>number | EAN code      |
|------------------------------------------------------------------------------------|-----------|---------------------------------------------|-----------------------------------------------|-------------------------------------------------|-------------------------------------|---------------------------------------|----------------------------------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|----------------------------------|--------------------------------|-------------------|---------------|
|    | M18 FB12  | M18™FORGE™<br>12.0 Ah battery               | 130 min                                       | 45 min                                          | 130 min                             | 250 min                               | 285 min                                | 270 min                              | 130 min                              | -                               | -                                    | -                                | -                              | 4932492651        | 4058546414016 |
|    | M18 FB8   | M18™ FORGE™<br>8.0 Ah battery               | 87 min                                        | 45 min                                          | 87 min                              | 167 min                               | 190 min                                | 190 min                              | 87 min                               | -                               | -                                    | -                                | -                              | 4932492131        | 4058546414986 |
|    | M18 FB6   | M18™ FORGE™<br>6.0 Ah battery               | 60 min                                        | 25 min                                          | 60 min                              | 115 min                               | 130 min                                | 125 min                              | 60 min                               | -                               | -                                    | -                                | -                              | 4932492533        | 4058546419004 |
|    | M18 HB5.5 | M18™ HIGH<br>OUTPUT™ 5.5<br>Ah battery      | 60 min                                        | 35 min                                          | 60 min                              | 115 min                               | 130 min                                | 125 min                              | 60 min                               | -                               | -                                    | -                                | -                              | 4932464712        | 4058546226572 |
|    | M18 HB3   | M18™ HIGH<br>OUTPUT™ 3.0<br>Ah battery      | 36 min                                        | 36 min                                          | 36 min                              | 65 min                                | 75 min                                 | 70 min                               | 36 min                               | -                               | -                                    | -                                | -                              | 4932471069        | 4058546286972 |
|    | M18 B5    | M18™ 5.0 Ah<br>battery                      | 59 min                                        | 59 min                                          | 59 min                              | 100 min                               | 100 min                                | 100 min                              | 59 min                               | -                               | -                                    | -                                | -                              | 4932430483        | 4002395381449 |
|   | M18 B5-CR | M18™ 5.0 Ah<br>battery                      | 59 min                                        | 59 min                                          | 59 min                              | 100 min                               | 100 min                                | 100 min                              | 59 min                               | -                               | -                                    | -                                | -                              | 4932479265        | 4058546370596 |
|  | M18 B4    | M18™ 4.0 Ah<br>battery                      | 52 min                                        | 52 min                                          | 52 min                              | 80 min                                | 80 min                                 | 80 min                               | 52 min                               | -                               | -                                    | -                                | -                              | 4932430063        | 4002395377244 |
|  | M18 B2    | M18™ 2.0 Ah<br>battery                      | 26 min                                        | 26 min                                          | 26 min                              | 40 min                                | 40 min                                 | 40 min                               | 26 min                               | -                               | -                                    | -                                | -                              | 4932430062        | 4002395377237 |
|  | M12 HB5   | M12™ 5.0 Ah<br>HIGH OUTPUT™<br>battery pack | -                                             | -                                               | 75 min                              | 110 min                               | 110 min                                | -                                    | -                                    | 110 min                         | 300 min                              | 110 min                          | -                              | 4932480165        | 4058546404505 |
|  | M12 HB2.5 | M12™ 2.5 Ah<br>HIGH OUTPUT™<br>battery pack | -                                             | -                                               | 40 min                              | 55 min                                | 55 min                                 | -                                    | -                                    | 55 min                          | 150 min                              | 55 min                           | -                              | 4932480164        | 4058546404499 |
|  | M12 B6    | M12™ 6.0 Ah<br>battery                      | -                                             | -                                               | 95 min                              | 130 min                               | 165 min                                | -                                    | -                                    | 130 min                         | 347 min                              | 130 min                          | -                              | 4932451395        | 4002395158638 |
|  | M12 B4    | M12™ 4.0 Ah<br>battery                      | -                                             | -                                               | 52 min                              | 80 min                                | 115 min                                | -                                    | -                                    | 80 min                          | 240 min                              | 80 min                           | -                              | 4932430065        | 4002395377268 |
|  | M12 B3    | M12™ 3.0 Ah<br>battery                      | -                                             | -                                               | 50 min                              | 70 min                                | 90 min                                 | -                                    | -                                    | 70 min                          | 174 min                              | 70 min                           | -                              | 4932451388        | 4002395157969 |
|  | M12 B2    | M12™ 2.0 Ah<br>battery                      | -                                             | -                                               | 26 min                              | 40 min                                | 55 min                                 | -                                    | -                                    | 40 min                          | 120 min                              | 40 min                           | -                              | 4932430064        | 4002395377251 |
|  | L4 B3     | 3.0 Ah<br>REDLITHIUM™<br>USB battery        | -                                             | -                                               | -                                   | -                                     | -                                      | -                                    | -                                    | -                               | -                                    | -                                | 120 min                        | 4933478311        | 4058546345020 |

CHARGERS

|                                                                                       |           | Description                                | Charging ports       | Charge type  | Power source | Carry handle | Wall mountable | Article number | EAN code      |
|---------------------------------------------------------------------------------------|-----------|--------------------------------------------|----------------------|--------------|--------------|--------------|----------------|----------------|---------------|
|    | M18 MPC6  | M18™ mobile PACKOUT™ six bay rapid charger | 6 x M18™             | Simultaneous | AC           | ✓            | ✓              | 4932498552     | 4058546524210 |
|    | M18 PC6   | M18™ PACKOUT™ six bay rapid charger        | 6 x M18™; 1 x USB    | Simultaneous | AC, USB      | ✓            | ✓              | 4932480163     | 4058546404482 |
|    | M18 MDBSC | M18™ mobile dual bay super charger         | 2 x M18™             | Simultaneous | AC           | -            | ✓              | 4932498558     | 4058546524272 |
|    | M18 DBSC  | M18 FUEL™ dual bay super charger           | 2 x M18™             | Simultaneous | AC           | -            | ✓              | 4932492532     | 4058546418991 |
|   | M12-18 FC | M12™ - M18™ fast charger                   | 1 x M12™, 1 x M18™   | Sequential   | AC           | -            | ✓              | 4932451080     | 4002395810598 |
|  | M12-18 AC | M12™-M18™ car charger                      | 1 x M12™, 1 x M18™   | Sequential   | DC           | -            | ✓              | 4932459205     | 4002395287208 |
|  | M18 DFC   | M18™ dual bay rapid charger                | 2 x M18™             | Simultaneous | AC           | -            | ✓              | 4932472074     | 4058546324704 |
|  | M1418 C6  | M14™ - M18™ multibay charger               | 6 x M14™ or 6 x M18™ | Sequential   | AC           | ✓            | ✓              | 4932430310     | 4002395379712 |
|  | C12 C     | M12™ charger                               | 1 x M12™             | Single       | AC           | -            | ✓              | 4932352069     | 4002395367238 |
|  | M12 TC2-0 | M12™ compact charger and power source 2    | 1 x M12™             | Single       | AC, USB      | -            | -              | 4932492909     | 4058546477806 |
|  | M12 C4    | M12™ 4 bay charger                         | 4 x M12™             | Sequential   | AC           | -            | ✓              | 4932430555     | 4002395382163 |



CONSTRUCTION

SCAN HERE FOR  
MORE INFORMATION



BREAKERS



|    |          | Tool reception | Power input (W) | Blow energy [EPTA][J] | No load speed (rpm) | Full load hammer action (bpm) | Full load speed (soft hammer) (rpm) | Max. drilling solid bit (mm) | mx. drilling tunnel bit (mm) | Max. drilling core bit (mm) | Vibration drilling (m/s²) | Vibration chiseling (m/s²) | Weight (kg) | Supplied in  | Article number | EAN code      |
|----|----------|----------------|-----------------|-----------------------|---------------------|-------------------------------|-------------------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|----------------------------|-------------|--------------|----------------|---------------|
| 1. | K 1528 H | K-Hex          | 2100            | 39                    | -                   | 1560                          | -                                   | -                            | -                            | -                           | -                         | 8.8                        | 17.2        | Plastic case | 4933464119     | 4058546220648 |
| 2. | K 1000 S | SDS-Max        | 1750            | 26                    | -                   | 1400 - 1950                   | -                                   | -                            | -                            | -                           | -                         | 6.7                        | 12.7        | Plastic case | 4933464121     | 4058546220662 |
| 3. | K 750 S  | SDS-Max        | 1550            | 11.9                  | 300                 | 2740                          | 240                                 | 50                           | 80                           | 150                         | 9.5                       | 9.1                        | 8.2         | Kitbox       | 4933398601     | 4002395235209 |
| 4. | K 545 S  | SDS-Max        | 1300            | 8.5                   | 450                 | 2840                          | 350                                 | 45                           | 65                           | 100                         | 13                        | 9                          | 6.7         | Kitbox       | 4933398280     | 4002395234066 |

BRT  
BREAKER TROLLEY



- Breaker trolley with 4 chisel location and cable management makes it easy to transport breaker on the jobsite
- 100 kg loading capacity
- Powder coated finish protects against jobsite abuse
- Compatible with K 2000 H and K 2500 H

|                | BRT           |
|----------------|---------------|
| Article Number | 4933459794    |
| EAN Code       | 4058546029661 |

DD 2-160 XE  
2-SPEED DRY DIAMOND DRILL



- Powerful robust motor delivers constant high torque
- Dual protection from the interlinked mechanical and electronic clutches to protect both user and tool
- Robust construction with metal gearbox
- Safe handling from the long AVS side handle and "D- shaped" back handle
- 2-speed gear box
- M16 FIXTEC™ adaptor for fast core bit changing
- Soft hammer action - when activated allows the core bit to cut faster and easier
- Soft start via accelerator switch for precision and controlled drilling
- FIXTEC™ Cleanline rotor (additional)

|                      | DD 2-160 XE   |
|----------------------|---------------|
| Article Number 110 V | 4933368700    |
| EAN Code             | 4002395232512 |
| Article Number 240 V | 4933368705    |
| EAN Code             | 4002395232628 |



SEE PAGE  
107 OR SCAN  
TO VIEW OUR  
WET DIAMOND  
DRILLING  
ACCESSORIES  
RANGE





# METAL WORKING

SCAN HERE FOR  
MORE INFORMATION



## ANGLE GRINDERS

①



②



③



④



|    |                | Power input (W) | No load speed (rpm) | Disc diameter (mm) | Weight (kg) | Switch type          | Brake | Anti_kickback protection | FIXTEC™ | AVS Anti-Vibration System | AVS side handle | Rotatable main handle | Autobalancer system | Line lock out function | Supplied in               | Article number | EAN code      |
|----|----------------|-----------------|---------------------|--------------------|-------------|----------------------|-------|--------------------------|---------|---------------------------|-----------------|-----------------------|---------------------|------------------------|---------------------------|----------------|---------------|
| 1. | AGV 22-230 DMS | 2200            | 6600                | 230                | 5.4         | Deadman switch       | No    | No                       | No      | Yes                       | Yes             | No                    | No                  | No                     | No kitbox or bag supplied | 4933440910     | 4002395001118 |
| 2. | AGV 10-125 EK  | 1000            | 11,000              | 125                | 2.2         | Slide lock-on switch | No    | No                       | No      | No                        | -               | -                     | -                   | Yes                    | No kitbox or bag supplied | 4933451516     | 4002395149889 |
| 3. | AG 10-115 EK   | 1000            | 11,000              | 115                | 2.1         | Slide lock-on switch | No    | No                       | No      | No                        | -               | -                     | -                   | Yes                    | No kitbox or bag supplied | 4933451224     | 4002395260218 |
| 4. | AG 800-115 E   | 800             | 11,500              | 115                | 2.0         | Slide lock-on switch | No    | No                       | No      | No                        | -               | -                     | -                   | Yes                    | No kitbox or bag supplied | 4933451215     | 4002395260829 |





AP 14-2 200 E  
1450 W POLISHER



- Powerful 1450 watt motor for high performance polishing
- Premium high torque gear maintains speed under load
- Variable speed selection from 490 - 2100 RPM for all applications
- 7 speed settings for accurate speed selection
- Thermal overload protection to prevent overheating

|                      | AP 14-2 200 E                     | AP 14-2 200 E SET                                                                                                   |
|----------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Standard equipment   | Side handle, flexible backing pad | Side handle, flexible backing pad, soft & hard polishing sponge, lambswool pad, sanding & finishing compound, cloth |
| Article Number 240 V | 4933442350                        | 4933442355                                                                                                          |
| EAN Code             | 4002395005451                     | 4002395005468                                                                                                       |

AP 12 E  
1200 W POLISHER WITH ELECTRONIC VARIABLE SPEED



- 1200 watt motor
- Ergonomic design for long work shifts
- Special gear for high spindle torque and ideal polishing speed
- Variable speed selection for ideal speed
- Thermal overload protection
- No load speed limitation
- 6 m cable

|                      | AP 12 QE      |
|----------------------|---------------|
| Article Number 240 V | 4933449380    |
| EAN Code             | 4002395245826 |

BS 125  
DEEP CUT BAND SAW



- Powerful 1100 watt motor provides maximum performance and durability
- Largest cutting capacity up to 125 x 125 mm material diameter
- 4 step variable speed selection from 0 - 116 m/min
- Constant power technology maintains cut speed in the toughest applications for optimal performance

|                     | BS 125        |
|---------------------|---------------|
| Article Number 240V | 4933448860    |
| EAN Code            | 4002395811502 |

MS 216  
8 1/2" (216 MM) SLIDING MITRE SAW



- 1800 Watt motor for high performance cutting in hard timber
- Durability - dual vertical steel rails with linear bearings deliver smooth sliding action
- Rail lock - the saw head locks in the back position automatically
- Adjustable laser - for perfect and quick alignment to cut line
- Steel detent plate with preset angles - gives repeatable accurate cuts

|                      | MS 216 SB     |
|----------------------|---------------|
| Article Number 240 V | 4933471054    |
| EAN Code             | 4058546286828 |



WOODWORKING

SCAN HERE FOR  
MORE INFORMATION



SAWZALL™

①



②



|    |             | Power input (W) | No load stroke rate (spm) | Stroke length (mm) | Weight (kg) | Supplied in | Article number | EAN code      |
|----|-------------|-----------------|---------------------------|--------------------|-------------|-------------|----------------|---------------|
| 1. | SSPE 1500 X | 1500            | 0 - 2800                  | 32                 | 4.5         | Kitbox      | 4933429140     | 4002395241705 |
| 2. | SSD 1100 X  | 1100            | 0 - 2900                  | 28                 | 3.2         | Kitbox      | 4933410780     | 4002395237630 |

CIRCULAR SAWS

①



②



|    |           | Power input (W) | No load speed (rpm) | Blade diameter (mm) | Bevel capacity (°) | Max. cutting depth 45° (mm) | Max. cutting depth 90° (mm) | Bore size (mm) | Weight (kg) | Supplied in               | Article number | EAN code      |
|----|-----------|-----------------|---------------------|---------------------|--------------------|-----------------------------|-----------------------------|----------------|-------------|---------------------------|----------------|---------------|
| 1. | CS 85 SB  | 2200            | 4500                | 235                 | 50                 | 67                          | 85                          | 30             | 6.6         | No kitbox or bag supplied | 4933451129     | 4002395137985 |
| 2. | CS 85 CBE | 2200            | 4500                | 235                 | 60                 | 67                          | 85                          | 30             | 7.7         | Kitbox                    | 4933459032     | 4002395281633 |





SANDERS



|    |         | Power input (W) | No load speed (rpm) | Oscillation rate (opm) | Oscillation diameter (mm) | Sanding pad size (mm) | Weight (kg) | Supplied in               | Article number | EAN code      |
|----|---------|-----------------|---------------------|------------------------|---------------------------|-----------------------|-------------|---------------------------|----------------|---------------|
| 3. | SPS 140 | 260             | 14,700              | 28,000                 | 1.6                       | 113 x 105             | 1.6         | No kitbox or bag supplied | 4933447025     | 4002395005833 |

DUST EXTRACTORS



|    |               | Power input (W) | Air volume (l/min) | Filter type | Max. vacuum (mbar) | Capacity (l) | Hose diameter (mm) | Hose length (m) | Weight (kg) | Supplied in               | Article number | EAN code      |
|----|---------------|-----------------|--------------------|-------------|--------------------|--------------|--------------------|-----------------|-------------|---------------------------|----------------|---------------|
| 1. | AS 2-250 ELCP | 1000            | 3600               | PET         | 210                | 25           | 32                 | 3.5             | 10.4        | No kitbox or bag supplied | 4933447490     | 4002395006328 |
| 2. | AS 2-250EM    | 1200            | 3720               | PTFE        | 245                | 25           | 32                 | 4               | 8.0         | No kitbox or bag supplied | 4933493594     | 4058546484651 |

RCS  
REMOTE CONTROL SOCKET AND  
CONTROLLER KIT



|                |               |
|----------------|---------------|
|                | RCS           |
| Article number | 4932478966    |
| EAN code       | 4058546362485 |



MILWAUKEE® IS THE  
SOLUTIONS PROVIDER

ACCESSORIES



HAND TOOLS



OVER  
3000  
SOLUTIONS



OVER  
1400  
SOLUTIONS

STORAGE



OVER  
180  
SOLUTIONS

PPE



OVER  
1000  
SOLUTIONS




# SYSTEM ATTACHMENTS

## SYSTEM ATTACHMENTS - VIBRATORS

### SYSTEM ATTACHMENTS - CONCRETE VIBRATOR WHIPS

|    |               | Description          | Slabs MXF CVBP | Slabs MXF CVBC | Footings MXF CVBP | Footings MXF CVBC | Columns MXF CVBP | Columns MXF CVBC | Walls MXF CVBP | Walls MXF CVBC | Article number | EAN code      |
|----|---------------|----------------------|----------------|----------------|-------------------|-------------------|------------------|------------------|----------------|----------------|----------------|---------------|
| a. | MXF CVS-2 m   | Vibrator shaft 2 m   | ✓✓✓            | ✓              | ✓✓✓               | ✓                 | ✗                | ✗                | ✗              | ✗              | 4932478611     | 4058546348045 |
| b. | MXF CVS-4 m   | Vibrator shaft 4 m   | ✓              | ✓✓             | ✓                 | ✓✓                | ✓✓✓              | ✓✓✓              | ✓✓✓            | ✓✓✓            | 4932478610     | 4058546348038 |
| c. | MXF CVS-6.4 m | Vibrator shaft 6.4 m | ✗              | ✓✓✓            | ✗                 | ✓✓✓               | ✗                | ✓✓✓              | ✗              | ✓✓✓            | 4932479613     | 4058546374075 |



### SYSTEM ATTACHMENTS - CONCRETE VIBRATOR HEADS

|    |               | Description         | Ø (mm) | Article number | EAN code      |
|----|---------------|---------------------|--------|----------------|---------------|
| a. | MXF CVH-25 mm | Vibrator head 25 mm | 25     | 4932479839     | 4058546376338 |
| b. | MXF CVH-38 mm | Vibrator head 38 mm | 38     | 4932478612     | 4058546348052 |
| c. | MXF CVH-50 mm | Vibrator head 50 mm | 50     | 4932478613     | 4058546348069 |
| d. | MXF CVH-63 mm | Vibrator head 63 mm | 63     | 4932479840     | 4058546376345 |



## SYSTEM ATTACHMENTS - HIGH SPEED CONCRETE VIBRATOR

- To choose the perfect head diameter you must consider the needed radius of influence as well as the distance between the rebar
- MILWAUKEE™ provides a range of different sizes to give you the perfect solution for every application

|    |                 | Description                | Ø (mm) | Length [m] | Article number | EAN code      |
|----|-----------------|----------------------------|--------|------------|----------------|---------------|
| a. | MXF CVSHF-2/44  | Vibrator shaft 2 m/ 44 mm  | 44     | 2          | 4932498135     | 4058546512958 |
| b. | MXF CVSHF-5/44  | Vibrator shaft 5 m/ 44 mm  | 44     | 5          | 4932498136     | 4058546512965 |
| c. | MXF CVSHF-10/44 | Vibrator shaft 10 m/ 44 mm | 44     | 10         | 4932498137     | 4058546512972 |
| d. | MXF CVSHF-2/57  | Vibrator shaft 2 m/ 57 mm  | 57     | 2          | 4932498917     | 4058546527860 |
| e. | MXF CVSHF-5/57  | Vibrator shaft 5 m/ 57 mm  | 57     | 5          | 4932498138     | 4058546512989 |
| f. | MXF CVSHF-10/57 | Vibrator shaft 10 m/ 57 mm | 57     | 10         | 4932498139     | 4058546512996 |



## SYSTEM ATTACHMENTS - PLATE COMPACTOR


|    |             | Description                             | Features                                                                                                                                                                                                                                                                                                           | Article number | EAN code      |
|----|-------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| a. | MXF PC50 PP | Paver pad for MX FUEL™ plate compactor  | The Paver Pad attaches to both the front and back of the base plate for dual-direction compaction on bricks, pavers, and patio stones<br>Included is mounting bolts and an installation tool that can be stored on the compactor for quick and easy access<br>For use with the MX FUEL™ Plate Compactor (MXF PC50) | 4932493273     | 4058546481445 |
| b. | MXF PC50 WK | Wheel kit for MX FUEL™ plate compactor  | Wheel kit for easy maneuverability<br>For use with the MX FUEL™ Plate Compactor (MXF PC50)                                                                                                                                                                                                                         | 4932493274     | 4058546481452 |
| c. | MXF PC50 WT | Water tank for MX FUEL™ plate compactor | 13 litre water tank with quick-release attachment<br>Adjustable flow rate dial for easy control and optimised water flow<br>For use with the MX FUEL™ Plate Compactor (MXF PC50)                                                                                                                                   | 4932498924     | 4058546527938 |



## SYSTEM ATTACHMENTS - SCREED


- Our screed blades have an extra rigid, double triangle design to transmit consistent vibrations across the length of the bar, with minimal variability
- Constructed from lightweight magnesium to reduce the weight of the screed
- The screed blade utilises a clamp design with no holes through the bar, allowing you to quickly attach the blade at any point on the machine
- Blade lengths from 1.22 m up to 4.87 m
- Compatible with the MX FUEL™ Screed

|    |               | Description                                         | Length [m] | Weight (kg) | Article number | EAN code      |
|----|---------------|-----------------------------------------------------|------------|-------------|----------------|---------------|
| a. | MXF PSB-1.22m | Screed blade for MX FUEL™ screed (MXF PSC) - 1.22 m | 1.22       | 3.6         | 4932479776     | 4058546375706 |
| b. | MXF PSB-1.83m | Screed blade for MX FUEL™ screed (MXF PSC) - 1.83 m | 1.83       | 5.5         | 4932479777     | 4058546375713 |
| c. | MXF PSB-2.44m | Screed blade for MX FUEL™ screed (MXF PSC) - 2.44 m | 2.44       | 7.3         | 4932479778     | 4058546375720 |
| d. | MXF PSB-3.00m | Screed blade for MX FUEL™ screed (MXF PSC) - 3.0 m  | 3.00       | 9.1         | 4932479779     | 4058546375737 |
| e. | MXF PSB-3.65m | Screed blade for MX FUEL™ screed (MXF PSC) - 3.65 m | 3.65       | 10.9        | 4932479780     | 4058546375744 |
| f. | MXF PSB-4.25m | Screed blade for MX FUEL™ screed (MXF PSC) - 4.25 m | 4.25       | 12.8        | 4932479781     | 4058546375751 |
| g. | MXF PSB-4.87m | Screed blade for MX FUEL™ screed (MXF PSC) - 4.87 m | 4.87       | 14.6        | 4932479782     | 4058546375768 |
| h. | MXF PSCA      | MX FUEL™ screed bar adapter to L-shape              | -          | -           | 4932499258     | 4058546564223 |



## SYSTEM ATTACHMENTS - TROWEL

|    |              | Description                                                        | Fits Milwaukee trowel | Article number | EAN code      |
|----|--------------|--------------------------------------------------------------------|-----------------------|----------------|---------------|
| a. | MXF WBT60P   | Pan for MX FUEL™ 600 mm walk behind edging trowel                  | MXF WBT60             | 4932498919     | 4058546527884 |
| b. | MXF WBT60CB  | 4 pc blade set for MX FUEL™ 600 mm walk behind edging trowel       | MXF WBT60             | 4932498918     | 4058546527877 |
| c. | MXF WBT90CB  | 4pc blade set for MX FUEL™ 900 mm walk behind power trowel         | MXF WBT90             | 4932498920     | 4058546527891 |
| d. | MXF WBT90FIB | 4 pc finish blade set for MX FUEL™ 900 mm walk behind power trowel | MXF WBT90             | 4932498923     | 4058546527921 |
| e. | MXF WBT90FLB | 4 pc float blades for MX FUEL™ 900 mm walk behind power trowel     | MXF WBT90             | 4932498922     | 4058546527914 |





SYSTEM ATTACHMENTS - PIPE THREADER

|    |                                                          | Description                                              | Features                                                                                                                                                                                                                                                                                                                         | Article number | EAN code      |
|----|----------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| a. | Reamer cone for MX FUEL™ pipe threading machine 2"       | Reamer cone for MX FUEL™ pipe threading machine 2"       | Replacement cone for the MX FUEL™ pipe threading machine 2"Durable metal constructionRemoves inner pipe bursEasy replacement process                                                                                                                                                                                             | 49165105       | 045242833634  |
| b. | Pipe cutter wheel for MX FUEL™ pipe threading machine 2" | Pipe cutter wheel for MX FUEL™ pipe threading machine 2" | Black oxide coatedFor use in black iron pipe, rigid metal conduit, galvanized steel, and stainless steel55Si2Mn steelOne pack contains 4x cutter wheels                                                                                                                                                                          | 48361401       | 045242745920  |
| c. | Threading jaw inserts for MXF PTR2                       | Threading jaw inserts for PVC coated pipes               | Standard threading jaws for steel pipesSpecial threading jaws for PVC coated pipesLaw inserts are sold in packages of 6 for replacement of all inserts in the front and backside hammer chuck                                                                                                                                    | 49165102       | 045242771288  |
| d. |                                                          | Threading jaw inserts for pipes                          |                                                                                                                                                                                                                                                                                                                                  | 49165104       | 045242833627  |
| e. | Pipe theader adapter kit for Ridgid 11-R                 | Pipe theader adapter kit for Ridgid                      | Adapter kit for M18 FPT2, pipe threaderSmall adapter for sizes 1/8" up to 1-1/4"Large adapter for 1-1/2" up to 2"                                                                                                                                                                                                                | 4932478838     | 4058546361204 |
| f. | Pipe theader adapter kit for REMS                        | Pipe theader adapter kit for REMS                        | Adapter kit for M18 FPT2, pipe threaderSmall adapter for sizes 1/8" up to 1-1/4"Large adapter for 1-1/2" up to 2"                                                                                                                                                                                                                | 4932478839     | 4058546361211 |
| g. | Pipe theader adapter kit for Rothenberger                | Pipe theader adapter kit for Rothenberger                | Adapter kit for M18 FPT2, pipe threaderSmall adapter for sizes 1/8" up to 1-1/4"Large adapter for 1-1/2" up to 2"                                                                                                                                                                                                                | 4932478840     | 4058546361228 |
| h. | Pipe threader oil                                        | Mineral threading oil, 5 litre                           | 5l Canister of threading oil for use with the MX FUEL™ Pipe Threading Machine5l Canister of threading oil for use with the MX FUEL™ Pipe Threading MachineIdeal cooling performance ensuring high quality threadsMineral Based oil not for use on drink water linesSynthetic oil with DVGW approval for use on drink water lines | 4932493462     | 4058546483333 |
| i. |                                                          | Synthetic threading oil, 5 litre                         |                                                                                                                                                                                                                                                                                                                                  | 4932493463     | 4058546483340 |



SYSTEM ATTACHMENTS - PIPE THREADER DIES

- High performance threader dies ensure perfect threads and long lasting performance in combination with the MILWAUKEE® threaders
- Dies are available in two types of thread geometries: BSPT (British Standard Pipe Taper) and NPT (National Taper Pipe)
- Dies are available in two diferent grades: Alloy dies for long lasting performance on black and galvanised pipes and HS dies for best performance on stainless steel pipes
- One set contains 4 single cutting dies that are needed to equip one die head

|    |                              | Type       | Thread size [inch] | Fits Milwaukee pipe threader | Article number | EAN code      |
|----|------------------------------|------------|--------------------|------------------------------|----------------|---------------|
| a. | FPTD 3/4" NPT HS             | NPT HS     | 3/4                | M18 FPT114,M18 FPT2          | 48361108       | 045242608720  |
|    | FPTD 1" NPT HS               | NPT HS     | 1                  | M18 FPT114,M18 FPT2          | 48361109       | 045242608737  |
|    | FPTD 1 1/4" NPT HS           | NPT HS     | 1 - 1/4            | M18 FPT114,M18 FPT2          | 48361110       | 045242608744  |
|    | FPTD 1 1/2" NPT HS           | NPT HS     | 1 - 1/2            | M18 FPT114,M18 FPT2          | 48361111       | 045242608751  |
|    | FPTD 2" NPT HS               | NPT HS     | 2                  | M18 FPT114,M18 FPT2          | 48361112       | 045242608768  |
| b. | FPTD 1/2" BSPT Alloy         | BSPT Alloy | 1/2                | M18 FPT114,M18 FPT2          | 4932480227     | 4058546405120 |
|    | FPTD 3/4" BSPT Alloy         | BSPT Alloy | 3/4                | M18 FPT114,M18 FPT2          | 4932480228     | 4058546405137 |
|    | FPTD 1" BSPT Alloy           | BSPT Alloy | 1                  | M18 FPT114,M18 FPT2          | 4932480229     | 4058546405144 |
|    | FPTD 1 1/4" BSPT Alloy       | BSPT Alloy | 1 - 1/4            | M18 FPT114,M18 FPT2          | 4932480230     | 4058546405151 |
|    | FPTD 1 1/2" BSPT Alloy       | BSPT Alloy | 1 - 1/2            | M18 FPT114,M18 FPT2          | 4932480231     | 4058546405168 |
| c. | FPTD 2" BSPT Alloy           | BSPT Alloy | 2                  | M18 FPT114,M18 FPT2          | 4932480232     | 4058546405175 |
|    | FPTD 1/2" BSPT HS            | BSPT HS    | 1/2                | M18 FPT114,M18 FPT2          | 4932480233     | 4058546405182 |
|    | FPTD 3/4" BSPT HS            | BSPT HS    | 3/4                | M18 FPT114,M18 FPT2          | 4932480234     | 4058546405199 |
|    | FPTD 1" BSPT HS              | BSPT HS    | 1                  | M18 FPT114,M18 FPT2          | 4932480235     | 4058546405205 |
|    | FPTD 1 1/4" BSPT HS          | BSPT HS    | 1 - 1/4            | M18 FPT114,M18 FPT2          | 4932480236     | 4058546405212 |
| d. | FPTD 1 1/2" BSPT HS          | BSPT HS    | 1 - 1/2            | M18 FPT114,M18 FPT2          | 4932480237     | 4058546405229 |
|    | FPTD 2" BSPT HS              | BSPT HS    | 2                  | M18 FPT114,M18 FPT2          | 4932480238     | 4058546405236 |
|    | PTR2D 1/2" - 3/4" NPT HSS    | NPT HSS    | 1/2 - 3/4          | MXF PTR2                     | 48361205       | 045242745876  |
|    | PTR2D 1" - 2" NPT HSS        | NPT HSS    | 1 - 2              | MXF PTR2                     | 48361206       | 045242745906  |
|    | PTR2D 1/2" - 3/4" BSPT Alloy | BSPT Alloy | 1/2 - 3/4          | MXF PTR2                     | 4932492924     | 4058546477950 |
| e. | PTR2D 1" - 2" BSPT Alloy     | BSPT Alloy | 1 - 2              | MXF PTR2                     | 4932492925     | 4058546477967 |
| f. | PTR2D 1/2" - 3/4" BSPT HS    | BSPT HS    | 1/2 - 3/4          | MXF PTR2                     | 4932492926     | 4058546477974 |
|    | PTR2D 1" - 2" BSPT HS        | BSPT HS    | 1 - 2              | MXF PTR2                     | 4932492927     | 4058546477981 |
|    | PTR2D 1/2" - 3/4" BSPT HSS   | BSPT HSS   | 1/2 - 3/4          | MXF PTR2                     | 4932492928     | 4058546477998 |
| g. | PTR2D 1" - 2" BSPT HSS       | BSPT HSS   | 1 - 2              | MXF PTR2                     | 4932492929     | 4058546478001 |



SYSTEM ATTACHMENTS - PIPE THREADER DIE HEADS


- Up to 50% lighter than competitive die heads
- Available sizes from 1/2" up to 2"
- Die heads always include a set of BSPT alloy dies

|    |                           | Description                                          | Fits Milwaukee pipe threader | Thread size [inch]                 | Type       | Article number | EAN code      |
|----|---------------------------|------------------------------------------------------|------------------------------|------------------------------------|------------|----------------|---------------|
| a. | FPT2H 1/2" BSPT Alloy     | FPT2H 1/2" BSPT Alloy                                | M18 FPT2                     | 1/2                                | BSPT Alloy | 4932480239     | 4058546405243 |
|    | FPT2H 3/4" BSPT Alloy     | FPT2H 3/4" BSPT Alloy                                | M18 FPT2                     | 3/4                                | BSPT Alloy | 4932480240     | 4058546405250 |
|    | FPT2H 1" BSPT Alloy       | FPT2H 1" BSPT Alloy                                  | M18 FPT2                     | 1                                  | BSPT Alloy | 4932480241     | 4058546405267 |
|    | FPT2H 1-1/4" BSPT Alloy   | FPT2H 1 1/4" BSPT Alloy                              | M18 FPT2                     | 1 1/4                              | BSPT Alloy | 4932480242     | 4058546405274 |
|    | FPT2H 1-1/2" BSPT Alloy   | FPT2H 1 1/2" BSPT Alloy                              | M18 FPT2                     | 1 1/2                              | BSPT Alloy | 4932480243     | 4058546405281 |
| b. | FPT2H 2" BSPT Alloy       | FPT2H 2" BSPT Alloy                                  | M18 FPT2                     | 2                                  | BSPT Alloy | 4932480244     | 4058546405298 |
|    | FPT114H 1/2" BSPT Alloy   | FPT114H 1/2" BSPT Alloy                              | M18 FPT114                   | 1/2                                | BSPT Alloy | 4932480245     | 4058546405304 |
|    | FPT114H 3/4" BSPT Alloy   | FPT114H 3/4" BSPT Alloy                              | M18 FPT114                   | 3/4                                | BSPT Alloy | 4932480246     | 4058546405311 |
|    | FPT114H 1" BSPT Alloy     | FPT114H 1" BSPT Alloy                                | M18 FPT114                   | 1                                  | BSPT Alloy | 4932480247     | 4058546405328 |
|    | FPT114H 1-1/4" BSPT Alloy | FPT114H 1 1/4" BSPT Alloy                            | M18 FPT114                   | 1 1/4                              | BSPT Alloy | 4932480248     | 4058546405335 |
| c. | FPT2HK BSPT Alloy         | FPT2HK BSPT Alloy Packout Head Kit                   | M18 FPT2                     | 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" | BSPT Alloy | 4932480249     | 4058546405342 |
| d. | FPT114HK BSPT Alloy       | FPT114HK BSPT Alloy Packout Head Kit                 | M18 FPT114                   | 1/2", 3/4", 1", 1 1/4"             | BSPT Alloy | 4932480250     | 4058546405359 |
| e. | PTR2 DH NPT               | NPT die head for MMX FUEL™ pipe threading machine 2" | MXF PTR2                     | 1/2"-2"                            | NPT        | 49165100       | 045242771264  |
|    | PTR2 DH BSPT              | BSPT die head for MX FUEL™ pipe threading machine 2" | MXF PTR2                     | 1/2"-2"                            | BSPT       | 49165103       | 045242810109  |





SYSTEM ATTACHMENTS - MAGNETIC DRILL STANDS



SYSTEM ATTACHMENTS - WET DIAMOND DRILLING

|    | Description                                                                                                                                                                                                                               | Fits to DD3 152 | Fits DCM2 250C & DCM2 350C | Fits MXF DCD150 | Fits MXF DCD350 | Article number | EAN code      |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------|-----------------|-----------------|----------------|---------------|
| a. | Fixing kit. For exclusive use in concrete. Ø 16 mm drill bit is required to set the drop anchor                                                                                                                                           | ✓               | ✓                          | ✓               | ✓               | 4932399731     | 4002395363827 |
|    | 1 1/4" female to 1/2" female adaptor: To enable the connection of <50 mm diamond core bits on a 1 1/4" machine spindle thread                                                                                                             | ✓               | ✓                          |                 | ✓               | 4932352627     | 4002395372850 |
|    | 1 1/4" female / male extension rod, length 300 mm                                                                                                                                                                                         | ✓               | ✓                          | ✓               | ✓               | 4932399724     | 4002395363759 |
| b. | 1 1/4" female / male extension rod, length 500 mm                                                                                                                                                                                         | ✓               | ✓                          | ✓               | ✓               | 4932399725     | 4002395363766 |
| c. | Telescopic extension. Extension pole used to fix drill rig to the ground instead of anchor bolts. Maximum load of 500 kg and adjustable extension height from 1.8-2.9 m                                                                   | ✓               | ✓                          | ✓               |                 | 4932399732     | 4002395363834 |
| d. | Vacuum pump VP6: For fastening of the diamond drill rig on smooth and even surfaces. Suction capacity: 850 mbar. Max. vacuum pressure: 6 m³/h / 100 l/min. Rated voltage: 220-240 V                                                       | ✓               | ✓                          | ✓               | ✓               | 4932352094     | 4002395367474 |
| e. | WT 10 watertank. 10 liters capacity, steel, water tank with inside and outside polyester coating. Reliable brass pump with a max. pressure bar of 6 bar. 2.5 m hose with quick connection system fits direct to Milwaukee® diamond drills | ✓               | ✓                          | ✓               | ✓               | 4932399726     | 4002395363773 |
| f. | Water collection ring: For use with drill rig DR 152 T. For use with max. Ø 152 mm core bits                                                                                                                                              |                 |                            |                 |                 | 4932352677     | 4002395373352 |
|    | Water collection ring: For use with drill rig DR 250 TV. For use with max. Ø 180 mm core bits                                                                                                                                             |                 |                            | ✓               |                 | 4932399727     | 4002395363780 |
| g. | Replacement rubber ring for DR 250 TV                                                                                                                                                                                                     |                 |                            | ✓               |                 | 4932399729     | 4002395363803 |
|    | Water collection ring: For use with drill rig DR 350 T. For use with max. Ø 300 mm core bits                                                                                                                                              |                 |                            |                 |                 | 4932399728     | 4002395363797 |
| h. | Replacement rubber ring for DR 350 T                                                                                                                                                                                                      |                 |                            |                 |                 | 4932399730     | 4002395363810 |
| i. | Quick connection motor mounting plate. Included in both drill rigs DR 250 TV and DR 350 T                                                                                                                                                 |                 | ✓                          |                 |                 | 4932399733     | 4002395363841 |
|    | Water collection ring: For universal use with diamond drilling tools. For use with max. Ø 152 mm core bits                                                                                                                                | ✓               | ✓                          | ✓               | ✓               | 4932478073     | 4058546340063 |





SYSTEM ATTACHMENTS - DRAIN CLEANERS

|                       | Description                                       | Fits drain cleaners<br>M12BDC6, M12 BDC8 | Fits drain cleaners<br>M18 FDCPF8, M18<br>FDCPF10 | Fits drain cleaners M18<br>FFSDC16, M18 FFSDC13,<br>M18 FFSDC10 | Fits drain cleaners<br>MXF LSDP | Article<br>number | EAN code      |  |
|-----------------------|---------------------------------------------------|------------------------------------------|---------------------------------------------------|-----------------------------------------------------------------|---------------------------------|-------------------|---------------|--|
| Open wind spiral SD   | 16 mm x 15 m spiral                               |                                          |                                                   | ✓                                                               |                                 | 48532775          | 045242513109  |  |
| Tight wind spiral HH  | Ø 6 mm x 7.6 m spiral, bulb auger                 | ✓                                        |                                                   |                                                                 |                                 | 48532573          | 045242471270  |  |
|                       | Ø 8 mm x 7.6 m pivot bulb auger spiral            | ✓                                        |                                                   |                                                                 |                                 | 48532572          | 045242364206  |  |
|                       | Ø 6 mm x 7.6 m pivot bulb auger spiral            | ✓                                        |                                                   |                                                                 |                                 | 48532574          | 045242471287  |  |
|                       | 6 mm x 10.5 m spiral bulb auger                   |                                          | ✓                                                 |                                                                 |                                 | 48532671          | 045242482740  |  |
|                       | 6 mm x 15 m spiral bulb auger                     |                                          | ✓                                                 |                                                                 |                                 | 48532672          | 045242482757  |  |
|                       | 8 mm x 10.5 m spiral bulb auger                   |                                          | ✓                                                 |                                                                 |                                 | 48532673          | 045242482764  |  |
|                       | 8 mm x 15 m spiral bulb auger.                    |                                          | ✓                                                 |                                                                 |                                 | 48532674          | 045242482771  |  |
|                       | 10 mm x 10.5 m spiral                             |                                          | ✓                                                 |                                                                 |                                 | 48532675          | 045242482788  |  |
|                       | Ø 6 mm x 7.6 m spiral, bulb auger with drum       | ✓                                        |                                                   |                                                                 |                                 | 48532581          | 045242480586  |  |
|                       | Ø 6 mm x 7.6 m spiral, pivot bulb auger with drum | ✓                                        |                                                   |                                                                 |                                 | 48532582          | 045242480593  |  |
|                       | Ø 8 mm x 7.6 m spiral, bulb auger with drum       | ✓                                        |                                                   |                                                                 |                                 | 48532583          | 045242480609  |  |
|                       | Ø 8 mm x 7.6 m spiral, pivot bulb auger with drum | ✓                                        |                                                   |                                                                 |                                 | 48532584          | 045242480616  |  |
| Tight wind spiral SD  | 8 mm x 23 m inner core bulb head                  |                                          |                                                   | ✓                                                               |                                 | 48532772          | 045242513079  |  |
|                       | 10 mm x 15.2 m inner core coupling end            |                                          |                                                   | ✓                                                               |                                 | 48532773          | 045242513086  |  |
|                       | 13 mm x 15 m spiral                               |                                          |                                                   | ✓                                                               |                                 | 48532774          | 045242513093  |  |
|                       | 16 mm x 7.6 m inner core coupling end             |                                          |                                                   |                                                                 | ✓                               | 4932471701        | 4058546296001 |  |
|                       | 16 mm x 15.2 m inner core coupling end            |                                          |                                                   |                                                                 | ✓                               | 4932471702        | 4058546296018 |  |
|                       | 20 mm x 7.6 m inner core coupling end             |                                          |                                                   |                                                                 | ✓                               | 4932471703        | 4058546296025 |  |
|                       | 20 mm x 15.2 m inner core coupling end            |                                          |                                                   |                                                                 | ✓                               | 4932471704        | 4058546296032 |  |
|                       | 16 mm anchor cable coupling end                   |                                          |                                                   |                                                                 | ✓                               | 4932471707        | 4058546296063 |  |
|                       | 16 mm x 60 cm leader cable coupling end           |                                          |                                                   |                                                                 | ✓                               | 4932471708        | 4058546296070 |  |
|                       | 20 mm x 600 mm leader cable coupling end          |                                          |                                                   |                                                                 | ✓                               | 4932471709        | 4058546296087 |  |
| Bulb auger HH         | Retriever bulb                                    |                                          | ✓                                                 | ✓                                                               |                                 | 48532681          | 045242503803  |  |
| C-cutter HH           | 25 mm grease cutter                               |                                          | ✓                                                 | ✓                                                               |                                 | 48532684          | 045242503834  |  |
| C-cutter SD           | Medium C cutter for 10, 13, 16 mm cables          |                                          | ✓                                                 | ✓                                                               |                                 | 48532789          | 045242006137  |  |
| Chain knocker SD      | 75 mm chain knocker for 16, 20 mm cables          |                                          |                                                   |                                                                 | ✓                               | 48532837          | 4058546323448 |  |
|                       | 100 mm chain knocker for 16, 20 mm cables         |                                          |                                                   |                                                                 | ✓                               | 48532838          | 4058546323455 |  |
| Drop head HH          | Down retriever bulb                               |                                          | ✓                                                 | ✓                                                               |                                 | 48532682          | 045242503810  |  |
| Drop head SD          | Drop head                                         |                                          | ✓                                                 | ✓                                                               |                                 | 48532787          | 045242006113  |  |
| Funnel auger SD       | Funnel auger for 16, 20 mm cables                 |                                          |                                                   |                                                                 | ✓                               | 48532831          | 4058546323387 |  |
|                       | Funnel retriever                                  |                                          | ✓                                                 | ✓                                                               |                                 | 48532786          | 045242006106  |  |
| Head kit HH           | M18™ small 5 pcs attachment set                   |                                          | ✓                                                 | ✓                                                               |                                 | 48532685          | 045242503841  |  |
| Head kit SD           | M18™ medium 5 pcs attachment set                  |                                          | ✓                                                 | ✓                                                               |                                 | 48532790          | 045242006144  |  |
|                       | 9 pc head kit 16, 20 mm cables                    |                                          |                                                   |                                                                 | ✓                               | 48532840          | 4058546296131 |  |
| Opening tool SD       | Small opening tool for 16, 20 mm cables           |                                          |                                                   |                                                                 | ✓                               | 48532835          | 4058546323424 |  |
|                       | Medium opening tool for 16, 20 mm cables          |                                          |                                                   |                                                                 | ✓                               | 48532836          | 4058546323431 |  |
| Root cutter SD        | 75 mm root cutter for 16, 20 mm cables            |                                          |                                                   |                                                                 | ✓                               | 48532832          | 4058546323394 |  |
|                       | 100 mm root cutter for 16, 20 mm cables           |                                          |                                                   |                                                                 | ✓                               | 48532833          | 4058546323400 |  |
|                       | 150 mm root cutter for 16, 20 mm cables           |                                          |                                                   |                                                                 | ✓                               | 48532834          | 4058546323417 |  |
| Spade bit HH          | 25 mm spade bit                                   |                                          | ✓                                                 | ✓                                                               |                                 | 48532683          | 045242503827  |  |
| Spade bit SD          | 36 mm spade bit                                   |                                          | ✓                                                 | ✓                                                               |                                 | 48532788          | 045242006120  |  |
| Straight auger SD     | Straight auger for 16, 20 mm cables               |                                          |                                                   |                                                                 | ✓                               | 48532830          | 4058546323370 |  |
| SWITCH PACK™ autofeed | SWITCH PACK™ auto feed for M18 FFSDC series       |                                          |                                                   | ✓                                                               |                                 | 4932471993        | 4058546298920 |  |
| GHSAF                 | Guide hose for SWITCH PACK™ auto feed             |                                          |                                                   | ✓                                                               |                                 | 4932471994        | 4058546298937 |  |
| BPSAF                 | Base plate for SWITCH PACK™ auto feed             |                                          |                                                   | ✓                                                               |                                 | 4932478225        | 4058546344023 |  |
| SWITCH PACK™ drum     | Drain cleaner drum only                           |                                          |                                                   | ✓                                                               |                                 | 4932464277        | 4058546222222 |  |
| MX drum guide hose    | Guide hose for MXFLSDP                            |                                          |                                                   |                                                                 | ✓                               | 4932478110        | 4058546340421 |  |
| Pin key               | Pin key for all cables                            |                                          | ✓                                                 | ✓                                                               | ✓                               | 4932471717        | 4058546296162 |  |

SYSTEM ATTACHMENTS - SECTIONAL SEWER MACHINES

|                     | Description                                     | Fits sewer machine M18<br>FCSSM | Fits sewer machine M18<br>FSSM | Article number | EAN code      |  |
|---------------------|-------------------------------------------------|---------------------------------|--------------------------------|----------------|---------------|--|
| Open wind spiral SM | 16 mm x 2.3 m open wind coupling end            | ✓                               |                                | 4932478413     | 4058546346041 |  |
|                     | 16 mm x 2.3 m open wind inner core coupling     | ✓                               |                                | 4932478414     | 4058546346058 |  |
|                     | 22 mm x 4.5 m open wind inner core coupling end | ✓                               | ✓                              | 4932478415     | 4058546346065 |  |
|                     | 22 mm x 4.5 m open wind coupling end            | ✓                               | ✓                              | 4932471712     | 4058546296117 |  |
|                     | 22 mm x 4.5 m open wind coupling end kit        | ✓                               | ✓                              | 4932471713     | 4058546296124 |  |
|                     | 32 mm x 4.5 m open wind coupling end            |                                 | ✓                              | 4932471710     | 4058546296094 |  |
|                     | 32 mm x 4.5 m open wind heavy duty coupling end |                                 | ✓                              | 4932471711     | 4058546296100 |  |
| Drop head SM        | Drop head bulb 16 mm cables                     | ✓                               |                                | 48533811       | 4058546346133 |  |
|                     | Drop head straight 16 mm cables                 | ✓                               |                                | 48533812       | 4058546346126 |  |
| Funnel auger SM     | Funnel auger for 16 mm cables                   | ✓                               |                                | 48533813       | 4058546346140 |  |
|                     | Small funnel auger for 22 mm cables             | ✓                               | ✓                              | 48533828       | 4058546346089 |  |
|                     | Medium funnel auger for 22 mm cables            | ✓                               | ✓                              | 48533831       | 4058546323479 |  |
|                     | Funnel auger for 32 mm cables                   |                                 | ✓                              | 48534831       | 4058546323561 |  |
| Opening tool SM     | Extra small opening tool for 16 mm cables       | ✓                               |                                | 48533814       | 4058546346157 |  |
|                     | Small opening tool for 16 mm cables             | ✓                               |                                | 48533815       | 4058546346164 |  |
|                     | Small opening tool for 22 mm cables             | ✓                               | ✓                              | 48533827       | 4058546346096 |  |
|                     | Small opening tool for 22 mm cables             | ✓                               | ✓                              | 48533835       | 4058546323516 |  |
|                     | Medium opening tool for 22 mm cables            | ✓                               | ✓                              | 48533836       | 4058546323523 |  |
|                     | Small opening tool for 32 mm cables             |                                 | ✓                              | 48534835       | 4058546323608 |  |
|                     | Medium opening tool for 32 mm cables            |                                 | ✓                              | 48534836       | 4058546323615 |  |
| Spring cleaner SM   | Spring cleaner for 16 mm cables                 | ✓                               |                                | 48533816       | 4058546346171 |  |
| Root cutter SM      | 50 mm root cutter for 22 mm cables              | ✓                               | ✓                              | 48533825       | 4058546346119 |  |
|                     | 75 mm root cutter for 22 mm cables              | ✓                               | ✓                              | 48533832       | 4058546323486 |  |
|                     | 100 mm root cutter for 22 mm cables             | ✓                               | ✓                              | 48533833       | 4058546323493 |  |
|                     | 150 mm root cutter for 22 mm cables             | ✓                               | ✓                              | 48533834       | 4058546323509 |  |
|                     | 75mm root cutter for 32 mm cables               |                                 | ✓                              | 48534832       | 4058546323578 |  |
|                     | 100 mm root cutter for 32 mm cables             |                                 | ✓                              | 48534833       | 4058546323585 |  |
|                     | 150 mm root cutter for 32 mm cables             |                                 | ✓                              | 48534834       | 4058546323592 |  |
| Straight auger SM   | Small straight auger for 22 mm cables           | ✓                               | ✓                              | 48533829       | 4058546346072 |  |
|                     | Medium straight auger for 22 mm cables          | ✓                               | ✓                              | 48533830       | 4058546323462 |  |
|                     | Straight auger for 32 mm cables                 |                                 | ✓                              | 48534830       | 4058546323554 |  |
| Chain knocker SM    | 75 mm chain knocker for 22 mm spirals           | ✓                               | ✓                              | 48533837       | 4058546323530 |  |
|                     | 100 mm chain knocker 22 mm cables               | ✓                               | ✓                              | 48533838       | 4058546323547 |  |
|                     | 75 mm chain knocker for 32 mm spirals           |                                 | ✓                              | 48534837       | 4058546323622 |  |
|                     | 100 mm chain knocker 32 mm cables               |                                 | ✓                              | 48534838       | 4058546323639 |  |
| Head kit SM         | 9pc head kit for 22 mm cables                   | ✓                               | ✓                              | 48533840       | 4058546296148 |  |
|                     | 9pc head kit for 32 mm cables                   |                                 | ✓                              | 48534839       | 4058546296155 |  |
| Small guide hose    | Small guide hose for FCSSM                      | ✓                               |                                | 4932478410     | 4058546346010 |  |
| Medium guide hose   | Medium guide hose for FCSSM                     | ✓                               |                                | 4932478409     | 4058546346003 |  |
| Large guide hose    | Large guide hose for FSSM                       |                                 | ✓                              | 4932471720     | 4058546296193 |  |
| Cable drum          | Cable drum for 16mm spirals                     | ✓                               |                                | 4932478412     | 4058546346034 |  |
|                     | Cable drum for 22mm spirals                     | ✓                               | ✓                              | 4932478411     | 4058546346027 |  |
|                     | Cable drum for 32mm spirals                     |                                 | ✓                              | 4932471719     | 4058546296186 |  |
| Pin key             | Pin key for all cables                          | ✓                               | ✓                              | 4932471717     | 4058546296162 |  |



SYSTEM ATTACHMENTS - PRESS JAWS

|    | Jaw profile | Fits to following pipe system suppliers                                                                              | Fits Milwaukee Press tool | Nominal size | Tool suitability | Description  | Requires          | Article number | EAN code      |
|----|-------------|----------------------------------------------------------------------------------------------------------------------|---------------------------|--------------|------------------|--------------|-------------------|----------------|---------------|
| a. | M           | Geberit: Mapress VSH: X-Press Eurotubi Raccorderie Metallique Rubinetterie Bresciane Sanha: Nirosan Pegler Yorkshire | M12 HPT, M12 ONEHPT       | 12           | M12              | J12-M12      | -                 | 4932430243     | 4002395379040 |
|    |             |                                                                                                                      | M12 HPT, M12 ONEHPT       | 15           | M12              | J12-M15      | -                 | 4932430245     | 4002395379064 |
|    |             |                                                                                                                      | M12 HPT, M12 ONEHPT       | 18           | M12              | J12-M18      | -                 | 4932430247     | 4002395379088 |
|    |             |                                                                                                                      | M12 HPT, M12 ONEHPT       | 22           | M12              | J12-M22      | -                 | 4932430249     | 4002395379101 |
|    |             |                                                                                                                      | M12 HPT, M12 ONEHPT       | 28           | M12              | J12-M28      | -                 | 4932430251     | 4002395379125 |
|    |             |                                                                                                                      | M12 HPT, M12 ONEHPT       | 35           | M12              | J12-M35      | -                 | 4932430253     | 4002395379149 |
|    |             |                                                                                                                      | M18 HPT, M18 BLHPT        | 12           | M18              | J18-M12      | -                 | 4932430244     | 4002395379057 |
|    |             |                                                                                                                      | M18 HPT, M18 BLHPT        | 15           | M18              | J18-M15      | -                 | 4932430246     | 4002395379071 |
|    |             |                                                                                                                      | M18 HPT, M18 BLHPT        | 18           | M18              | J18-M18      | -                 | 4932430248     | 4002395379095 |
|    |             |                                                                                                                      | M18 HPT, M18 BLHPT        | 22           | M18              | J18-M22      | -                 | 4932430250     | 4002395379118 |
| b. | M           | Geberit: Mapress VSH: X-Press Eurotubi Raccorderie Metallique Rubinetterie Bresciane Sanha: Nirosan Pegler Yorkshire | M18 HPT, M18 BLHPT        | 28           | M18              | J18-M28      | -                 | 4932430252     | 4002395379132 |
|    |             |                                                                                                                      | M12 HPT                   | 35           | M18              | J18-M35      | -                 | 4932430254     | 4002395379156 |
|    |             |                                                                                                                      | M18 HPT, M18 BLHPT        | 42           | M18              | RJ18-M42     | RJA-1             | 4932430255     | 4002395379163 |
|    |             |                                                                                                                      | M18 HPT, M18 BLHPT        | 54           | M18              | RJ18-M54     | RJA-1             | 4932430256     | 4002395379170 |
|    |             |                                                                                                                      | M18 HPT, M18 BLHPT        | -            | -                | RJA-1        | -                 | 4932430307     | 4002395379682 |
|    |             |                                                                                                                      | M18 BLHPTXL               | 76.1         | M18              | RJ18XL-M76.1 | RJAXL-1           | 4932479458     | 4058546372521 |
|    |             |                                                                                                                      | M18 BLHPTXL               | 88.9         | M18              | RJ18XL-M88.9 | RJAXL-1           | 4932479459     | 4058546372538 |
|    |             |                                                                                                                      | M18 BLHPTXL               | 108          | M18              | RJ18XL-M108  | RJAXL-1 & RJAXL-2 | 4932479460     | 4058546372545 |
|    |             |                                                                                                                      | M18 BLHPTXL               | -            | M18              | RJAXL-1      | -                 | 4932479451     | 4058546372453 |
|    |             |                                                                                                                      | M18 BLHPTXL               | -            | M18              | RJAXL-2      | -                 | 4932479452     | 4058546372460 |
| c. | M           | Geberit: Mapress VSH: X-Press Eurotubi Raccorderie Metallique Rubinetterie Bresciane Sanha: Nirosan Pegler Yorkshire | M18 BLHPTXL               | -            | M18              | RJAXL-2      | -                 | 4932479452     | 4058546372460 |

a



b



c



|    | Jaw profile | Fits to following pipe system suppliers | Fits Milwaukee Press tool | Nominal size | Tool suitability | Description | Requires | Article number | EAN code      |
|----|-------------|-----------------------------------------|---------------------------|--------------|------------------|-------------|----------|----------------|---------------|
| a. | V           | Viega Comap iBP Sanha: Nirosan          | M12 HPT, M12 ONEHPT       | 12           | M12              | J12-V12     | -        | 4932430260     | 4002395379217 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 14           | M12              | J12-V14     | -        | 4932451660     | 4002395273423 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 15           | M12              | J12-V15     | -        | 4932430262     | 4002395379231 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 16           | M12              | J12-V16     | -        | 4932451661     | 4002395273430 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 18           | M12              | J12-V18     | -        | 4932430264     | 4002395379255 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 22           | M12              | J12-V22     | -        | 4932430266     | 4002395379279 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 28           | M12              | J12-V28     | -        | 4932430268     | 4002395379293 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 35           | M12              | J12-V35     | -        | 4932430270     | 4002395379316 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 12           | M18              | J18-V12     | -        | 4932430261     | 4002395379224 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 14           | M18              | J18-V14     | -        | 4932471086     | 4058546287146 |
| b. | V           | Viega Comap iBP Sanha: Nirosan          | M18 HPT, M18 BLHPT        | 15           | M18              | J18-V15     | -        | 4932430263     | 4002395379248 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 16           | M18              | J18-V16     | -        | 4932471087     | 4058546287153 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 18           | M18              | J18-V18     | -        | 4932430265     | 4002395379262 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 22           | M18              | J18-V22     | -        | 4932430267     | 4002395379286 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 28           | M18              | J18-V28     | -        | 4932430269     | 4002395379309 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 35           | M18              | J18-V35     | -        | 4932430271     | 4002395379323 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 42           | M18              | RJ18-V42    | RJA-1    | 4932430272     | 4002395379330 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 54           | M18              | RJ18-V54    | RJA-1    | 4932430273     | 4002395379347 |
|    |             |                                         | M18 HPT, M18 BLHPT        | -            | M18              | RJA-1       | -        | 4932430307     | 4002395379682 |
|    |             |                                         | M18 BLHPT, M18 ONEBLHPT   | 76.1         | M18              | RJ18-V76.1  | RJAV-2   | 4932479455     | 4058546372491 |
| c. | V           | Viega Comap iBP Sanha: Nirosan          | M18 BLHPT, M18 ONEBLHPT   | 88.9         | M18              | RJ18-V88.9  | RJAV-2   | 4932479456     | 4058546372507 |
|    |             |                                         | M18 BLHPT, M18 ONEBLHPT   | 108          | M18              | RJ18-V108   | RJAV-2   | 4932479457     | 4058546372514 |
|    |             |                                         | M18 BLHPT, M18 ONEBLHPT   | -            | M18              | RJAV-2      | -        | 4932479604     | 4058546373986 |

a



b



|    | Jaw profile | Fits to following pipe system suppliers                                                                                                                                    | Fits Milwaukee Press tool | Nominal size | Tool suitability | Description | Requires | Article number | EAN code      |
|----|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------|------------------|-------------|----------|----------------|---------------|
| a. | U           | ALB Uponor: Unipipe, Airpipe Kan: Kan-therm Wavin: Press-Systeme Franksche: Alpex F50 Profi DW Verbundrohr Multitubo iBP>-B<Flex KE Kelit: Kelit Kelox Jupiter: Heizsystem | M12 HPT, M12 ONEHPT       | 14           | M12              | J12-U14     | -        | 4932430291     | 4002395379521 |
|    |             |                                                                                                                                                                            | M12 HPT, M12 ONEHPT       | 16           | M12              | J12-U16     | -        | 4932430293     | 4002395379545 |
|    |             |                                                                                                                                                                            | M12 HPT, M12 ONEHPT       | 18           | M12              | J12-U18     | -        | 4932430295     | 4002395379569 |
|    |             |                                                                                                                                                                            | M12 HPT, M12 ONEHPT       | 20           | M12              | J12-U20     | -        | 4932430297     | 4002395379583 |
|    |             |                                                                                                                                                                            | M12 HPT, M12 ONEHPT       | 25           | M12              | J12-U25     | -        | 4932430299     | 4002395379606 |
|    |             |                                                                                                                                                                            | M12 HPT, M12 ONEHPT       | 32           | M12              | J12-U32     | -        | 4932430301     | 4002395379620 |
|    |             |                                                                                                                                                                            | M12 HPT, M12 ONEHPT       | 40           | M12              | J12-U40     | -        | 4932430303     | 4002395379644 |
|    |             |                                                                                                                                                                            | M18 HPT, M18 BLHPT        | 14           | M18              | J18-U14     | -        | 4932430292     | 4002395379538 |
|    |             |                                                                                                                                                                            | M18 HPT, M18 BLHPT        | 16           | M18              | J18-U16     | -        | 4932430294     | 4002395379552 |
|    |             |                                                                                                                                                                            | M18 HPT, M18 BLHPT        | 18           | M18              | J18-U18     | -        | 4932430296     | 4002395379576 |
| b. | U           | ALB Uponor: Unipipe, Airpipe Kan: Kan-therm Wavin: Press-Systeme Franksche: Alpex F50 Profi DW Verbundrohr Multitubo iBP>-B<Flex KE Kelit: Kelit Kelox Jupiter: Heizsystem | M18 HPT, M18 BLHPT        | 20           | M18              | J18-U20     | -        | 4932430298     | 4002395379590 |
|    |             |                                                                                                                                                                            | M18 HPT, M18 BLHPT        | 25           | M18              | J18-U25     | -        | 4932430300     | 4002395379613 |
|    |             |                                                                                                                                                                            | M18 HPT, M18 BLHPT        | 32           | M18              | J18-U32     | -        | 4932430302     | 4002395379637 |
|    |             |                                                                                                                                                                            | M18 HPT, M18 BLHPT        | 40           | M18              | RJ18-U40    | RJA-1    | 4932430304     | 4002395379651 |
|    |             |                                                                                                                                                                            | M18 HPT, M18 BLHPT        | -            | M18              | RJA-1       | -        | 4932430307     | 4002395379682 |

a



b



|    | Jaw profile | Fits to following pipe system suppliers | Fits Milwaukee Press tool | Nominal size | Tool suitability | Description | Requires | Article number | EAN code      |
|----|-------------|-----------------------------------------|---------------------------|--------------|------------------|-------------|----------|----------------|---------------|
| a. | G           | Geberit: Mepla & Mepla Therm            | M12 HPT, M12 ONEHPT       | 16           | M12              | J12-G16     | -        | 4932464217     | 4058546221621 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 20           | M12              | J12-G20     | -        | 4932464218     | 4058546221638 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 26           | M12              | J12-G26     | -        | 4932464219     | 4058546221645 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 32           | M12              | J12-G32     | -        | 4932464220     | 4058546221652 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 40           | M12              | J12-G40     | -        | 4932464221     | 4058546221669 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 16           | M18              | J18-G16     | -        | 4932464544     | 4058546224899 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 20           | M18              | J18-G20     | -        | 4932464545     | 4058546224905 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 26           | M18              | J18-G26     | -        | 4932464546     | 4058546224912 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 32           | M18              | J18-G32     | -        | 4932464547     | 4058546224929 |
|    |             |                                         | M18 HPT, M18 BLHPT        | 40           | M18              | J18-G40     | -        | 4932464548     | 4058546224936 |
| b. | G           | Geberit: Mepla & Mepla Therm            | M18 HPT, M18 BLHPT        | 50           | M18              | J18-G50     | -        | 4932464549     | 4058546224943 |

a



b



|    | Jaw profile | Fits to following pipe system suppliers                        | Fits Milwaukee Press tool | Nominal size | Tool suitability | Description | Requires | Article number | EAN code      |
|----|-------------|----------------------------------------------------------------|---------------------------|--------------|------------------|-------------|----------|----------------|---------------|
| a. | TH          | ALB Comap Frankische Henco (nur TH14 - TH25 ) IPA Sanha Tiemme | M12 HPT, M12 ONEHPT       | 14           | M12              | J12-TH14    | -        | 4932430274     | 4002395379354 |
|    |             |                                                                | M12 HPT, M12 ONEHPT       | 16           | M12              | J12-TH16    | -        | 4932430276     | 4002395379378 |
|    |             |                                                                | M12 HPT, M12 ONEHPT       | 18           | M12              | J12-TH18    | -        | 4932430278     | 4002395379392 |
|    |             |                                                                | M12 HPT, M12 ONEHPT       | 20           | M12              | J12-TH20    | -        | 4932430280     | 4002395379415 |
|    |             |                                                                | M12 HPT, M12 ONEHPT       | 25           | M12              | J12-TH25    | -        | 4932430282     | 4002395379439 |
|    |             |                                                                | M12 HPT, M12 ONEHPT       | 26           | M12              | J12-TH26    | -        | 4932430283     | 4002395379446 |
|    |             |                                                                | M12 HPT, M12 ONEHPT       | 32           | M12              | J12-TH32    | -        | 4932430285     | 4002395379460 |
|    |             |                                                                | M12 HPT, M12 ONEHPT       | 40           | M12              | J12-TH40    | -        | 4932430287     | 4002395379484 |
|    |             |                                                                | M18 HPT, M18 BLHPT        | 14           | M18              | J18-TH14    | -        | 4932430275     | 4002395379361 |
|    |             |                                                                | M18 HPT, M18 BLHPT        | 16           | M18              | J18-TH16    | -        | 4932430277     | 4002395379385 |
| b. | TH          | ALB Comap Frankische Henco (nur TH14 - TH25 ) IPA Sanha Tiemme | M18 HPT, M18 BLHPT        | 18           | M18              | J18-TH18    | -        | 4932430279     | 4002395379408 |
|    |             |                                                                | M18 BLHPT, M18 HPT        | 20           | M18              | J18-TH20    | -        | 4932430281     | 4002395379422 |
|    |             |                                                                | M18 HPT, M18 BLHPT        | 25           | M18              | J18-TH25    | -        | 4932430355     | 4002395380169 |
|    |             |                                                                | M18 HPT, M18 BLHPT        | 26           | M18              | J18-TH26    | -        | 4932430284     | 4002395379453 |
|    |             |                                                                | M18 HPT, M18 BLHPT        | 32           | M18              | J18-TH32    | -        | 4932430286     | 4002395379477 |
|    |             |                                                                | M18 BLHPT, M18 HPT        | 40           | M18              | RJ18-TH40   | RJA-1    | 4932430288     | 4002395379491 |
|    |             |                                                                | M18 HPT, M18 BLHPT        | 50           | M18              | RJ18-TH50   | RJA-1    | 4932430289     | 4002395379507 |
|    |             |                                                                | M18 HPT, M18 BLHPT        | 63           | M18              | RJ18-TH63   | RJA-1    | 4932430290     | 4002395379514 |
|    |             |                                                                | M18 HPT, M18 BLHPT        | -            | M18              | RJA-1       | -        | 4932430307     | 4002395379682 |

a



b



|    | Jaw profile | Fits to following pipe system suppliers | Fits Milwaukee Press tool             | Nominal size | Tool suitability | Description     | Requires | Article number | EAN code      |
|----|-------------|-----------------------------------------|---------------------------------------|--------------|------------------|-----------------|----------|----------------|---------------|
| a. | MP          | Viega: Mega Press                       | M18 BLHPT, M18 ONE-BLHPT, M18 BLHPTXL | 1/2"         | M18              | J18-MP1/2"      | -        | 4932479442     | 4058546372361 |
|    |             |                                         | M18 BLHPT, M18 ONE-BLHPT, M18 BLHPTXL | 3/4"         | M18              | J18-MP3/4"      | -        | 4932479443     | 4058546372378 |
|    |             |                                         | M18 BLHPT, M18 ONE-BLHPT, M18 BLHPTXL | 1"           | M18              | J18-MP1"        | -        | 4932479444     | 4058546372385 |
|    |             |                                         | M18 BLHPT, M18 ONE-BLHPT, M18 BLHPTXL | 1 1/4"       | M18              | RJ18-MP1 1/4"   | RJA-1    | 4932479445     | 4058546372392 |
|    |             |                                         | M18 BLHPT, M18 ONE-BLHPT, M18 BLHPTXL | 1 1/2"       | M18              | RJ18-MP1 1/2"   | RJA-1    | 4932479446     | 4058546372408 |
|    |             |                                         | M18 BLHPT, M18 ONE-BLHPT, M18 BLHPTXL | 2"           | M18              | RJ18-MP2"       | RJA-1    | 4932479447     | 4058546372415 |
| b. |             |                                         | M18 BLHPTXL                           | 2 1/2"       | M18              | RJ18XL-MP2 1/2" | RJAXL-1  | 4932479448     | 4058546372422 |
|    |             |                                         | M18 BLHPTXL                           | 3"           | M18              | RJ18XL-MP3"     | RJAXL-1  | 4932479449     | 4058546372439 |
|    |             |                                         | M18 BLHPTXL                           | 4"           | M18              | RJ18XL-MP4"     | RJAXL-1  | 4932479450     | 4058546372446 |
|    |             |                                         | M18 BLHPTXL                           | -            | M18              | RJAXL-1         | -        | 4932479451     | 4058546372453 |



SYSTEM ATTACHMENTS - PRESS JAWS

|    | Jaw profile | Fits to following pipe system suppliers | Fits Milwaukee Press tool | Nominal size | Tool suitability | Description     | Requires | Article number | EAN code      |
|----|-------------|-----------------------------------------|---------------------------|--------------|------------------|-----------------|----------|----------------|---------------|
| a. | M           | Geberit: Mapress                        | M12 HPT, M12 ONEHPT       | 12           | M12              | J12-M12 Geberit | -        | 4932480879     | 4058546411640 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 15           | M12              | J12-M15 Geberit | -        | 4932480880     | 4058546411657 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 18           | M12              | J12-M18 Geberit | -        | 4932480881     | 4058546411664 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 22           | M12              | J12-M22 Geberit | -        | 4932480882     | 4058546411671 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 28           | M12              | J12-M28 Geberit | -        | 4932480883     | 4058546411688 |
|    |             |                                         | M12 HPT, M12 ONEHPT       | 35           | M12              | J12-M35 Geberit | -        | 4932480884     | 4058546411695 |
| b. |             |                                         | M18 BLHPT, M18 ONEBLHPT   | 12           | M18              | J18-M12 Geberit | -        | 4932480885     | 4058546411701 |
|    |             |                                         | M18 BLHPT, M18 ONEBLHPT   | 15           | M18              | J18-M15 Geberit | -        | 4932480886     | 4058546411718 |
|    |             |                                         | M18 BLHPT, M18 ONEBLHPT   | 18           | M18              | J18-M18 Geberit | -        | 4932480887     | 4058546411725 |
|    |             |                                         | M18 BLHPT, M18 ONEBLHPT   | 22           | M18              | J18-M22 Geberit | -        | 4932480888     | 4058546411732 |
|    |             |                                         | M18 BLHPT, M18 ONEBLHPT   | 28           | M18              | J18-M28 Geberit | -        | 4932480889     | 4058546411749 |
|    |             |                                         | M18 BLHPT, M18 ONEBLHPT   | 35           | M18              | J18-M35 Geberit | -        | 4932480890     | 4058546411756 |

a



b



|                         | Jaw profile | Fits to following pipe system suppliers | Fits Milwaukee Press tool | Nominal size | Tool suitability | Description     | Requires   | Article number | EAN code      |
|-------------------------|-------------|-----------------------------------------|---------------------------|--------------|------------------|-----------------|------------|----------------|---------------|
| a.                      | G           | Geberit: Mepla & Mepla Therm            | M12 HPT, M12 ONEHPT       | 16           | M12              | J12-G16 Geberit | -          | 4932480891     | 4058546411763 |
|                         |             |                                         | M12 HPT, M12 ONEHPT       | 20           | M12              | J12-G20 Geberit | -          | 4932480892     | 4058546411770 |
|                         |             |                                         | M12 HPT, M12 ONEHPT       | 26           | M12              | J12-G26 Geberit | -          | 4932480893     | 4058546411787 |
|                         |             |                                         | M12 HPT, M12 ONEHPT       | 32           | M12              | J12-G32 Geberit | -          | 4932480894     | 4058546411794 |
|                         |             |                                         | M12 HPT, M12 ONEHPT       | 40           | M12              | J12-G40 Geberit | -          | 4932480895     | 4058546411800 |
| M18 BLHPT, M18 ONEBLHPT |             |                                         | 16                        | M18          | J18-G16 Geberit  | -               | 4932480896 | 4058546411817  |               |
| M18 BLHPT, M18 ONEBLHPT |             |                                         | 20                        | M18          | J18-G20 Geberit  | -               | 4932480897 | 4058546411824  |               |
| M18 BLHPT, M18 ONEBLHPT |             |                                         | 26                        | M18          | J18-G26 Geberit  | -               | 4932480898 | 4058546411831  |               |
| M18 BLHPT, M18 ONEBLHPT |             |                                         | 32                        | M18          | J18-G32 Geberit  | -               | 4932480899 | 4058546411848  |               |
| M18 BLHPT, M18 ONEBLHPT |             |                                         | 40                        | M18          | J18-G40 Geberit  | -               | 4932480900 | 4058546411855  |               |
| M18 BLHPT, M18 ONEBLHPT |             |                                         | 50                        | M18          | J18-G50 Geberit  | -               | 4932480901 | 4058546411862  |               |
| M18 BLHPT, M18 HPT      |             |                                         | 63                        | M18          | RJ18-G63 Geberit | -               | 4932480966 | 4058546412517  |               |
| M18 BLHPT, M18 HPT      |             |                                         | 75                        | M18          | RJ18-G75 Geberit | -               | 4932480967 | 4058546412524  |               |
| M18 BLHPT, M18 HPT      |             |                                         | -                         | M18          | RJA Geberit      | -               | 4932480968 | 4058546412531  |               |

a



b



|                                      | Jaw profile | Fits to following pipe system suppliers | Fits Milwaukee Press tool | Nominal size | Tool suitability | Description   | Requires   | Article number | EAN code      |
|--------------------------------------|-------------|-----------------------------------------|---------------------------|--------------|------------------|---------------|------------|----------------|---------------|
| a.                                   | BMP         | Conex & Bänninger >B< MaxiPro           | M12 HPT, M12 ONEHPT       | ¼"           | M12              | J12-BMP ¼"    | -          | 4932493155     | 4058546480264 |
|                                      |             |                                         | M12 HPT, M12 ONEHPT       | ⅜"           | M12              | J12-BMP ⅜"    | -          | 4932493156     | 4058546480271 |
|                                      |             |                                         | M12 HPT, M12 ONEHPT       | ½"           | M12              | J12-BMP ½"    | -          | 4932493157     | 4058546480288 |
|                                      |             |                                         | M12 HPT, M12 ONEHPT       | ⅝"           | M12              | J12-BMP ⅝"    | -          | 4932493158     | 4058546480295 |
|                                      |             |                                         | M12 HPT, M12 ONEHPT       | ¾"           | M12              | J12-BMP ¾"    | -          | 4932493159     | 4058546480301 |
|                                      |             |                                         | M12 HPT, M12 ONEHPT       | 7/8"         | M12              | J12-BMP 7/8"  | -          | 4932493160     | 4058546480318 |
|                                      |             |                                         | M12 HPT, M12 ONEHPT       | 1"           | M12              | J12-BMP 1"    | -          | 4932493161     | 4058546480325 |
| M12 HPT, M12 ONEHPT                  |             |                                         | 1 1/8"                    | M12          | J12-BMP 1 1/8"   | -             | 4932493162 | 4058546480332  |               |
| M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT |             |                                         | ¼"                        | M18          | J18-BMP ¼"       | -             | 4932493163 | 4058546480349  |               |
| M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT |             |                                         | ⅜"                        | M18          | J18-BMP ⅜"       | -             | 4932493164 | 4058546480356  |               |
| M18 BLHPTXL, M18 BLHPT, M18 ONEBLHPT |             |                                         | ½"                        | M18          | J18-BMP ½"       | -             | 4932493165 | 4058546480363  |               |
| M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT |             |                                         | ⅝"                        | M18          | J18-BMP ⅝"       | -             | 4932493166 | 4058546480370  |               |
| M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT |             |                                         | ¾"                        | M18          | J18-BMP ¾"       | -             | 4932493167 | 4058546480387  |               |
| M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT |             |                                         | 7/8"                      | M18          | J18-BMP 7/8"     | -             | 4932493168 | 4058546480394  |               |
| M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT | 1"          | M18                                     | J18-BMP 1"                | -            | 4932493169       | 4058546480400 |            |                |               |
| M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT | 1 1/8"      | M18                                     | J18-BMP 1 1/8"            | -            | 4932493170       | 4058546480417 |            |                |               |

a



b



PIVOTING RING JAWS

|    | Jaw profile | Fits to following pipe system suppliers                                                                                             | Fits Milwaukee Press tool                    | Nominal size | Tool suitability | Description  | Requires          | Article number | EAN code      |
|----|-------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|--------------|------------------|--------------|-------------------|----------------|---------------|
| a. | M           | Geberit: Mapress<br>VSH: X-Press Eurotubi<br>Raccorderie Metallique<br>Rubinetteria Bresciane<br>Sanha: Nirosan Pegler<br>Yorkshire | M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT | 15           | M12/M18          | PRJ12/18-M15 | PRJA-M12/PRJA-M18 | 4932500083     | 4058546572471 |
|    |             |                                                                                                                                     | M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT | 18           | M12/M18          | PRJ12/18-M18 | PRJA-M12/PRJA-M18 | 4932500084     | 4058546572488 |
|    |             |                                                                                                                                     | M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT | 22           | M12/M18          | PRJ12/18-M22 | PRJA-M12/PRJA-M18 | 4932500085     | 4058546572495 |
|    |             |                                                                                                                                     | M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT | 28           | M12/M18          | PRJ12/18-M28 | PRJA-M12/PRJA-M18 | 4932500086     | 4058546572501 |
|    |             |                                                                                                                                     | M12 ONEHPT, M12 HPT, M18 BLHPT, M18 ONEBLHPT | 35           | M12/M18          | PRJ12/18-M35 | PRJA-M12/PRJA-M18 | 4932500087     | 4058546572518 |
| b. | V           | Viega Comap IBP<br>Sanha: Nirosan                                                                                                   | M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT | 15           | M12/M18          | PRJ12/18-V15 | PRJA-M12/PRJA-M18 | 4932500088     | 4058546572525 |
|    |             |                                                                                                                                     | M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT | 18           | M12/M18          | PRJ12/18-V18 | PRJA-M12/PRJA-M18 | 4932500089     | 4058546572532 |
|    |             |                                                                                                                                     | M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT | 22           | M12/M18          | PRJ12/18-V22 | PRJA-M12/PRJA-M18 | 4932500090     | 4058546572549 |
|    |             |                                                                                                                                     | M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT | 28           | M12/M18          | PRJ12/18-V28 | PRJA-M12/PRJA-M18 | 4932500091     | 4058546572556 |
|    |             |                                                                                                                                     | M12 HPT, M12 ONEHPT, M18 BLHPT, M18 ONEBLHPT | 35           | M12/M18          | PRJ12/18-V35 | PRJA-M12/PRJA-M18 | 4932500092     | 4058546572563 |

a



b



PRESS JAW ACR STREAMLINE

|    | Jaw profile | Fits to following pipe system suppliers | Fits Milwaukee Press tool             | Nominal size | Tool suitability | Description     | Requires | Article number | EAN code      |
|----|-------------|-----------------------------------------|---------------------------------------|--------------|------------------|-----------------|----------|----------------|---------------|
| a. | ACR         | Sanha Streamline ACR                    | M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT  | 1/2"         | M18              | J18-ACR 1/2"    | -        | 4932500103     | 4058546572679 |
|    | ACR         |                                         | M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT  | 1/4"         | M18              | J18-ACR 1/4"    | -        | 4932500101     | 4058546572655 |
|    | ACR         |                                         | M18 ONEBLHPT, M18 BLHPTXL, M18 BLHPT  | 3/4"         | M18              | J18-ACR 3/4"    | -        | 4932500105     | 4058546572693 |
|    | ACR         |                                         | M18 BLHPT, M18 BLHPTXL, M18 ONEBLHPT  | 3/8"         | M18              | J18-ACR 3/8"    | -        | 4932500102     | 4058546572662 |
|    | ACR         |                                         | M18 BLHPTXL, M18 BLHPT, M18 ONEBLHPT  | 5/8"         | M18              | J18-ACR 5/8"    | -        | 4932500104     | 4058546572686 |
|    | ACR         |                                         | M18 BLHPTXL, M12 ONEHPT, M18 ONEBLHPT | 7/8"         | M18              | J18-ACR 7/8"    | -        | 4932500106     | 4058546572709 |
|    | ACR         |                                         | M18 BLHPTXL, M18 BLHPT, M18 ONEBLHPT  | 1 1/8"       | M18              | RJ18-ACR 1 1/8" | RJA-1    | 4932500107     | 4058546572716 |
|    | ACR         |                                         | M18 BLHPTXL, M18 BLHPT, M18 ONEBLHPT  | 1 3/8"       | M18              | RJ18-ACR 1 3/8" | RJA-1    | 4932500108     | 4058546572723 |

a



EMPTY PACKOUT™ FOAM INSERT

|    | Description                                             | Article number | EAN code      |
|----|---------------------------------------------------------|----------------|---------------|
| a. | Empty M12 HPT presstool PACKOUT™ foam insert            | 4932498246     | 4058546521158 |
| b. | Empty M18 BLHPT/ONEBLHPT presstool PACKOUT™ foam insert | 4932498247     | 4058546521165 |
| c. | Empty 4x ring jaw and RJ adaptor PACKOUT™ foam insert   | 4932498248     | 4058546521172 |
| d. | Empty M108 XL presskit PACKOUT™ foam insert             | 4932498249     | 4058546521189 |



SYSTEM ATTACHMENTS - POLISHERS

PREMIUM POLISHING ACCESSORIES - SPONGES

|    | Description                        | Ø (mm) | Thickness (mm) | Pack quantity | Article Number | EAN Code      |
|----|------------------------------------|--------|----------------|---------------|----------------|---------------|
| a. | Sponge Red Coarse 140 / 20 mm      | 140    | 20             | 2             | 4932492310     | 4058546416775 |
|    | Sponge Red Coarse 140 / 25 mm      | 140    | 25             | 2             | 4932492319     | 4058546416867 |
|    | Sponge Red Coarse 160 / 20 mm      | 160    | 20             | 2             | 4932492316     | 4058546416836 |
| b. | Sponge Yellow Fine 140 / 20 mm     | 140    | 20             | 2             | 4932492311     | 4058546416782 |
|    | Sponge Yellow Fine 140 / 25 mm     | 140    | 25             | 2             | 4932492320     | 4058546416874 |
|    | Sponge Yellow Fine 160 / 20 mm     | 160    | 20             | 2             | 4932492317     | 4058546416843 |
| c. | Sponge Blue Ultra Fine 140 / 20mm  | 140    | 20             | 2             | 4932492312     | 4058546416799 |
|    | Sponge Blue Ultra Fine 140 / 25 mm | 140    | 25             | 2             | 4932492321     | 4058546416881 |
|    | Sponge Blue Ultra Fine 160 / 20 mm | 160    | 20             | 2             | 4932492318     | 4058546416850 |



PREMIUM POLISHING ACCESSORIES - CLOTHS

|    | Description               | Features                                                                                                                                                                                                                                                                                                                                                                | Length (mm) | Width (mm) | Pack quantity | Article Number | EAN Code      |
|----|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------|---------------|----------------|---------------|
| a. | Cloth Red 400 x 400 mm    | Cloths: Microfibre polishing cloths. Super-soft premium microfibre polishing cloth for finishing gloss polishing. With good absorption properties perfectly suited for final finishing and removing water spots from sensitive surfaces. Colour coded for use with respective sponges and compounds to avoid contamination. Machine-washable with 30° without softener. | 400         | 400        | 2             | 4932492306     | 4058546416737 |
| b. | Cloth Yellow 400 x 400 mm |                                                                                                                                                                                                                                                                                                                                                                         | 400         | 400        | 2             | 4932492307     | 4058546416744 |
| c. | Cloth Blue 400 x 400 mm   |                                                                                                                                                                                                                                                                                                                                                                         | 400         | 400        | 2             | 4932492308     | 4058546416751 |




PREMIUM POLISHING ACCESSORIES - COMPOUNDS

|    | Description                 | Features                                                                                                                                                                                                                                                                                                                     | Article Number | EAN Code      |
|----|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| a. | Compound Red Coarse 1l      | Polish 1500 compound. A coarse 1500 grit polish for removing deep scratches without damaging the lacquer. Suitable for removing dust grains, orange peel texture, lacquer/paints runs and deep scratches. Free of wax, silicone and toxic solvents. Recommended for use with polishing red hard coarse sponge and red cloth. | 4932492300     | 4058546416676 |
| b. | Compound Yellow Fine 1l     | Polish 2000 compound. A coarse 2000 grit polish for removing fine scratches without damaging the lacquer. Free of wax, silicone and toxic solvents. Recommended for use with polishing yellow soft fine sponge and yellow cloth.                                                                                             | 4932492301     | 4058546416683 |
| c. | Compound Blue Ultra Fine 1l | Polish compound 3000. A medium fine compound with 3000 grit for removing fine scratches, holograms and swirls. Free of silicone. Recommended for use with polishing super fine blue sponge and blue microfibre polishing cloth.                                                                                              | 4932492302     | 4058546416690 |



POLISHING ACCESSORIES - HOOK & LOOP Ø 125/150 MM

|    | Description                                                                                                                                                                                                                                                                                                                                                                                                        | Ø (mm) | Height (mm) | Article Number | EAN Code      |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|----------------|---------------|
| a. | Polishing backing pad with M14 thread. Very flat design with excellent flexibility. Low vibration allows precise work on any flat and curved profiles                                                                                                                                                                                                                                                              | 125    |             | 4932430394     | 4002395380558 |
| b. | Polisher backing pad for M18 FROPBP125                                                                                                                                                                                                                                                                                                                                                                             | 125    |             | 4932479964     | 4058546377588 |
| c. | Lambswool polishing disc. 100% natural lambswool. Premium quality with extremely high fibre density for longer lifetime. Integrated soft touch layer guarantees perfect adjustment to flat and curved profiles. For finishing old and fresh paint. Extremely good polishing of temperature sensitive clear lacquers thanks to heat resistant fibres, e.g. polishing car bumper                                     | 135    | 25          | 4932430395     | 4002395380565 |
| d. | Polishing sponge hard. Hard sponge with coarse foam structure. For maximum removal of the recondition-ing lacquer, removing deep scratches and polishing weather-beaten lacquer                                                                                                                                                                                                                                    | 145    | 30          | 4932430396     | 4002395380572 |
| e. | Polishing sponge soft. Extremely soft sponge with fine foam structure. For fine polishing with polishing creams / wax compounds to remove very fine scratches and holograms (swirls)                                                                                                                                                                                                                               | 145    | 30          | 4932430397     | 4002395380589 |
| f. | Microfibre polishing cloth. Super-soft premium microfibre polishing cloth for finishing gloss polishing. With good absorption properties perfectly suited for final finishing and removing water spots from sensitive surfaces. Machine-washable with 30° without softener                                                                                                                                         |        |             | 4932430398     | 4002395380596 |
| g. | Polish M-Cut 1500 (250 ml). A coarse 1500 grit polish for removing deep scratches without damaging the lacquer. Suitable for removing dust grains, orange peel texture, lacquer/paints runs and deep scratches. Free of wax, silicone and roxic solvents. Recommended for use with polishing sponge hard (4932430396) and lambswool polishing disc (4932430395)                                                    |        |             | 4932430475     | 4002395381364 |
| h. | Polish M-Wax 6000 (250 ml). Premium high-tech wax with 6000 grit for removing fine scratches and sealing the paintwork in one step. Excellent performance in removing fine scratches / holograms / swirls. Contains the finest Brazilian Carnuba wax for long lasting mirror-like shine. Free of silicone. Recommended for use with polishing sponge soft (4932430397) and microfibre polishing cloth (4932430398) |        |             | 4932430476     | 4002395381371 |
| i. | Polishing backing pad with M14 thread                                                                                                                                                                                                                                                                                                                                                                              | 150    | 25          | 4932373161     | 4002395347285 |
| j. | Polisher backing pad for M18 FROPBP150                                                                                                                                                                                                                                                                                                                                                                             | 150    |             | 4932479965     | 4058546377595 |
| k. | Backing pad for M12 FUEL™ 150 mm random orbital sander - Soft and Hook & Loop                                                                                                                                                                                                                                                                                                                                      | 150    |             | 4932499244     | 4058546564087 |
| l. | Backing pad for M12 FUEL™ 150 mm random orbital sander - Hard and Hook & Loop                                                                                                                                                                                                                                                                                                                                      | 150    |             | 4932499245     | 4058546564094 |
| m. | Backing pad for M12 FUEL™ 150 mm random orbital sander - Soft and PSA                                                                                                                                                                                                                                                                                                                                              | 150    |             | 4932499246     | 4058546564100 |
| n. | Backing pad for M12 FUEL™ 150 mm random orbital sander - Hard and PSA                                                                                                                                                                                                                                                                                                                                              | 150    |             | 4932499247     | 4058546564117 |
| o. | Felt polishing disc. Second polishing / finish of new lacquer work, non-ferrous metals and stainless steel, can also be used with polishing paste                                                                                                                                                                                                                                                                  | 150    | 25          | 4932373163     | 4002395347902 |
| p. | Lambswool polishing disc. Finishing high gloss polishing                                                                                                                                                                                                                                                                                                                                                           | 150    | 25          | 4932373164     | 4002395347926 |
| q. | Polishing sponge hard. Polish up of weather-beaten lacquer, lacquer re-conditioning                                                                                                                                                                                                                                                                                                                                | 150    | 50          | 4932373165     | 4002395347940 |
| r. | Polishing sponge soft. Second polish of lacquer, lacquer care                                                                                                                                                                                                                                                                                                                                                      | 150    | 50          | 4932373186     | 4002395347964 |





POLISHING ACCESSORIES - SPOT POLISHER

|   | Description                                                                                                                                                                                                                                                                                 | Ø (mm) | Height (mm) | Article Number | EAN Code      |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|----------------|---------------|
| a | Polishing / Sanding backing pad. Thread: M9 x 0.75. Hook and loop fixation. For use with polishing sponges and abrasive paper                                                                                                                                                               | 76     |             | 4932430488     | 4002395381494 |
| b | Polishing sponge - Hard (yellow). Hard sponge for use with more aggressive polish for removal of deep scratches. Hook and look fixation. For use with polishing / sanding backing pad                                                                                                       | 75     | 25          | 4932430489     | 4002395381500 |
| c | Polishing sponge - Soft (white). Soft sponge for use with light polish for removal of small scratches. Hook and loop fixation. For use with polishing / sanding backing pad                                                                                                                 | 80     | 25          | 4932430490     | 4002395381517 |
| d | Lambs wool polishing pad. Hook and loop fixation. For use with polishing/sanding backing pad                                                                                                                                                                                                | 80     |             | 4932430838     | 4002395385003 |
| e | Fibre disc backing pad. Thread: M9 x 0.75 to affix to tool. Knurled thread to fix coated abrasives and surface finishing products for coarse sanding applications, such as rust removal. Ideal for sanding small or awkward to reach areas such as pinch welds, door shuts and wheel arches | 46     |             | 4932430492     | 4002395381531 |



SYSTEM ATTACHMENTS - SANDERS


BELT SANDERS

|    | Description                                | Fits AEG belt sanders | Article Number | EAN Code      |
|----|--------------------------------------------|-----------------------|----------------|---------------|
| a. | Dust bag (spare)                           | BS 100 S,BS 100 LE    | 4932336597     | 4002395311026 |
| b. | Pair of clamps for MILWAUKEE® belt sander. |                       | 4932459653     | 4058546028251 |



RANDOM ORBITAL SANDERS


|    | Description                                                                                                                                                                                                                                                                                                                                                                    | Ø (mm) | Fits Milwaukee Random Orbital Sanders | Article Number | EAN Code      |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------|----------------|---------------|
| a. | Base plate Ø 125 mm, 8 holes. Complete with rubber ring as spare                                                                                                                                                                                                                                                                                                               | 125    | R0S 125 E                             | 4932430091     | 4002395377527 |
| a. | Base plate Ø 150 mm, 6 holes. Complete with rubber ring as spare                                                                                                                                                                                                                                                                                                               | 150    | R0S 150 E-2                           | 4932430145     | 4002395378067 |
| b. | 75 mm sanding base for M12 FSDR75                                                                                                                                                                                                                                                                                                                                              | 75     | M12 FSDR75                            | 4932499472     | 4058546566364 |
| c. | 125 mm sanding base for M18 FROS125                                                                                                                                                                                                                                                                                                                                            | 125    | M18 FROS125                           | 4932500123     | 4058546572877 |
|    | Spare paper bags for 4932345544                                                                                                                                                                                                                                                                                                                                                |        | TXE 150, TX 125, R0S 150 E            | 4931442873     | 4002395247882 |
| d. | Lambswool polishing disc. Finishing high gloss polishing                                                                                                                                                                                                                                                                                                                       | 150    | R0S 150, R0S 150 E, TXE 150           | 4932373164     | 4002395347926 |
| e. | Lambswool polishing disc. 100% natural lambswool. Premium quality with extremely high fibre density for longer lifetime. Integrated soft touch layer guarantees perfect adjustment to flat and curved profiles. For finishing old and fresh paint. Extremely good polishing of temperature sensitive clear lacquers thanks to heat resistant fibres, e.g. polishing car bumper | 135    | TX 125, R0S 125 E                     | 4932430395     | 4002395380565 |
| f. | Polishing sponge hard. Polish up of weather-beaten lacquer, lacquer re-conditioning                                                                                                                                                                                                                                                                                            | 150    | TXE 150, R0S 150 E, R0S 150           | 4932373165     | 4002395347940 |






SYSTEM ATTACHMENT - SAWZALL™

|    |                                                                                                                              | Description     | Fits Milwaukee SAWZALL                                                                                                          | Article number | EAN code      |
|----|------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| a. | Conversion kit: to convert FIXTEC™ blade reception models to keyed blade reception to accept 20 mm reception blades          | Clamp           | SSE 1000 QX,SSPE 1000 QX,SSH 800 QX Hatch-et,PSH 18v hatchet,V18 SX,SSPE 1300 QX,M18 FUEL™ SAWZALL,USE 980 X,V28 SX,SSPE 1500 X | 42680685       | 4058546073183 |
|    |                                                                                                                              | Screw           |                                                                                                                                 | 06832976       | 4058546069193 |
|    |                                                                                                                              | Allen key 5/32" |                                                                                                                                 | 49960070       | 045242221554  |
| b. | Conversion kit: to convert FIXTEC™ blade reception models to keyed blade reception to accept 1/2" universal reception blades | Clamp           | SSE 1000 QX,SSPE 1000 QX,SSH 800 QX Hatch-et,PSH 18v hatchet,V18 SX,SSPE 1300 QX,M18 FUEL™ SAWZALL,USE 980 X,V28 SX,SSPE 1500 X | 49225016       | 045242182060  |
|    |                                                                                                                              | Screw           |                                                                                                                                 | 06832976       | 4058546069193 |
|    |                                                                                                                              | Allen key 5/32" |                                                                                                                                 | 49960070       | 045242221554  |
| c. | Pipe clamp                                                                                                                   |                 | Fits to the current cordless FUEL™ SAWZALL™s (FSZ, FSX)                                                                         | 4932478816     | 4058546360986 |



SYSTEM ATTACHMENTS - JIGSAWS

|    |                                                   | Description                                       | Article number | EAN code      |
|----|---------------------------------------------------|---------------------------------------------------|----------------|---------------|
| a. | Gliding shoe for materials with delicate surfaces | Gliding shoe for materials with delicate surfaces | 4932430356     | 4002395380176 |



SYSTEM ATTACHMENT - NAILERS

|    | Description                                              | Article number | EAN code      |
|----|----------------------------------------------------------|----------------|---------------|
| a. | Extended magazine for M18 FUEL™ framing nailer (M18 FFN) | 4932471605     | 4058546295042 |




SYSTEM ATTACHMENTS - DIE GRINDERS

|    | Description                | Fits Milwaukee Die Grinders                                | Article number | EAN code      |
|----|----------------------------|------------------------------------------------------------|----------------|---------------|
| a. | 3 mm collet                | DGL 34,DGL 30 E,DG 30 E,PSG 12,PSG 14.4 PP,HD18 SG         | 4932308974     | 4002395309092 |
|    | 6 mm collet                | PSG 14.4 PP,HD18 SG,PSG 12,DG 30 E,DGL 30 E,DGL 34         | 4932313192     | 4002395302833 |
|    | 6 mm collet                | DG 14-50 Q                                                 | 48660978       | 045242155620  |
|    | 8 mm collet                | DGL 34,DGL 30 E,DG 30 E,PSG 12,PSG 14.4 PP,HD18 SG,V 28 SG | 4932313190     | 4002395302840 |
|    | 6.35 mm (1/4") collet      | DGL 34,DGL 30 E,DG 30 E,PSG 12,PSG 14.4 PP,HD18 SG         | 4932313194     | 4002395302857 |
| b. | Rubber Sleeve for M12 FDGA | M12 FDGA                                                   | 4932478759     | 4058546360412 |



SYSTEM ATTACHMENTS - PLATE SHEARS

|    | Description                          | Fits Milwaukee Plate Shears | Article Number | EAN Code      |
|----|--------------------------------------|-----------------------------|----------------|---------------|
| a. | Cutting table blade four sided blade | KS 2.5,S 2.5                | 4932430171     | 4002395378326 |
|    |                                      | PPS 12                      | 4932308838     | 4002395309085 |
| b. | Allen Key 5/32"                      | SMC 1.2 Q                   | 49960070       | 045242221554  |
| c. | Replacement shear head assembly.     | SMC 1.2 Q                   | 48080500       | 045242089253  |



SYSTEM ATTACHMENTS - NIBBLERS

|    | Description                                                   | Fits AEG nibblers |                   | Article Number | EAN Code      |
|----|---------------------------------------------------------------|-------------------|-------------------|----------------|---------------|
| a. | Punch                                                         | KN 2              | PN 14.4,PN 12,N 2 | 4932430172     | 4002395378333 |
| b. | Die and punch set for M12 FUEL™ sub compact 1.6 mm nibbler    | KN 2              | PN 14.4,PN 12,N 2 | 4932479353     | 4058546371470 |
| c. | Die holder extension for M12 FUEL™ sub compact 1.6 mm nibbler | KN 2              | PN 14.4,PN 12,N 2 | 4932479354     | 4058546371487 |






SYSTEM ATTACHMENTS - WALL CHASERS

- AUDD blade is a perfect solution for 80% of wall chaser applications
- - 30% less loading on the machine compared to the MILWAUKEE® DU blade
- - 40% higher speed of cut compared to the MILWAUKEE® DU blade
- ✓ Maximum performance ♦ Limited suitability - recommended for intermittent use

|                                             | a.   | b.   | c.  |
|---------------------------------------------|------|------|-----|
|                                             | HUDD | AUDD | DSU |
| Abrasive refractory materials               | ♦    | ✓    |     |
| Aerated and breeze concrete blocks          | ♦    | ✓    | ♦   |
| Brick medium to soft                        | ✓    | ✓    | ✓   |
| Concrete medium                             | ✓    | ✓    | ✓   |
| Concrete rienforced with rebar              | ✓    | ♦    | ✓   |
| Concrete with flint and rebar               | ♦    | ✓    |     |
| Fireclay                                    | ✓    | ✓    | ✓   |
| General building materials                  | ✓    | ✓    | ✓   |
| Granite                                     | ✓    |      | ✓   |
| Lime and sandstone blocks soft and abrasive | ♦    | ✓    | ♦   |
| Lime and sandstone blocks medium            | ✓    | ✓    |     |
| Screed                                      | ♦    | ✓    | ✓   |

|    | Description                                                           | Fits wall chasers                             | Article Number | EAN Code      |
|----|-----------------------------------------------------------------------|-----------------------------------------------|----------------|---------------|
| a. | Two hole spanner straight                                             | DME 30, DME 45, WCS 45, DME 65, WCE 65,WCE 30 | 4932367712     | 4002395338467 |
| b. | T-handle key                                                          | WCE 30, WCS 45, WCE 65,DME 30, DME 45,DME 65  | 4931362928     | 4002395661879 |
| c. | Dust protection grille against entry of ground particles              | WCE 30, WCS 45, DME 30,DME 45                 | 4932329397     | 4002395303892 |
| d. | Adaptor with bayonet fitting for direct connection of hose to machine | WCE 30, WCS 45, WCE 65,DME 30, DME 45,DME 65  | 4932362778     | 4002395334285 |
| e. | Side handle                                                           | WCE 30,WCS 45, DME 30,DME 45                  | 4932409546     | 4002395370870 |
| f. | Flange nut                                                            | DME 1300                                      | 4932334667     | 4002395304448 |
| g. | Clamping flange                                                       | DME 1300                                      | 4932334706     | 4002395304455 |



SYSTEM ATTACHMENTS - SCREWDRIVERS

|    | Description                                                                                                                                                | Fits Milwaukee Corded Screwdrivers                      | Article Number | EAN Code      |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------|---------------|
|    | 1/4" magnetic bit holder 76 mm                                                                                                                             | DWE 4000 Q, DWSE 4000 Q, 6743                           | 48323065       | 045242128600  |
| a. | Hex socket driver set (3pc)                                                                                                                                | TKSE 2500 Q, 6790, TQSE 1200 Q, TQSE 2500 Q, 6580, 6581 | 49663004       | 045242207848  |
|    | Ⓜ 6 / 8 / 10 mm magnetic sockets                                                                                                                           |                                                         |                |               |
| b. | Collated attachment for M18 FSG                                                                                                                            |                                                         | 4933459202     | 4002395289974 |
| c. | PH2 148 mm drywall screwdriving bit for M18 FSG                                                                                                            |                                                         | 4932459393     | 4058546010546 |
| d. | Mag / ring drywall bit holder 75 mm for M18 FSG                                                                                                            |                                                         | 4932459394     | 4058546010553 |
| e. | Offset attachment 1/4" hex M12FPDX                                                                                                                         |                                                         | 4932464481     | 4058546224264 |
| f. | M12 FPDx-RAA Right angle attachment for drilling and screwdriving applications in confined spaces. 90° angle. 12 fixing positions. Direct bit reception.   |                                                         | 4932464480     | 4058546224257 |
| g. | 13 mm Keyless chuck to suit M12 FPDx sub compact percussion drill                                                                                          |                                                         | 4932464479     | 4058546224240 |
| h. | Rivet tool nose set                                                                                                                                        |                                                         | 48540100       | 045242504466  |
| i. | 152mm Nose extension kit- for M12™ rivet tool                                                                                                              |                                                         | 48950100       | 045242504459  |
| j. | M12 BDDx-OA offset attachment for screwdriving applications - 12 fixing positions                                                                          |                                                         | 4932430432     | 4002395380930 |
| k. | M12 BDDx-RAA right angle attachment for drilling and screwdriving applications in confined spaces - 90° angle - 12 fixing positions - direct bit reception |                                                         | 4932430433     | 4002395380947 |
| l. | Retention nose pieces set for M18 FUEL™ rivet tool with ONE-KEY™                                                                                           |                                                         | 4932493546     | 4058546484170 |
| m. | Extension nose piece for M18 FUEL™ rivet tool with ONE-KEY™                                                                                                |                                                         | 4932478962     | 4058546362447 |



SIDE HANDLES

|   | Description                                                                                                        | Article Number | EAN Code      |
|---|--------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| a | Side handle with depth gauge for all drills and percussion drills with gear neck diameter 43 mm                    | 4932373725     | 4002395352647 |
| b | Side handle with depth gauge for all drills and percussion drills with a short gear neck (13 mm) of diameter 43 mm | 4932364149     | 4002395342198 |





QUIK-LOK™ CABLES


|    | Cable length (m) | Country version | Article Number | EAN Code      |
|----|------------------|-----------------|----------------|---------------|
| a. | 4                | EU              | 4932373502     | 4002395351725 |
|    | 4                | CH              | 4932373504     | 4002395351749 |
|    | 4                | GB              | 4932373508     | 4002395351787 |



UNIVERSAL RIGHT ANGLE DRILL ATTACHMENT

- Converts MILWAUKEE® HDE 13 RQD straight drill to angle drill.
- Used extensively for drilling between joists or in tight corners.
- Head and handle swivel 360°.
- Provides two speeds: 1. Low: speed decreases by 30% torque increases by 50% 2. High: speed increases by 50%


|    | Description                  | Article Number | EAN Code     |
|----|------------------------------|----------------|--------------|
| a. | Right angle drill attachment | 48062871       | 045242088812 |



Head and handle swivel 360° and be locked tight in any position.

RUBBER SLEEVES FOR IMPACT WRENCHES

|    | Description                                                    | Article number | EAN code      |
|----|----------------------------------------------------------------|----------------|---------------|
| a. | Rubber sleeve for M18 ONEFIW2FC12                              | 4932498145     | 4058546513054 |
| b. | Rubber sleeve for M18 ONEFMTIW2FC12                            | 4932498144     | 4058546513047 |
| c. | Rubber sleeve for M18 ONEFHIWF1                                | 4932478760     | 4058546360429 |
| d. | Rubber sleeve for M18 FHIWF12, M18 ONEFHIWF12 & M18 ONEFHIWF34 | 49162767       | 045242506422  |
| e. | Rubber sleeve for M18 FHIW2F12                                 | 4932493560     | 4058546484316 |
| f. | Rubber sleeve for M18 FHIW2P12                                 | 4932493581     | 4058546484521 |
| g. | Rubber sleeve for M18 FMTIW2F & M18 FMTIW2P                    | 4932478771     | 4058546360535 |
| h. | Rubber sleeve for M18 FMTIWP                                   | 49162861       | 045242510146  |
| i. | Rubber sleeve for M18 CHIW and M28 CHIW                        | 49162763       | 045242324255  |
| j. | Rubber sleeve for M18 CIW                                      | 49162754       | 045242320455  |
| k. | Rubber sleeve for M12 FIWF                                     | 4932478758     | 4058546360405 |
| l. | Rubber sleeve for M12 FIR38                                    | 4932479100     | 4058546368944 |
| m. | Rubber sleeve for M12 FRAIWF38 & M12 FRAIWF12                  | 4932479098     | 4058546368920 |
| n. | Rubber sleeve for M12 FID                                      | 4932479102     | 4058546368968 |
| o. | Rubber sleeve for M12 FID2                                     | 4932479977     | 4058546377717 |
| p. | Rubber sleeve for M18 FID2                                     | 4932479103     | 4058546368975 |
| q. | Rubber sleeve for M18 FID3                                     | 4932479974     | 4058546377687 |



SYSTEM ATTACHMENTS - ROTARY HAMMERS

ROTARY HAMMERS CHUCK ADAPTORS

|   | Description                                                                                                                                                                                      | Reception     | Tool drive | Only suitable for                                                                                                   | Article Number | EAN Code      |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|---------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| a | FIXTEC - SDS-Plus                                                                                                                                                                                | SDS-Plus      | FIXTEC     | -                                                                                                                   | 4932379877     | 4002395346561 |
| b | FIXTEC - SDS-Plus                                                                                                                                                                                | SDS-Plus      | FIXTEC     | BH 26 LXE, PLH 16 QEX, V28 HX, V18 HX, PLH 26 QEX, PH 30 POWER X                                                    | 4932399152     | 4002395357628 |
| c | FIXTEC - SDS-Plus                                                                                                                                                                                | SDS-Plus      | FIXTEC     | PH 26 X, KH24 XE, KH 26 XE, KH 28 SUPER XE.                                                                         | 4932352299     | 4002395369584 |
| d | FIXTEC - 1/2" x 20 UNF 1                                                                                                                                                                         | 1/2" x 20 UNF | FIXTEC     | PH 26 X, KH 24 XE, KH 24 XE, KH 26 XE, KH 28 Super XE.                                                              | 4932371807     | 4002395344710 |
| e | FIXTEC - 1/2" x 20 UNF 2                                                                                                                                                                         | 1/2" x 20 UNF | FIXTEC     | PLH 16 QEX, V 28 HX, V 18 HX, PLH 26 QEX, PH 30 Power X, KH 26 XE, KH 24 XE, KH 28 Super XE, BH 26 LXE and PH 26 X. | 4932399154     | 4002395357635 |
| f | SDS-Plus - 1/2" x 20 UNF 1. Chuck adapter with direct bit reception (1/4" Hex) to accept screwdriving bits. Threaded housing enables adapter to be tightened to the chick resulting in no wobble | 1/2" x 20 UNF | SDS-Plus   | -                                                                                                                   | 4932367438     | 4002395337668 |
| g | SDS-Plus - 1/2" x 20 UNF 1. Chuck adaptor with retaining screw                                                                                                                                   | 1/2" x 20 UNF | SDS-Plus   | -                                                                                                                   | 4932367166     | 4002395334438 |





KEYED CHUCKS

|    | Chuck jaws open (mm) | Drill reception | Locking device | Safety screw | Rotary drill | Percussion drill | Battery drill | Chuck key | Article Number | EAN Code      |
|----|----------------------|-----------------|----------------|--------------|--------------|------------------|---------------|-----------|----------------|---------------|
| a. | 1.5-13               | 1/2" x 20       |                | ✓            | ✓            | ✓                | ✓             | A         | 4932267980     | 4002395300488 |
| b. | 3.0-16               | Taper B16       |                |              | ✓            |                  |               | C         | 4932127010     | 4002395306169 |
| c. | 3.0-16               | M18x2.5         | ✓              | ✓            | ✓            | ✓                |               | C         | 4932320014     | 4002395310784 |

KEYED CHUCKS - MACHINE SPECIFIC



|    | Chuck jaws open (mm) | Drill reception | Fits Milwaukee Drill Drivers | Safety screw | Chuck key | Article Number | EAN Code     |
|----|----------------------|-----------------|------------------------------|--------------|-----------|----------------|--------------|
| a. | 1.0-10               | 3/8" x24        | HDE 6 RQ                     | ✓            | H         | 48660817       | 045242155705 |

KEYED CHUCKS WITH 1/4" HEX RECEPTION

|    | Chuck jaws open (mm) | Drill reception | Battery drill | Chuck key | Article Number | EAN Code      |
|----|----------------------|-----------------|---------------|-----------|----------------|---------------|
| a. | 1.0-10               | 1/4" Hex        | ✓             | A         | 4932314867     | 4002395300112 |


CHUCK KEYS

|    | Description                                         | Type      | Ref. No. | Article Number | EAN Code      |
|----|-----------------------------------------------------|-----------|----------|----------------|---------------|
| a  | Chuck key                                           | A         | S2A      | 4932221378     | 4002395302765 |
|    |                                                     | B         | S2AT     | 4932310612     | 4002395309177 |
|    |                                                     | C         | S3T      | 4932221379     | 4002395306381 |
|    |                                                     | D         | S14      | 4932304684     | 4002395300105 |
|    |                                                     | E         | S4       | 4932221380     | 4002395306398 |
|    |                                                     | G         | S2       | 4932319995     | 4002395303724 |
|    |                                                     | H         |          | 48663350       | 045242157600  |
|    |                                                     | J         |          | 48663240       | 045242157501  |
|    |                                                     | K         |          | 48663280       | 045242157556  |
| b  | Morse taper No. 3 adaptor for chucks with B16 taper | MT3 - B16 |          | 4932117042     | 4002395305834 |
| c. | Ejector tool DIN 317 size 3                         |           |          | 4932604226     | 4002395311248 |



KEYLESS CHUCKS 2 SLEEVES

|    | Chuck jaws open (mm) | Reception | Locking device | Safety screw | Rotary drill | Percussion drill | Battery drill | Article Number | EAN Code      |
|----|----------------------|-----------|----------------|--------------|--------------|------------------|---------------|----------------|---------------|
| a. | 1.0-10               | 3/8" x 24 |                | ✓            | ✓            |                  | ✓             | 4932349457     | 4002395318155 |
| b. | 1.0-10               | 1/2" x 20 | ✓              | ✓            | ✓            | ✓                | ✓             | 4932364382     | 4002395337675 |
| c. | 1.5-13               | 1/2" x 20 | ✓              |              | ✓            | ✓                | ✓             | 4932376531     | 4002395346332 |
| d. | 1.5-13               | 1/2" x 20 | ✓              | ✓            | ✓            | ✓                | ✓             | 4932376533     | 4002395346349 |
| e. | 1.5-13               | 1/2" x 20 | ✓              | ✓            | ✓            | ✓                | ✓             | 4932364267     | 4002395334070 |



KEYLESS CHUCKS FOR FIXTEC (SPINDLE LOCK) MACHINES

|    | Chuck jaws open (mm) | Reception  | Locking device | Safety screw | Rotary drill | Percussion drill | Battery drill | Article Number          | EAN Code      |
|----|----------------------|------------|----------------|--------------|--------------|------------------|---------------|-------------------------|---------------|
| a. | 1.0-10               | 3/8" x 24  | ✓              | ✓            | ✓            | ✓                | ✓             | 4932371018              | 4002395339365 |
| b. | 1.0-10               | 1/2" x 20  | ✓              | ✓            | ✓            | ✓                | ✓             | 4932372443              | 4002395345458 |
| c. | 1.5-13               | 1/2" x 20  | ✓              | ✓            | ✓            | ✓                | ✓             | 4932371913              | 4002395345366 |
| d. | 1.5-13               | 3/8" x 24  | ✓              | ✓            | ✓            | ✓                | ✓             | 4932399492              | 4002395361137 |
| e. | 1.5-13               | 9/16" x 18 | ✓              | ✓            | ✓            | ✓                | ✓             | 4932478806 <sup>1</sup> | 4058546360887 |



INDUSTRIAL KEYLESS CHUCKS FOR CORDED PERCUSSION DRILLS

|    | Chuck jaws open (mm) | Reception | Locking device | Rotary drill | Percussion drill | Battery drill | Article Number | EAN Code      |
|----|----------------------|-----------|----------------|--------------|------------------|---------------|----------------|---------------|
| a. | 1.0-13               | 1/2" x 20 | ✓              | ✓            | ✓                |               | 4932364266     | 4002395334063 |



KEYLESS CHUCKS - SPECIFIC TOOL RELATED CHUCKS


| Chuck jaws open (mm) | Reception | Machine specific | Locking device | Rotary drill | Safety screw | Article Number | EAN Code      |
|----------------------|-----------|------------------|----------------|--------------|--------------|----------------|---------------|
| a.                   | 1.0-10    | 1/2" x 20        | HDE 10 RQX     |              | ✓            | 48661520       | 045242156795  |
| b.                   | 1.5-13    | 1/2" x 20        | HDE 13 RQX     |              | ✓            | 42660755       | 4002395891436 |
| c.                   | 1.0-10    | FIXTEC           | M12 BDDX       | ✓            |              | 4932430444     | 4002395381050 |





SYSTEM ATTACHMENTS - ANGLE GRINDERS

|    | Description                                              | Fits 115mm angle grinders | Fits 125mm angle grinders | Fits 150mm angle grinders | Fits 180mm angle grinders | Fits 230mm angle grinders | Article Number | EAN Code      |
|----|----------------------------------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|----------------|---------------|
| a. | Flange nut M14                                           | ✓                         | ✓                         | ✓                         | ✓                         | ✓                         | 4932345628     | 4002395313105 |
| b. | Backing flange                                           | ✓                         | ✓                         | ✓                         | ✓                         | ✓                         | 4932449324     | 4002395245185 |
| c. | Two hole spanner straight                                | ✓                         | ✓                         | ✓                         | ✓                         | ✓                         | 4932367712     | 4002395338467 |
| d. | Open-ended spanner. SW 17/24                             | ✓                         | ✓                         | ✓                         | ✓                         | ✓                         | 4932345710     | 4002395307722 |
| e. | Cranked two hole spanner for steel wire brushes          |                           |                           |                           | ✓                         | ✓                         | 4932371469     | 4002395342181 |
| f. | Dust protection grille against entry of ground particles |                           | ✓                         | ✓                         |                           |                           | 4932329397     | 4002395303892 |
|    | Side handle                                              | ✓                         | ✓                         | ✓                         |                           |                           | 4932409546     | 4002395370870 |
| g. | Anti-Vibration side handle                               | ✓                         | ✓                         | ✓                         | ✓ <sup>1</sup>            |                           | 4932399991     | 4002395366507 |
|    |                                                          |                           |                           |                           | ✓                         | ✓                         | 4932399992     | 4002395366514 |
|    | Hand protection guard                                    |                           |                           |                           |                           |                           | 4932378478     | 4002395347353 |



FLEXIBLE BACKING PADS

|    | Description                                                               | Bore size (mm) | Ø (mm) | Fits 115mm angle grinders | Fits 125mm angle grinders | Fits 180mm angle grinders | Fits 230mm angle grinders | Article Number | EAN Code      |
|----|---------------------------------------------------------------------------|----------------|--------|---------------------------|---------------------------|---------------------------|---------------------------|----------------|---------------|
| a. | Flexible backing pad. Complete with flange nut M14 for all angle grinders | 14.2           | 110    | ✓                         |                           |                           |                           | 4932345760     | 4002395313488 |
|    |                                                                           | 14.2           | 125    |                           | ✓                         |                           |                           | 4932345761     | 4002395313495 |
|    |                                                                           | 14.2           | 170    |                           |                           | ✓                         |                           | 4932345758     | 4002395313501 |
|    |                                                                           | 22.2           | 170    |                           |                           | ✓                         |                           | 4932352744     | 4002395374021 |
| b. | Replacement flange nut M14                                                |                |        | ✓                         | ✓                         | ✓                         | ✓                         | 4932345627     | 4002395313112 |



CUTTING AND GRINDING DUST EXTRACTION

|    | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Fits 115mm angle grinders | Fits 125mm angle grinders | Fits 180mm angle grinders | Fits 230mm angle grinders | Article Number | EAN Code      |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|----------------|---------------|
| a. | Dust guard for cutting - DEC 125. 100% tool free connection to Ø 115 - 125 mm AG(V) 12, AGV 15 series and FUEL™ grinders except the flathead model, keyless depth adjustment from 5 - 28 mm. Guide to prevent twisting during cutting. Dust guard fits to the MILWAUKEE® M-Class cleaners with unique "click-system" adaptor supplied with the vacuum cleaner                                                                                                       | ✓                         | ✓                         |                           |                           | 4932430467     | 4002395381289 |
| b. | Dust guard for surface conditioning - DEG 125. 100% tool free connection to Ø 125 mm AG(V) 12, AGV 15 series and FUEL™ grinders except the flathead model. Supplied with additional loop handle. Removable magnetic front cover to gain access to tight corners and edges when using a cup wheel. Dust guard fits to the MILWAUKEE® M-Class cleaners with unique "click-system" adaptor supplied with the vacuum cleaner. Includes replaceable brush 4931448429     |                           | ✓                         |                           |                           | 4932430468     | 4002395381296 |
| c. | Dust guard for cutting - DEC 230. 100% tool free connection to Ø 180 - 230mm AG 22, keyless depth adjustment from 5 - 60mm. Solid steel cutting guide to prevent twisting during cutting and flexible cutting line indicator for plunge cuts. Dust guard fits to the MILWAUKEE® M-Class cleaners with unique "click-system" adaptor supplied with the vacuum cleaner.                                                                                               |                           |                           | ✓                         | ✓                         | 4932459340     | 4058546010010 |
|    | Dust guard for cutting - DEC 230 K. 100% tool free connection to Ø 180 - 230mm AG21, AGV 22, AG 24, AGVK 24 and FUEL™ grinders. Does not fit to LAG's equipped with autobalancer. Keyless depth adjustment from 5 - 60mm. Solid steel cutting guide to prevent twisting during cutting and flexible cutting line indicator for plunge cuts. Dust guard fits to the MILWAUKEE® M-Class cleaners with unique "click-system" adaptor supplied with the vacuum cleaner. |                           |                           | ✓                         | ✓                         | 4932459341     | 4058546010027 |



SYSTEM ATTACHMENTS - BANDSAWS

- Safety - Protects user from injuries by preventing any access to the blade
- Jobsite Armor™ durability - Proprietary composite material and crush zone barriers absorb impacts and protect the tool
- Protection from debris - Covers protect the blade track and the pulley wheels from debris entering the tool and affecting overall performance
- Tool-free installation and removal within second
- Extends life of blade by protecting it from external objects

BANDSAW COVERS

|   | Description                 | Article Number | EAN Code      |
|---|-----------------------------|----------------|---------------|
| a | Bandsaw Cover for HD18 BS   | 4932471458     | 4058546290863 |
| b | Bandsaw Cover for M18 FBS85 | 4932472241     | 4058546326371 |



SYSTEM ATTACHMENTS - CIRCULAR SAWS

|    | Description                         | Fits Milwaukee Circular Saws                                     | Article Number | EAN Code      |
|----|-------------------------------------|------------------------------------------------------------------|----------------|---------------|
| a. | Universal adaptor Ø 35 / 33 / 27 mm | PCS 55                                                           | 4932369282     | 4002395338412 |
| b. | Spanner for removing saw blade.     | CS 55,HK 46 N,SCS 65 Q,CS 75,PCS 55,HKS 75,HK 75 A,HKS 85,PMS 18 | 4932371469     | 4002395342181 |
| c. | Parallel guide / fence              | SCS 65 Q                                                         | 49224146       | 045242181896  |
| d. | Dust extraction hood for mitre saw  | MS 216 SB,M18 SMS216                                             | 4932430005     | 4002395376667 |



GUIDE RAILS AND ATTACHMENTS

|    |         | Description                           | Description                                                                                                                                                        | Article number | EAN code      |
|----|---------|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| a. | PSA-1   | Guide rail clamps                     | Guide rail clamps compatible with GR 800, GR 1400 and GR 2700 guide rails                                                                                          | 4932479068     | 4058546368623 |
| b. | PSA-2   | Guide rail joining bars               | Guide rail joining bars for GR 800, GR 1400 and GR 2700 guide rails                                                                                                | 4932479069     | 4058546368630 |
| c. | PSA-3   | Replacement guide rail splinter strip | Replacement guide rail splinter strip for GR 800, GR 1400 and GR 2700                                                                                              | 4932479070     | 4058546368647 |
| d. | PSA-4   | Guide rail bag                        | Guide rail bag for GR 800 and GR 1400                                                                                                                              | 4932479071     | 4058546368654 |
| e. | PSA-5   | Replacement low friction strip        | Replacement low friction strip for GR 800, GR 1400 and GR 2700                                                                                                     | 4932479072     | 4058546368661 |
| f. | GR 2700 | 2.7 m aluminium guide rail            | Compatible with M18 FPS55, M18 FCSG66, M18 FMCS66, CS85 CBE, M18 FCS66GR3, M18 FR12, M18 FTR, M18 FTR8                                                             | 4932479067     | 4058546368616 |
| g. | GR 1400 | 1.4 m aluminium guide rail            | Compatible with M18 FPS55, M18 FCSG66, M18 FMCS66, CS85 CBE, M18 FCS66GR3, M18 FR12, M18 FTR, M18 FTR8                                                             | 4932479066     | 4058546368609 |
| h. | GR 800  | 0.8 m aluminium guide rail            | Compatible with M18 FPS55, M18 FCSG66, M18 FMCS66, CS85 CBE, M18 FCS66GR3, M18 FR12, M18 FTR, M18 FTR8                                                             | 4932479065     | 4058546368593 |
| i. | GR-KIT  | 1400 mm guiderails kit                | 2 x 1400 mm guiderails, supplied with bag and joining bars. Compatible with M18 FPS55, M18 FCSG66, M18 FMCS66, CS85 CBE, M18 FCS66GR3, M18 FR12, M18 FTR, M18 FTR8 | 4932480906     | 4058546411916 |





PLANER BLADES

|    | Description                                                                                | Width (mm) | Fits planers       | Article Number | EAN Code      |
|----|--------------------------------------------------------------------------------------------|------------|--------------------|----------------|---------------|
| a. | Tungsten carbide reversible blades. Two reversible blades, suitable for soft and hardwoods | 56.1 mm    | M12 BLP            | 4932493399     | 4058546482701 |
|    |                                                                                            | 82 mm      | M18 BP,H 500,H 750 | 4932273484     | 4002395300150 |
|    |                                                                                            | 102 mm     | HB 750,HBE 800     | 4932316243     | 4002395300167 |



SYSTEM ATTACHMENTS - OUTDOOR PRODUCTS

SYSTEM ATTACHMENTS - CHAINSAWS

|    |                     |                                                 | Chain bar length (cm) | Gauge ["]   | Chain pitch ["] | Article number | EAN code      |
|----|---------------------|-------------------------------------------------|-----------------------|-------------|-----------------|----------------|---------------|
| a. | Chainsaw chains     | 15 cm/ 6" saw chain 3/8" x 1.1mm                | 15 cm/ 6"             | 1.1/ 0.043" | 9.5/ 3/8"       | 4932478427     | 4058546346188 |
|    |                     | 20 cm/ 8" saw chain 3/8" x 1.1mm                | 20 cm/ 8"             | 1.1/ 0.043" | 9.5/ 3/8"       | 4932480176     | 4058546404611 |
|    |                     | 25 cm/ 10" Saw Chain 3/8" x 1.1mm               | 25 cm/ 10"            | 1.1/ 0.043" | 9.5/ 3/8"       | 4932471329     | 4058546289577 |
|    |                     | 30 cm/ 12" Saw Chain 0.325" x 1.1mm             | 30 cm/ 12"            | 1.1/ 0.043" | 8.3/ .325"      | 4932480177     | 4058546404628 |
|    |                     | 30 cm/ 12" Saw Chain 3/8" x 1.1mm               | 30 cm/ 12"            | 1.1/ 0.043" | 9.5/ 3/8"       | 4932471385     | 4058546290139 |
|    |                     | 35 cm/ 14" Saw Chain 0.325" x 1.1mm             | 35 cm/ 14"            | 1.1/ 0.043" | 8.3/ .325"      | 4932480178     | 4058546404635 |
|    |                     | 35 cm/ 14" Saw Chain 3/8" x 1.1mm               | 35 cm/ 14"            | 1.1/ 0.043" | 9.525/ 3/8"     | 4932479820     | 4058546376147 |
|    |                     | 40 cm/ 16" Saw Chain 3/8" x 1.1mm               | 40 cm/ 16"            | 1.1/ 0.043" | 9.5/ 3/8"       | 4932464873     | 4058546228187 |
|    |                     | 50 cm/ 20" Saw Chain 0.325" x 1.3mm             | 50 cm/ 20"            | 1.3/ 0.050" | 8.3/ .325"      | 4932498791     | 4058546526603 |
| b. | Chainsaw guide bars | 15 cm/ 6" guide bar 3/8" x 1.1mm                | 15 cm / 6"            | 1.1/ 0.043" | 9.5/ 3/8"       | 4932480168     | 4058546404536 |
|    |                     | 20 cm/ 8" guide bar 3/8" x 1.1mm                | 20 cm/ 8"             | 1.1/ 0.043" | 9.5/ 3/8"       | 4932480169     | 4058546404543 |
|    |                     | 25 cm/ 10" Guide Bar 3/8" x 1.1mm               | 25 cm/ 10"            | 1.1/ 0.043" | 9.5/ 3/8"       | 4932480170     | 4058546404550 |
|    |                     | 30 cm/ 12" Guide Bar 0.325" x 1.1mm             | 30 cm/ 12"            | 1.1/ 0.043" | 8.3/ .325"      | 4932480171     | 4058546404567 |
|    |                     | 35 cm/ 14" Guide Bar 3/8" x 1.1mm               | 35 cm/ 14"            | 1.1/ 0.043" | 9.5/ 3/8"       | 4932480172     | 4058546404574 |
|    |                     | 35 cm/ 14" Guide Bar 0.325" x 1.1mm             | 35 cm/ 14"            | 1.1/ 0.043" | 8.3/ .325"      | 4932480173     | 4058546404581 |
|    |                     | 40 cm/ 16" Guide Bar 3/8" x 1.1mm               | 40 cm/ 16"            | 1.1/ 0.043" | 9.5 / 3.8"      | 4932480174     | 4058546404598 |
|    |                     | 50 cm/ 20" Guide Bar 0.325" x 1.3mm             | 50 cm/ 20"            | 1.3/ 0.050" | 8.3/ .325"      | 4932498790     | 4058546526597 |
| c. | Chainsaw bags       | Chainsaw bag for M18™ rear handle chainsaws     |                       |             |                 | 4932493810     | 4058546509705 |
| d. |                     | Chainsaw bag for M18™/M12™ hatchet pruning saws |                       |             |                 | 4932493811     | 4058546509712 |



SYSTEM ATTACHMENTS - LINE TRIMMERS

|    |                                                         | Article number | EAN code      |
|----|---------------------------------------------------------|----------------|---------------|
| a. | Double shoulder harness for brush cutters               | 4932492849     | 4058546477202 |
| b. | Single shoulder strap for line trimmers                 | 4932492671     | 4058546475420 |
| c. | 2 mm x 45 m trimmer line                                | 49162712       | 045242493906  |
| d. | 2.4 mm x 76 m trimmer line                              | 49162713       | 045242493913  |
| e. | Auto feed trimmer replacement spool                     | 49162714       | 045242006458  |
| f. | Brush cutter replacement blade 4-tooth for M18 FOPH-BCA | 4932481041     | 4058546413262 |
| g. | Brush cutter replacement blade- 3-tooth for M18 F2BCU   | 4932498762     | 4058546526313 |
| h. | Easy load trimmer head Gen II                           | 4932480180     | 4058546404659 |



SYSTEM ATTACHMENTS - MOWERS

|    |                                         | Article number | EAN code      |
|----|-----------------------------------------|----------------|---------------|
| a. | Mower blade 18"/ 46 cm                  | 4932492106     | 4058546414733 |
|    | Mower blade 21"/ 53 cm                  | 4932479818     | 4058546376123 |
| b. | High performance mower blade 18"/ 46 cm | 4932492107     | 4058546414740 |
|    | High performance mower blade 21"/ 53 cm | 4932479819     | 4058546376130 |
| c. | Lawn Mower Cover 21"/ 53 cm             | 4932479821     | 4058546376154 |



SYSTEM ATTACHMENTS - BLOWERS

|    |                                          | Article number | EAN code      |
|----|------------------------------------------|----------------|---------------|
| a. | Single shoulder strap for M18 F2BL       | 4932492418     | 4058546417857 |
| b. | Angled flare attachment for blowers      | 4932498513     | 4058546523824 |
| c. | Blower nozzle attachment kit for blowers | 4932498514     | 4058546523831 |
| d. | Gutter attachment for handheld blowers   | 4932498512     | 4058546523817 |



SYSTEM ATTACHMENTS - OTHER OUTDOOR PRODUCTS


|    |                                                    | Article number | EAN code      |
|----|----------------------------------------------------|----------------|---------------|
| a. | Edger blade 203 mm                                 | 4932471330     | 4058546289584 |
| b. | Holster for M12™ brushless pruning shear           | 4932492430     | 4058546417970 |
| c. | Replacement blade for M12™ brushless pruning shear | 4932492431     | 4058546417987 |
| d. | Replacement blade for M18 BLTS                     | 4932493557     | 4058546484286 |
| e. | Bristle brush replacement drums for M18 FOPH       | 4932499150     | 4058546530198 |
| f. | Rubber broom replacement drums for M18 FOPH        | 4932499151     | 4058546530204 |






CRIMPING DIES


|    |                                                                         |      |                      |              | M18 HCCT, M18 ONEHCCT60 |                |               | M18 HCCT109/42 |                |               |
|----|-------------------------------------------------------------------------|------|----------------------|--------------|-------------------------|----------------|---------------|----------------|----------------|---------------|
|    | Type                                                                    | Form | Cable lug size [mm2] | Imprint code | Description             | Article number | EAN code      | Description    | Article number | EAN code      |
| a. | DIN 46235 for copper compression cable lugs and connectors ( DIN 46267) | Hex  | 16                   | 8            | DIN22 Cu 16             | 4932451744     | 4002395277551 | DIN13 Cu 16    | 4932459465     | 4058546011260 |
|    |                                                                         |      | 25                   | 10           | DIN22 Cu 25             | 4932451745     | 4002395277568 | DIN13 Cu 25    | 4932459466     | 4058546011277 |
|    |                                                                         |      | 35                   | 12           | DIN22 Cu 35             | 4932451746     | 4002395277575 | DIN13 Cu 35    | 4932459467     | 4058546011284 |
|    |                                                                         |      | 50                   | 14           | DIN22 Cu 50             | 4932451747     | 4002395277582 | DIN13 Cu 50    | 4932459468     | 4058546011291 |
|    |                                                                         |      | 70                   | 16           | DIN22 Cu 70             | 4932451748     | 4002395277599 | DIN13 Cu 70    | 4932459469     | 4058546011307 |
|    |                                                                         |      | 95                   | 18           | DIN22 Cu 95             | 4932451749     | 4002395278206 | DIN13 Cu 95    | 4932459470     | 4058546011314 |
|    |                                                                         |      | 120                  | 20           | DIN22 Cu 120            | 4932451750     | 4002395278213 | DIN13 Cu 120   | 4932459471     | 4058546011321 |
|    |                                                                         |      | 150                  | 22           | DIN22 Cu 150            | 4932451751     | 4002395278220 | DIN13 Cu 150   | 4932459472     | 4058546011338 |
|    |                                                                         |      | 185                  | 25           | DIN22 Cu 185            | 4932451752     | 4002395278237 | DIN13 Cu 185   | 4932459473     | 4058546011345 |
|    |                                                                         |      | 240                  | 28           | DIN22 Cu 240            | 4932451753     | 4002395278244 | DIN13 Cu 240   | 4932459474     | 4058546011352 |
|    |                                                                         |      | 300                  | 32           | DIN22 Cu 300            | 4932451754     | 4002395278251 | DIN13 Cu 300   | 4932459475     | 4058546011369 |




|    |                                   |      |                      |              | M18 HCCT, M18 ONEHCCT60 |                |               | M18 HCCT109/42 |                |               |
|----|-----------------------------------|------|----------------------|--------------|-------------------------|----------------|---------------|----------------|----------------|---------------|
|    | Type                              | Form | Cable lug size [mm2] | Imprint code | Description             | Article number | EAN code      | Description    | Article number | EAN code      |
| a. | Tubular cable lugs and connectors | Hex  | 16                   | 16           | R22 Cu 16               | 4932451755     | 4002395278268 | R13 Cu 16      | 4932459494     | 4058546011550 |
|    |                                   |      | 25                   | 25           | R22 Cu 25               | 4932451756     | 4002395278275 | R13 Cu 25      | 4932459495     | 4058546011567 |
|    |                                   |      | 35                   | 35           | R22 Cu 35               | 4932451757     | 4002395278282 | R13 Cu 35      | 4932459496     | 4058546011574 |
|    |                                   |      | 50                   | 50           | R22 Cu 50               | 4932451758     | 4002395278299 | R13 Cu 50      | 4932459497     | 4058546011581 |
|    |                                   |      | 70                   | 70           | R22 Cu 70               | 4932451759     | 4002395278909 | R13 Cu 70      | 4932459498     | 4058546011598 |
|    |                                   |      | 95                   | 95           | R22 Cu 95               | 4932451760     | 4002395278916 | R13 Cu 95      | 4932459499     | 4058546011604 |
|    |                                   |      | 120                  | 120          | R22 Cu 120              | 4932451761     | 4002395278923 | R13 Cu 120     | 4932459500     | 4058546011611 |
|    |                                   |      | 150                  | 150          | R22 Cu 150              | 4932451762     | 4002395278930 | R13 Cu 150     | 4932459501     | 4058546011628 |
|    |                                   |      | 185                  | 185          | R22 Cu 185              | 4932451763     | 4002395278947 | R13 Cu 185     | 4932459502     | 4058546011635 |
|    |                                   |      | 240                  | 240          | R22 Cu 240              | 4932451764     | 4002395278954 | R13 Cu 240     | 4932459503     | 4058546011642 |
|    |                                   |      | 300                  | 300          | R22 Cu 300              | 4932451765     | 4002395278961 | R13 Cu 300     | 4932459504     | 4058546026769 |
|    |                                   |      | 400                  | 400          | -                       | -              | -             | R13 Cu 400     | 4932459505     | 4058546026776 |




|    |                                               |      |                      |              | M18 HCCT, M18 ONEHCCT60 |                |               | M18 HCCT109/42 |                |               |
|----|-----------------------------------------------|------|----------------------|--------------|-------------------------|----------------|---------------|----------------|----------------|---------------|
|    | Type                                          | Form | Cable lug size [mm2] | Imprint code | Description             | Article number | EAN code      | Description    | Article number | EAN code      |
| a. | NF C 20-130 for copper compression cable lugs | Hex  | 16                   | 16           | NF22 Cu 16              | 4932451733     | 4002395276837 | NF13 Cu 16     | 4932459453     | 4058546011147 |
|    |                                               |      | 25                   | 25           | NF22 Cu 25              | 4932451734     | 4002395276844 | NF13 Cu 25     | 4932459454     | 4058546011154 |
|    |                                               |      | 35                   | 35           | NF22 Cu 35              | 4932451735     | 4002395276851 | NF13 Cu 35     | 4932459455     | 4058546011161 |
|    |                                               |      | 50                   | 50           | NF22 Cu 50              | 4932451736     | 4002395276868 | NF13 Cu 50     | 4932459456     | 4058546011178 |
|    |                                               |      | 70                   | 70           | NF22 Cu 70              | 4932451737     | 4002395276875 | NF13 Cu 70     | 4932459457     | 4058546011185 |
|    |                                               |      | 95                   | 95           | NF22 Cu 95              | 4932451738     | 4002395276882 | NF13 Cu 95     | 4932459458     | 4058546011192 |
|    |                                               |      | 120                  | 120          | NF22 Cu 120             | 4932451739     | 4002395276899 | NF13 Cu 120    | 4932459459     | 4058546011208 |
|    |                                               |      | 150                  | 150          | NF22 Cu 150             | 4932451740     | 4002395277506 | NF13 Cu 150    | 4932459460     | 4058546011215 |
|    |                                               |      | 185                  | 185          | NF22 Cu 185             | 4932451741     | 4002395277513 | NF13 Cu 185    | 4932459461     | 4058546011222 |
|    |                                               |      | 240                  | 240          | NF22 Cu 240             | 4932451742     | 4002395277520 | NF13 Cu 240    | 4932459462     | 4058546011239 |
|    |                                               |      | 300                  | 300          | NF22 Cu 300             | 4932451743     | 4002395277544 | NF13 Cu 300    | 4932459463     | 4058546011246 |
|    |                                               |      | 400                  | 400          | -                       | -              | -             | NF13 Cu 400    | 4932459464     | 4058546011253 |




|    |                                                               |                   |                      |              | M18 HCCT, M18 ONEHCCT60 |                |               | M18 HCCT109/42 |                |               |
|----|---------------------------------------------------------------|-------------------|----------------------|--------------|-------------------------|----------------|---------------|----------------|----------------|---------------|
|    | Type                                                          | Form              | Cable lug size [mm2] | Imprint code | Description             | Article number | EAN code      | Description    | Article number | EAN code      |
| a. | Copper solderless terminals (DIN 46234, DIN 46230, DIN 46341) | Half round indent | 16                   | 16           | Q22 CU 16               | 4932451766     | 4002395278978 | Q13 CU 16      | 4932459477     | 4058546011383 |
|    |                                                               |                   | 25                   | 25           | Q22 CU 25               | 4932451767     | 4002395278985 | Q13 CU 25      | 4932459478     | 4058546011390 |
|    |                                                               |                   | 35                   | 35           | Q22 CU 35               | 4932451768     | 4002395278992 | Q13 CU 35      | 4932459479     | 4058546011406 |
|    |                                                               |                   | 50                   | 50           | Q22 CU 50               | 4932451769     | 4002395279609 | Q13 CU 50      | 4932459480     | 4058546011413 |
|    |                                                               |                   | 70                   | 70           | Q22 CU 70               | 4932451770     | 4002395279616 | Q13 CU 70      | 4932459481     | 4058546011420 |
|    |                                                               |                   | 95                   | 95           | -                       | -              | -             | Q13 CU 95      | 4932459482     | 4058546011437 |



|    |                                                                                                                 |      |                      |              | M18 HCCT, M18 ONEHCCT60 |                |               | M18 HCCT109/42  |                |               |
|----|-----------------------------------------------------------------------------------------------------------------|------|----------------------|--------------|-------------------------|----------------|---------------|-----------------|----------------|---------------|
|    | Type                                                                                                            | Form | Cable lug size [mm2] | Imprint code | Description             | Article number | EAN code      | Description     | Article number | EAN code      |
| a. | DIN Aluminium for aluminium compression cable lugs and connectors (DIN 46329, 46267 Part 1 and 2, DIN EN 50182) | Hex  | 16/25                | 12           | DIN22 AL 16/25          | 4932451771     | 4002395279623 | DIN13 AL 16/25  | 4932459506     | 4058546026783 |
|    |                                                                                                                 |      | 35                   | 14           | DIN22 AL 35             | 4932451772     | 4002395279630 | DIN13 AL 35     | 4932459507     | 4058546026790 |
|    |                                                                                                                 |      | 50                   | 16           | DIN22 AL 50             | 4932451773     | 4002395279647 | DIN13 AL 50     | 4932459508     | 4058546026806 |
|    |                                                                                                                 |      | 70                   | 18           | DIN22 AL 70             | 4932451774     | 4002395279654 | DIN13 AL 70     | 4932459509     | 4058546026813 |
|    |                                                                                                                 |      | 95/120               | 22           | DIN22 AL 95/120         | 4932451775     | 4002395279661 | DIN13 AL 95/120 | 4932459510     | 4058546026820 |
|    |                                                                                                                 |      | 150                  | 25           | DIN22 AL 150            | 4932451776     | 4002395279678 | DIN13 AL 150    | 4932459511     | 4058546026837 |
|    |                                                                                                                 |      | 185                  | 28           | DIN22 AL 185            | 4932451777     | 4002395279685 | DIN13 AL 185    | 4932459512     | 4058546026844 |
|    |                                                                                                                 |      | 240                  | 32           | DIN22 AL 240            | 4932451778     | 4002395279692 | DIN13 AL 240    | 4932459513     | 4058546026851 |
|    |                                                                                                                 |      | 300                  | 34           | DIN22 AL 300            | 4932451779     | 4002395279695 | DIN13 AL 300    | 4932459514     | 4058546026868 |
|    |                                                                                                                 |      |                      |              |                         |                |               |                 |                |               |
|    |                                                                                                                 |      |                      |              |                         |                |               |                 |                |               |



|    |                                                        |      |                      |              | M18 HCCT, M18 ONEHCCT60 |                |               | M18 HCCT109/42 |                |               |
|----|--------------------------------------------------------|------|----------------------|--------------|-------------------------|----------------|---------------|----------------|----------------|---------------|
|    | Type                                                   | Form | Cable lug size [mm2] | Imprint code | Description             | Article number | EAN code      | Description    | Article number | EAN code      |
| a. | Copper tubular cable lugs and connectors like L series | Hex  | 16                   | 8            | L22 Cu 16               | 4932464487     | 4058546224325 | L13 Cu 16      | 4932464500     | 4058546224455 |
|    |                                                        |      | 25                   | 10           | L22 Cu 25               | 4932464488     | 4058546224332 | L13 Cu 25      | 4932464501     | 4058546224462 |
|    |                                                        |      | 35                   | 12           | L22 Cu 35               | 4932464489     | 4058546224349 | L13 Cu 35      | 4932464502     | 4058546224479 |
|    |                                                        |      | 50                   | 14           | L22 Cu 50               | 4932464490     | 4058546224356 | L13 Cu 50      | 4932464503     | 4058546224486 |
|    |                                                        |      | 70                   | 16           | L22 Cu 70               | 4932464491     | 4058546224363 | L13 Cu 70      | 4932464504     | 4058546224493 |
|    |                                                        |      | 95                   | 18           | L22 Cu 95               | 4932464492     | 4058546224370 | L13 Cu 95      | 4932464505     | 4058546224509 |
|    |                                                        |      | 120                  | 20           | L22 Cu 120              | 4932464493     | 4058546224387 | L13 Cu 120     | 4932464506     | 4058546224516 |
|    |                                                        |      | 150                  | 22           | L22 Cu 150              | 4932464494     | 4058546224394 | L13 Cu 150     | 4932464507     | 4058546224523 |
|    |                                                        |      | 185                  | 25           | L22 Cu 185              | 4932464495     | 4058546224400 | L13 Cu 185     | 4932464508     | 4058546224530 |
|    |                                                        |      | 240                  | 28           | L22 Cu 240              | 4932464496     | 4058546224417 | L13 Cu 240     | 4932464509     | 4058546224547 |
|    |                                                        |      | 300                  | 32           | L22 Cu 300              | 4932479393     | 4058546371876 | L13 Cu 300     | 4932464510     | 4058546224554 |



|    |                                                                   |       |                      |              | M18 HCCT, M18 ONEHCCT60 |                |               | M18 HCCT109/42   |                |               |
|----|-------------------------------------------------------------------|-------|----------------------|--------------|-------------------------|----------------|---------------|------------------|----------------|---------------|
|    | Type                                                              | Form  | Cable lug size [mm2] | Imprint code | Description             | Article number | EAN code      | Description      | Article number | EAN code      |
| a. | Pre rounding of triangular shaped aluminium and copper conductors | Round | 16                   | -            | RU22 Cu/Al 16           | 4932451780     | 4002395276912 | RU13 Cu/Al16     | 4932459483     | 4058546011444 |
|    |                                                                   |       | 35/25                | -            | RU22 Cu35/AL25          | 4932451781     | 4002395276929 | RU13 Cu35/AL25   | 4932459484     | 4058546011451 |
|    |                                                                   |       | 50/35                | -            | RU22 Cu50/AL35          | 4932451782     | 4002395276936 | RU13 Cu50/AL35   | 4932459485     | 4058546011468 |
|    |                                                                   |       | 70/50                | -            | RU22 Cu70/AL50          | 4932451783     | 4002395276943 | RU13 Cu70/AL50   | 4932459486     | 4058546011475 |
|    |                                                                   |       | 95/70                | -            | RU22 Cu95/AL70          | 4932451784     | 4002395276950 | RU13 Cu95/AL70   | 4932459487     | 4058546011482 |
|    |                                                                   |       | 120/95               | -            | RU22 Cu120/AL95         | 4932451785     | 4002395276967 | RU13 Cu120/AL95  | 4932459488     | 4058546011499 |
|    |                                                                   |       | 150/120              | -            | RU22 Cu150/AL120        | 4932451786     | 4002395276974 | RU13 Cu150/AL120 | 4932459489     | 4058546011505 |
|    |                                                                   |       | 185/150              | -            | RU22 Cu185/AL150        | 4932451787     | 4002395276981 | RU13 Cu185/AL150 | 4932459490     | 4058546011512 |
|    |                                                                   |       | 240/185              | -            | RU22 Cu240/AL185        | 4932451788     | 4002395276998 | RU13 Cu240/AL185 | 4932459491     | 4058546011529 |
|    |                                                                   |       | 300/240              | -            | RU22 Cu300/AL240        | 4932451789     | 4002395277605 | RU13 Cu300/AL240 | 4932459492     | 4058546011536 |



|    |         |           |                      |              | M18 HCCT, M18 ONEHCCT60 |                |          | M18 HCCT109/42 |                |               |
|----|---------|-----------|----------------------|--------------|-------------------------|----------------|----------|----------------|----------------|---------------|
|    | Type    | Form      | Cable lug size [mm2] | Imprint code | Description             | Article number | EAN code | Description    | Article number | EAN code      |
| a. | Ferruls | Trapezoid | 16                   | -            | -                       | -              | -        | AEH13 Cu 16    | 4932459515     | 4058546026875 |
|    |         |           | 25                   | -            | -                       | -              | -        | AEH13 Cu 25    | 4932459516     | 4058546026882 |
|    |         |           | 35                   | -            | -                       | -              | -        | AEH13 Cu 35    | 4932459517     | 4058546026899 |
|    |         |           | 50                   | -            | -                       | -              | -        | AEH13 Cu 50    | 4932459518     | 4058546026905 |
|    |         |           | 70                   | -            | -                       | -              | -        | AEH13 Cu 70    | 4932459519     | 4058546026912 |
|    |         |           | 95                   | -            | -                       | -              | -        | AEH13 Cu 95    | 4932459520     | 4058546026929 |
|    |         |           | 120                  | -            | -                       | -              | -        | AEH13 Cu 120   | 4932459521     | 4058546026936 |
|    |         |           | 150                  | -            | -                       | -              | -        | AEH13 Cu 150   | 4932459522     | 4058546026943 |
|    |         |           | 185                  | -            | -                       | -              | -        | AEH13 Cu 185   | 4932459523     | 4058546026950 |
|    |         |           | 240                  | -            | -                       | -              | -        | AEH13 Cu 240   | 4932459524     | 4058546026967 |



SYSTEM ATTACHMENTS - PIPE CUTTERS

|    | Description                                                                                    | Article Number | EAN Code      |
|----|------------------------------------------------------------------------------------------------|----------------|---------------|
| a. | Pipe cutter wheels. Suitable for copper pipe. Not suitable for plastic or stainless steel pipe | 48380010       | 045242159710  |
| b. | PEX cutter blade for C12 PPC                                                                   | 4931441978     | 4002395179268 |
| c. | Wheels for M12™ RAPTOR™ pipe cutter stainless steel (M12 PCSS) (2pc)                           | 4932479243     | 4058546370374 |
| d. | Wheels for M12™ RAPTORXL™ pipe cutter stainless steel (M12 PCSS54)                             | 4932498665     | 4058546525347 |



SYSTEM ATTACHMENTS - CABLE CUTTERS

|    | Description                                                          | Description                                                                                                                                                                                                                                                                              | Article number | EAN code      |
|----|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| a. | ACSR Aluminium steel reinforced cable cutting jaw including blades   | Cable cutter jaw and blade set for cutting aluminium-steel transmission cable. ACSS-aluminium conductor steel supported cable and ACSR-aluminium conductor steel reinforced cable i.e. 94-AL1 / 15-ST1A (EN 50182). Not suitable for armoured cable or steel rods. Max. cutting Ø22.5 mm | 49162773       | 045242350070  |
|    | ACSR Aluminium steel reinforced cable cutting blades                 | Replacement cable cutter blades for ACSR-jaw. Not suitable for armoured cable or steel rods.                                                                                                                                                                                             | 48440412       | 045242355235  |
| b. | Cu/Al standard copper & aluminium cable cutting jaw including blades | Cable cutter jaw and blade set for cutting copper/aluminium. Copper/aluminium standard stranded cable up to 4 x 50 mm², 1 x 500 mm² in aluminium and 1 x 400 mm² in copper. Not suitable for fine stranded/highly flexible cable. Max. cutting Ø35 mm                                    | 4932430839     | 4002395385010 |
|    | Cu/Al standard copper & aluminium cable cutting blades               | Cu/Al standard copper & aluminium cable cutting blades. The blades fit for the Cu/Al cutting jaws for M18HCC & ONEHCC cutters + M18 HCCT crimper cutting jaw                                                                                                                             | 4932464498     | 4058546224431 |
| c. | FSW fine stranded wire cutting jaw including blades                  | Cable cutter jaw and blades for class 5 fine stranded wire and class 6 finest stranded wire according to IEC 60228/DIN VDE 0295 standards. Also suitable for high flexible data- and telecom cable. Not suitable for thick stranded cables. Max. cutting Ø35 mm                          | 49162778       | 045242505722  |
|    | FSW fine stranded wire cutting blades                                | FSW fine stranded wire cutting blade                                                                                                                                                                                                                                                     | 48442778       | 045242505739  |
| d. | EHS guy wire/steel wire cutting jaw including blades                 | Cutting jaw and blades for EHS grade guy wire, stay wire & steel wire according to DIN48201/3 guy wire of grade ST1/ST2/ST3. Not suitable for fine stranded steel ropes. Max. cutting Ø15 mm                                                                                             | 49162777       | 045242505449  |
|    | EHS guy wire/steel wire cutting blades                               | EHS guy wire/steel wire cutting blades                                                                                                                                                                                                                                                   | 48442777       | 045242505456  |
| e. | Armoured cable cutting Jaw for M18 HCC                               | Armoured cable cutting Jaw for M18 HCC                                                                                                                                                                                                                                                   | 4932464867     | 4058546228125 |
| f. | Replacement blade for M18 HCC125/ M18 HSFC125                        | Latch replacement blade for M18 HCC125/ M18 HSFC125                                                                                                                                                                                                                                      | 4932492423     | 4058546417901 |
|    |                                                                      | Moving ram replacement blade for M18 HCC125/ M18 HSFC125                                                                                                                                                                                                                                 | 4932492424     | 4058546417918 |
| g. | Grounding kit for M18 HSFC125                                        | Grounding kit for M18 HSFC125                                                                                                                                                                                                                                                            | 4932492425     | 4058546417925 |



SYSTEM ATTACHMENTS - THREADED ROD CUTTER

|    | Description                             | Article Number | EAN Code      |
|----|-----------------------------------------|----------------|---------------|
| a. | Dies for M18™ BLTRC threaded rod cutter | 4932471372     | 4058546290009 |



SYSTEM ATTACHMENTS - STRUT SHEAR

|    | Description                             | Article Number | EAN Code     |
|----|-----------------------------------------|----------------|--------------|
| a. | Strut shear die set 22 x 41 mm          | 49160078       | 045242821914 |
|    | Strut shear die set 41 x 41 mm          | 49160158       | 045242821891 |
|    | Strut shear die set 21 x 41 mm          | 49161316       | 045242821907 |
| b. | Strut shear combination die set 21 x 41 | 49161513       | 045242821921 |
|    | Strut shear combination die set 22 x 41 | 49161578       | 045242821938 |



SYSTEM ATTACHMENTS - M18 FUEL™ FISH TAPES

|    |                      | Description                        | Article Number | EAN Code      |
|----|----------------------|------------------------------------|----------------|---------------|
| a. | Steel fish drums     | 36 m x 3 mm steel fish drum        | 48445176       | 4058546326432 |
|    |                      | 72 m x 3 mm steel fish drum        | 48445178       | 4058546326449 |
| b. | Non-conductive drums | 30 m non-conductive polyester drum | 48445195       | 4058546326463 |
|    |                      | 60 m non-conductive polyester drum | 48445197       | 4058546326470 |





SYSTEM ATTACHMENTS - HYDRAULIC KNOCKOUT PUNCH

• Suitable for mild steel and aluminium up to a thickness of 3 mm.  
• Also suitable for stainless steel max. 2.5 mm.

|                                                                                                                                 | Description              | Ø (mm)                                                                                                                        | Article Number | EAN Code      |                                                                                   |    | Description | Ø (mm)   | Article Number | EAN Code      |
|---------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|-----------------------------------------------------------------------------------|----|-------------|----------|----------------|---------------|
| a.                                                                                                                              | Punch M16                | 16.2                                                                                                                          | 4932430841     | 4002395385034 |  | a. | Die M16     | 16.2     | 4932430913     | 4002395385751 |
|                                                                                                                                 | Punch PG16               | 22.5                                                                                                                          | 4932430843     | 4002395385058 |                                                                                   |    | Die PG16    | 22.5     | 4932430915     | 4002395385775 |
|                                                                                                                                 | Punch M20                | 20.4                                                                                                                          | 4932430842     | 4002395385041 |                                                                                   |    | Die M20     | 20.4     | 4932430914     | 4002395385768 |
|                                                                                                                                 | Punch PG21               | 28.3                                                                                                                          | 4932430845     | 4002395385072 |                                                                                   |    | Die PG21    | 28.3     | 4932430917     | 4002395385799 |
|                                                                                                                                 | Punch M25                | 25.4                                                                                                                          | 4932430844     | 4002395385065 |                                                                                   |    | Die M25     | 25.4     | 4932430916     | 4002395385782 |
|                                                                                                                                 | Punch M32                | 32.5                                                                                                                          | 4932430846     | 4002395385089 |                                                                                   |    | Die M32     | 32.5     | 4932430918     | 4002395385805 |
|                                                                                                                                 | Punch M40                | 40.5                                                                                                                          | 4932430847     | 4002395385096 |                                                                                   |    | Die M40     | 40.5     | 4932430919     | 4002395385812 |
|                                                                                                                                 | Punch M50                | 50.5                                                                                                                          | 4932430848     | 4002395385102 |                                                                                   |    | Die M50     | 50.5     | 4932430920     | 4002395385829 |
|                                                                                                                                 | Punch M63                | 63.5                                                                                                                          | 4932430849     | 4002395385119 |                                                                                   |    | Die M63     | 63.5     | 4932430921     | 4002395385836 |
| ◦ Draw stud bolt 49162680 (for 16.2 and 20.4 mm) Ø 11,1 mm: requires pre-drilling with Ø 11.3 - 11.5 mm drill bit / step drill. |                          |                                                                                                                               |                |               |                                                                                   |    |             |          |                |               |
| b.                                                                                                                              | Draw bolt 11.1 mm (7/16) | Draw stud bolt 49162680 (for 16.2 and 20.4 mm) Ø 11,1 mm: requires pre-drilling with Ø 11.3 - 11.5 mm drill bit / step drill. |                |               |                                                                                   |    |             | 49162680 | 045242311774   |               |
| c.                                                                                                                              | Draw bolt 19 mm (3/4)    | Draw stud bolt 49162681 Ø 19 mm: requires pre-drilling with Ø 19.5 - 20 mm drill bit / step drill.                            |                |               |                                                                                   |    |             | 49162681 | 045242311781   |               |



SYSTEM ATTACHMENTS - HYDRAULIC PUMP

|    | Description                                 | Features                                                                                                                                                                                                       | Article number | EAN code      |
|----|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| a. | 1.8 m extension cord for M18 HUP controller | Compatible with M18™ FORCE LOGIC™ hydraulic pumpIP 67 ingress protection for reliable use in the elementsMale-female connectors for interconnectable extension up to 7.3 m of length                           | 49122775       | 4058546326487 |
| b. | Bucket hanger for M18 HUP700                | Compatible with M18™ FORCE LOGIC™ hydraulic pumpExtendable bar & rubber bumpers allow for use with most existing buckets & steel bas-ketsSymmetrical lift ring design enable use from both sides of the hanger | 49122776       | 045242535231  |
| c. | Replacement oil M18 HUP700                  | 1 Litre accessory oil for M18™ FORCE LOGIC™ HUP700 hydraulic pumpEn-sures full performance and reliable use in extreme environmental conditions from -18°C to 50°C                                             | 4932472004     | 4058546324001 |



SYSTEM ATTACHMENTS - EXPANSION TOOLS

EXPANDER HEADS

|    |                 | Pipe diameter [mm] | Pipe wall thickness [mm] | Pipe pressure [bar]   | Suitable                                    | Article number | EAN code      |
|----|-----------------|--------------------|--------------------------|-----------------------|---------------------------------------------|----------------|---------------|
| a. | PXPH 12l - 14   | 12                 | 1.7/ 1.8/ 2              | 6-10                  | M12, M18                                    | 4932352716     | 4002395373741 |
|    | PXPH 16l - 14   | 16                 | 1.8/ 2.0/ 2.2            | 10                    | M12, M18                                    | 4932352717     | 4002395373758 |
|    | PXPH 20l - 1406 | 20                 | 1.9/ 2.0/ 2.3            | 6, (8 bar - Ø 2.3 mm) | M12, M18                                    | 4932352718     | 4002395373765 |
|    | PXPH 20l - 1410 | 20                 | 2.8                      | 10                    | M12, M18                                    | 4932352719     | 4002395373772 |
|    | PXPH 25l - 1406 | 25                 | 2.3                      | 6                     | M12, M18                                    | 4932352720     | 4002395373789 |
|    | PXPH 32l - 1406 | 32                 | 2.9                      | 6                     | M12, M18                                    | 4932352723     | 4002395373819 |
|    | PXPH 40l - 2510 | 40                 | 5.5                      | 10                    | M18 FPXP                                    | 4932479581     | 4058546373757 |
|    | PXPH 50l - 25   | 50                 | 4.6/ 6.9                 | 6-10                  | M18 FPXP                                    | 4932479582     | 4058546373764 |
| b. | Grease          |                    |                          |                       | For lubrication of cone and expander heads. | 4932352726     | 4002395373840 |



RAPID SEAL™ EXPANDER HEADS


|    |               | Pipe diameter [mm] | Pipe wall thickness [mm] | Pipe pressure [bar] | Suitable | Article number | EAN code      |
|----|---------------|--------------------|--------------------------|---------------------|----------|----------------|---------------|
| a. | FPXPH9.9l-14  | 9.9                | 1.1                      | 4-8                 | M12, M18 | 4932472150     | 4058546325466 |
|    | FPXPH16l-14   | 16                 | 1.5/ 1.8/ 2.0/ 2.2       | 6-10                | M12, M18 | 4932472151     | 4058546325473 |
|    | FPXPH20l-1406 | 20                 | 1.9/ 2.0/ 2.3            | 6-8                 | M12, M18 | 4932472152     | 4058546325480 |
|    | FPXPH20l-1410 | 20                 | 2.8                      | 10                  | M12, M18 | 4932472153     | 4058546325497 |
|    | FPXPH25l-1406 | 25                 | 2.3                      | 6                   | M12, M18 | 4932472271     | 4058546339173 |
|    | FPXPH25l-1410 | 25                 | 3.5                      | 10                  | M12, M18 | 4932472272     | 4058546339180 |
|    | FPXPH32l-1406 | 32                 | 2.9                      | 6                   | M12, M18 | 4932472273     | 4058546339197 |





SYSTEM ATTACHMENTS - CAULK GUNS

|    | Description                                                                                                                                                                              | Fits Milwaukee Caulk Guns | Article Number | EAN Code      |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------------|---------------|
| a. | 310 ml standard carriage. Accepts all standard 250 ml and 310 ml tubes/cartridges Includes plunger rod assembly (4932352937), piston for carriage assemblies and a feed screw (44700330) | C18 PCG                   | 48081076       | 045242263127  |
| b. | 310 ml standard carriage. Accepts all standard 250 ml and 310 ml tubes/cartridges Includes plunger rod assembly (4932430099), piston for carriage assemblies and a feed screw (44700330) | C12 PCG                   | 48080900       | 045242286355  |
| c. | 310 ml aluminium sausage tube barrel. Accepts standard 310 ml "sausage style" material packs and 380 ml cartridges. Requires plunger rod 49520660                                        | PCG 14 / 300,PCG 14 / 600 | 48081085       | 045242089246  |
| d. | 400 ml aluminium sausage tube barrel. Accepts standard 400 ml "sausage style" material packs (includes 2 end cups). Requires plunger rod (48091090) and piston (44700375)                | C18 PCG,C12 PCG           | 4932352844     | 4002395375028 |
| e. | 600 ml aluminium sausage tube barrel. Accepts standard 600 ml "sausage style" material packs (includes 2 end cups). Requires plunger rod (48091091) and piston (44700375)                | C18 PCG,C12 PCG           | 4932352845     | 4002395375035 |
| f. | 400 ml transparent sausage tube barrel. Accepts standard 400 ml "sausage style" material packs (includes 2 end cups). Requires plunger rod (48091090) and piston (44700375)              | C18 PCG,C12 PCG           | 4932352842     | 4002395375004 |
| g. | 600 ml transparent sausage tube barrel. Accepts standard 600 ml "sausage style" material packs (includes 2 end cups). Requires plunger rod (48091091) and piston (44700375)              | C18 PCG,C12 PCG           | 4932352843     | 4002395375011 |
| h. | Plunger rod assembly for 310 ml cartridges. For use with: 48081076 310 ml standard carriage                                                                                              | C18 PCG                   | 4932352937     | 4002395375950 |
| i. | Plunger rod assembly for 310 ml carriage. For use with: 48080900 310 ml standard carriage                                                                                                | C12 PCG                   | 4932430099     | 4002395377602 |
| j. | Plunger rod short (340 mm long). For use with: 48081075 carriage and 48081085 "sausage style" barrel                                                                                     | PCG 14 / 300,PCG 14 / 600 | 49520600       | 045242190201  |
| k. | Plunger rod assembly for 400 ml sausage tube barrel. For use with: 4932352844 400 ml aluminium sausage tube barrel. 4932352842 400 ml transparent sausage tube barrel                    | C18 PCG                   | 48091090       | 045242263158  |
| l. | Plunger rod assembly for 400 ml sausage tube barrel. For use with: 4932352844 400 ml aluminium sausage tube barrel. 4932352842 400 ml transparent sausage tube barrel                    | C12 PCG                   | 4932430100     | 4002395377619 |
| m. | Plunger rod assembly for 600 ml sausage tube barrel. For use with: 4932352845 600 ml aluminium sausage tube barrel. 4932352843 600 ml transparent sausage tube barrel                    | C18 PCG                   | 48091091       | 045242263165  |
| n. | Plunger rod assembly for 600 ml sausage tube barrel. For use with: 4932352845 600 ml aluminium sausage tube barrel. 4932352843 600 ml transparent sausage tube barrel                    | C12 PCG                   | 4932430101     | 4002395377626 |
| o. | Piston for carriage assemblies                                                                                                                                                           | C18 PCG,C12 PCG           | 44700330       | 045242260928  |
| p. | Piston for sausage tube barrels                                                                                                                                                          | C18 PCG,C12 PCG           | 44700375       | 045242277438  |



SYSTEM ATTACHMENTS - ELECTRICAL TEST & MEASURING

|    | Description                                                         | Article Number | EAN Code     |
|----|---------------------------------------------------------------------|----------------|--------------|
| a. | Electrical test probes (max. 1000 Volts/ 10 Amps) heads 125 mm long | 49771004       | 045242238965 |
| b. | Electrical alligator clips (max. 1000 Volts/ 10 Amps)               | 49771005       | 045242238972 |



SYSTEM ATTACHMENTS - HEATED JACKETS

- M18™ USB Power Source - M18™ USB PS HJ. Powers the jacket on M18™ battery packs. USB charging port for MP3 player, mobile phone, digital camera, GPS.
- 12 V Car Plug - 12 V CP HJ. Powers the jacket on any 12 V cigarette style outlet.

|    | Description                               | Article Number | EAN Code      |
|----|-------------------------------------------|----------------|---------------|
| a. | M18™ 2.1A USB controller (M18 USB PS HJ2) | 4932471597     | 4058546294960 |



ONE-KEY™ BLUETOOTH® TRACKING TAG

- Track with any item in your MILWAUKEE® ONE-KEY™ inventory. Simply pair the TICK™ with your chosen item and leverage ONE-KEY™ integrated tool tracking to locate your missing product
- Fully compatible with all ONE-KEY™ integrated tool tracking and inventory management features
- IP68 - withstands toughest jobsite conditions
- Withstands temperatures from +60 °C to -20 °C
- 3-year run time with built-in non-replaceable battery, eliminates the need to stock batteries
- Identify a specific item or find an item, even if it cannot be visibly seen, with the new built-in speaker
- Up to 90 m beacon range
- 5 seconds duty cycles
- NFC allows you to pull data to troubleshoot
- The QR code allows for 2 step activation, tracking when Bluetooth® isn't working and quickly identify specific item within the ONE-KEY™ software
- The accelerometer will alert you if your item has been in use or is moved from where it belongs
- Solid, one piece, construction makes for a stronger, more durable product

|    | Description                                               | Article Number | EAN Code      |
|----|-----------------------------------------------------------|----------------|---------------|
| a. | MILWAUKEE® ONE-KEY™ Bluetooth® tracking tag - BTT         | 4933478640     | 4058546348335 |
| b. | MILWAUKEE® ONE-KEY™ Bluetooth® tracking tag - BTT - 10 pc | 4933478643     | 4058546348366 |





SYSTEM ATTACHMENTS - ROUTERS


|    |        | Description                                                                                  | Article number | EAN code      |
|----|--------|----------------------------------------------------------------------------------------------|----------------|---------------|
| a. | TRB-1  | Trim router offset base attachment, for trimming close to walls                              | 4932471946     | 4058546298456 |
| b. | TRA-2  | Plunge base for M18 FTR and M18 FTR8                                                         | 4932480544     | 4058546408299 |
| c. | RBA-1  | 12 mm router plunge base to be used with M18 FR12                                            | 4932493307     | 4058546481780 |
| d. | RBA-2  | Router guide rail adaptor attaches the M18 FR12 router to the current MILWAUKEE® guide rails | 4932493306     | 4058546481773 |
| e. | RC600  | 6 mm collet and nut for M18 FR12                                                             | 4932493912     | 4058546510725 |
|    | RC635  | 6.35 mm (1/4") collet and nut for M18 FR12 router                                            | 4932493913     | 4058546510732 |
|    | RC800  | 8 mm collet and nut for M18 FR12 router                                                      | 4932493914     | 4058546510749 |
|    | RC1200 | 12 mm collet and nut for M18 FR12 router                                                     | 4932493915     | 4058546510756 |
|    | RC1250 | 12.5 mm (1/2") collet and nut for M18 FR12 router                                            | 4932493916     | 4058546510763 |



SYSTEM ATTACHMENTS - INSPECTION CAMERAS


- All extension cables are water splash and dust proof.
- Extensions are attached between the base camera unit and standard supplied camera cable.

|    | Description                                                                           | Cable length (m) | Cable diameter (mm) | Fits Milwaukee Inspection Cameras | Article Number | EAN Code      |
|----|---------------------------------------------------------------------------------------|------------------|---------------------|-----------------------------------|----------------|---------------|
| a. | Cable extension: Up to a maximum of 5 extensions can be fixed together                | 0.9              | 17                  | C12 AVD,C12 AVA                   | 48530141       | 045242216529  |
| b. | 23 m replacement cable with 8 mm reception for M18™ high speed flexible shaft machine | 23               | -                   | -                                 | 4932480723     | 4058546410087 |
| c. | 5.0 mm replacement camera for M12™ automotive technician borescope                    | 0.9              | 9.5                 | C12 AVD,C12 AVA                   | 4932492938     | 4058546478094 |
| d. | 10 mm camera head -3 m inspection camera for M12™ sewer inspection monitor            | 3                | 6                   | M12 SIM                           | 4932498227     | 4058546520960 |
|    | 10 mm camera head - 1.2 m inspection camera for M12™ sewer inspection monitor         | 1.2              | 6                   | M12 SIM                           | 4932498228     | 4058546520977 |



SYSTEM ATTACHMENTS - PIPE STAND

|   | Description                                | Article Number | EAN Code      |
|---|--------------------------------------------|----------------|---------------|
| a | MILWAUKEE® pipe stand replaceable jaws     | 4932478923     | 4058546362058 |
|   | MILWAUKEE® pipe stand neoprene jaws        | 4932478924     | 4058546362065 |
| b | MILWAUKEE® pipe stand stainless steel jaws | 4932478925     | 4058546362072 |
| c | MILWAUKEE® pipe stand removeable shelf     | 4932478926     | 4058546362089 |



SYSTEM ATTACHMENTS - PASS-THROUGH RATCHET

|    |                                               | Description                                               | Article number | EAN code      |
|----|-----------------------------------------------|-----------------------------------------------------------|----------------|---------------|
| a. | INSIDER™ pass-through ratchet sockets         | INSIDER™ pass-through ratchet socket 8 mm (pass-through)  | 4932492855     | 4058546477264 |
|    |                                               | INSIDER™ pass-through ratchet socket 9 mm (pass-through)  | 4932492856     | 4058546477271 |
|    |                                               | INSIDER™ pass-through ratchet socket 10 mm (pass-through) | 4932492857     | 4058546477288 |
|    |                                               | INSIDER™ pass-through ratchet socket 11 mm (pass-through) | 4932492858     | 4058546477295 |
|    |                                               | INSIDER™ pass-through ratchet socket 12 mm (pass-through) | 4932492859     | 4058546477301 |
|    |                                               | INSIDER™ pass-through ratchet socket 13 mm (pass-through) | 4932492860     | 4058546477318 |
|    |                                               | INSIDER™ pass-through ratchet socket 14 mm (pass-through) | 4932492861     | 4058546477325 |
| b. | INSIDER™ pass-through ratchet sockets         | INSIDER™ pass-through ratchet socket 15 mm (pass-through) | 4932492862     | 4058546477332 |
|    |                                               | INSIDER™ pass-through ratchet socket 16 mm                | 4932492863     | 4058546477349 |
|    |                                               | INSIDER™ pass-through ratchet socket 17 mm                | 4932492864     | 4058546477356 |
|    |                                               | INSIDER™ pass-through ratchet socket 18 mm                | 4932492865     | 4058546477363 |
|    |                                               | INSIDER™ pass-through ratchet socket 19 mm                | 4932492866     | 4058546477370 |
| c. | INSIDER™ pass-through ratchet anvil adapters  | INSIDER™ pass-through ratchet 21 mm                       | 4932492867     | 4058546477387 |
|    |                                               | INSIDER™ pass-through ratchet 1/4" anvil adapter          | 4932499408     | 4058546565725 |
|    |                                               | INSIDER™ pass-through ratchet 3/8" anvil adapter          | 4932499409     | 4058546565732 |
| d. | INSIDER™ pass-through ratchet Hex bit holders | INSIDER™ pass-through ratchet 1/2" anvil adapter          | 4932499410     | 4058546565749 |
|    |                                               | INSIDER™ pass-through ratchet Hex bit holder              | 4932492871     | 4058546477424 |



M12™ / M18™ DUST ABSORPTION SYSTEM

|    | Description                                                                                                                                         | Fits Milwaukee Dust Extractors | Pack quantity | Order quantity | Article Number | EAN Code      |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------|----------------|----------------|---------------|
| a. | Drilling nozzle                                                                                                                                     | M18 CDEX / M18/28 CPDEX,M12 DE | 2             | 1              | 49902301       | 045242337279  |
| b. | Filter                                                                                                                                              | M18 CDEX / M18/28 CPDEX,M12 DE | 3             | 1              | 49902306       | 045242299454  |
| c. | Filter set (3pc)                                                                                                                                    | M12 DE                         | 3             | 1              | 49902340       | 045242299461  |
|    | Filter box, filter, box lid                                                                                                                         |                                |               |                |                |               |
| d. | M18 & M28 Dustbox with filter box, filter                                                                                                           | M18 CDEX / M18/28 CPDEX        | 4             | 1              | 49902342       | 045242341948  |
| e. | Dust thru-box to allow connection of the M12 DE to an independent dust extraction / vacuum cleaner. Outlet nozzle: Ø 37 mm outside / Ø 32 mm inside |                                | 1             | 1              | 4932430479     | 4002395381401 |
| f. | Drilling shroud - PHDE152. For drilling and dry coring from Ø 25 - 152 mm. Brush insert to improve suction and extraction.                          |                                | 1             | 1              | 4932471990     | 4058546298890 |






SYSTEM ATTACHMENTS - DUST ABSORPTION


VACUUM CLEANERS

|    |       | Description                                                             | Fits Milwaukee Dust Extractors                  | Article Number | EAN Code      |
|----|-------|-------------------------------------------------------------------------|-------------------------------------------------|----------------|---------------|
| a  | Ø35mm | Extraction hose, anti static. 4 m long 36 mm diameter with tool adaptor | AS 300 ELCPAS 500 ELCPAS 300 EMAC               | 4932352311     | 4002395369706 |
|    |       | Universal adaptor Ø 35 / 33 / 27 mm                                     | WDC 1400 A,AS 1,AS 2 C,AS 3 W,ASE 1400,ASM 1400 | 4932369282     | 4002395338412 |
|    |       | Extraction hose 35 mm / 5 m                                             | ASE 1400,ASM 1400                               | 4932373626     | 4002395351534 |
| b. |       | Metal push handle                                                       | AS 42 MAC,AS 30 MAC,AS 30 LAC                   | 4932459691     | 4058546028633 |
| c. |       | 27 mm x 3.5 m hose attachment                                           | AS2-250EM/H                                     | 4932498236     | 4058546521059 |
| d. |       | PACKOUT™ compatible dust separator                                      | M18 FPOVCL                                      | 4932498256     | 4058546521257 |



FILTER BAGS

|    | Description                         | Fits Milwaukee Dust Extractors     | Capacity (l) | Article number | EAN code      |
|----|-------------------------------------|------------------------------------|--------------|----------------|---------------|
| a. | Filter bags (5pc)                   | AS 250 ECP                         | 25           | 4932352306     | 4002395369652 |
| b. | Filter bags                         | AS 300 ELCPAS 300 EMAC,AS 300 ELAC | 30           | 4932352307     | 4002395369669 |
| c. | Filter bags: 5 x plastic bags, 30 l | AS 250 ECP,AS 300 ELCPAS 300 EMAC  | 30           | 4932352309     | 4002395369683 |
| d. | Disposable bags 30 l                | AS 42 MAC,AS 30 MAC,AS 30 LAC      | 30           | 4932459690     | 4058546028626 |
| e. | Filter bags                         | AS 500 ELCP                        | 50           | 4932352308     | 4002395369676 |
| f. | Fleece filter bags for AS 30/42     | AS 30 LAC,AS 30 MAC,AS 42 MAC      | 30           | 4932459689     | 4058546028619 |
| g. | Fleece filter bag (5pc)             | M18 F2VC23L                        | 23           | 4932479807     | 4058546376017 |
| h. | Fleece bags (3pc)                   | M18 FPOVCL,M12 FVCL                | 3.5          | 4932478762     | 4058546360443 |




FILTER CARTRIDGES

|    | Description                                   | Fits Milwaukee Dust Extractors      | Article Number | EAN Code      |
|----|-----------------------------------------------|-------------------------------------|----------------|---------------|
| a. | Filter cartridge                              | AS 300 EMAC,AS 300 ELAC             | 4932352305     | 4002395369645 |
| b. | Filter cartridge                              | AS 250 ECP,AP 250 ECP               | 4932352303     | 4002395369621 |
| c. | Filter cartridge                              | AS 300 ELCPAS 500 ELCPAS 2-250 ELCP | 4932352304     | 4002395369638 |
| d. | Flat folded polyester filter cartridge, 2 pcs | ASE 1400,ASM 1400                   | 4932373623     | 4002395351510 |
| e. | PTFE flat filter                              | AS 30 LAC,AS 42 MAC,AS 30 MAC       | 4932459687     | 4058546028596 |
| f. | Motor cooling filter                          | AS 42 MAC,AS 30 MAC,AS 30 LAC       | 4932459688     | 4058546028602 |
| g. | Wet filter universal                          | M12 FVCL,M18 FPOVCL,M18 VC2         | 4932478802     | 4058546360849 |
| h. | Wet filter replacement                        | M18 F2VC23L                         | 4932479806     | 4058546376000 |
| i. | Dry HEPA filter universal replacement         | M12 FVCL,M18 FPOVCL,M18 VC2         | 4932478754     | 4058546360368 |
| j. | Dry HEPA filter replacement for M18 FCVL      | M18 FCVL                            | 4932478814     | 4058546360962 |
| k. | Dry HEPA filter replacement                   | M18 F2VC23L                         | 4932479805     | 4058546375997 |
| l. | H-Class filter                                | AS 2-250EH                          | 4932498235     | 4058546521042 |



SYSTEM ATTACHMENTS - AIR TIP™ ATTACHMENTS

|    |         | Description                                  | Features                                                                                                                                                                                                                                                                                      | Article number | EAN code      |
|----|---------|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| a. | AT-1    | AIR-TIP™ dust collector                      | • Funnel design to capture more debris<br>• Uses the vacuums suction to suck to walls, allowing for hands-free use<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters<br>• Strong rubber seal                                                  | 4932498010     | 4058546511708 |
| b. | AT-2    | AIR-TIP™ 3-in-1 crevice and brush tool       | • Reversible and removeable 2-sided brush head<br>• Two-sided brush head has long/ soft bristles on one side, and short/ stiff bristles on the other<br>• Brush head slides and removes easily with two detent buttons                                                                        | 4932498011     | 4058546511715 |
| c. | AT-3    | AIR-TIP™ 2-in-1 utility brush tool           | • Brush tool slides and locks into place<br>• Agitating brushes for easy debris removal<br>• Length 28.4 cm<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters                                                                                 | 4932498012     | 4058546511722 |
| d. | AT-4    | AIR-TIP™ long reach flexible micro hose set  | • Five interchangeable micro hose lengths and diameters for many hard to reach spaces<br>• Can be used in a variety of spaces like automotive, HVAC, plumbing, light fixtures, condensate lines, and many more                                                                                | 4932498013     | 4058546511739 |
| e. | AT-5    | AIR-TIP™ cross brush tool                    | • Cross bristle design mitigates pushing debris away from the cleaning area<br>• Agitating brushes for easy debris removal<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters<br>• Bristles will not mar or scratch surfaces                   | 4932498014     | 4058546511746 |
| f. | AT-6    | AIR-TIP™ swiveling palm brush                | • Swivels 360°<br>• Interchangeable bristle/ brush heads included<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters                                                                                                                           | 4932498015     | 4058546511753 |
| g. | AT-7    | AIR-TIP™ pivoting extension wand             | • Strong detent mechanism<br>• Pivoting 90° joint allows for greater cleaning access overhead and below<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters<br>• Can hold 32 mm accessories on the end of the tip                               | 4932498016     | 4058546511760 |
| h. | AT-8    | AIR-TIP™ rotating corner brush tool          | • 360° rotating brush head<br>• Agitating brushes for easy debris removal<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters<br>• Corner shaped tip                                                                                            | 4932498017     | 4058546511777 |
| i. | AT-9    | AIR-TIP™ conduit line puller kit             | • Flexible rubber design to fit into small conduit boxes and tight areas<br>• Narrow ends and cross design stopper prevents line and bag from sucking into the vacuum<br>• Rubber cone seal                                                                                                   | 4932498018     | 4058546511784 |
| j. | AT-10   | AIR-TIP™ low profile pivoting brush tool     | • Strong pivoting joint for use in multiple orientations<br>• 360° flat swiveling head<br>• Bristles will not mar or scratch surfaces<br>• Agitating brushes for easy debris removal                                                                                                          | 4932498019     | 4058546511791 |
| k. | AT-11   | AIR-TIP™ magnetic utility nozzle             | • Black zinc coating prevents rust<br>• Optimised for handheld use<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters                                                                                                                          | 4932498020     | 4058546511807 |
| l. | AT-12   | AIR-TIP™ 4-in-1 right angle cleaning tool    | • Gradual bend and right angle design can be used around pipes near walls and in a variety of tight access cleaning situations<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters<br>• Tip holder stores the 4 included tips                   | 4932498021     | 4058546511814 |
| m. | AT-13   | AIR-TIP™ flexible long reach crevice tool    | • Flexible tool shaft can bend to reach into difficult areas<br>• 40 cm in overall length<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters<br>• Durable and flexible rubber material                                                         | 4932498022     | 4058546511821 |
| n. | AT-14   | AIR-TIP™ non-marring utility nozzle kit      | • Specialised resin allows for each tip to be used on finished surfaces without marking up the area<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters<br>• Non-marring edges indicated by the black surface on each tool                      | 4932498023     | 4058546511838 |
| o. | AT-15   | AIR-TIP™ claw utility nozzle with brushes    | • Ergonomic claw grips and integrated bristles allows for more cleaning leverage and agitation in the same application<br>• Agitating brushes for easy debris removal<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters                       | 4932498024     | 4058546511845 |
| p. | AT-16   | AIR-TIP™ rocking utility nozzle with brushes | • Easier to push and pull across surfaces<br>• Agitating brushes for easy debris removal<br>• Compatible with other wet/ dry vacuum brands with 32 mm, 47.5 mm, and 63.5 mm hose diameters<br>• Beveled design optimised for both forward and backward cleaning strokes                       | 4932498025     | 4058546511852 |
| q. | M12 AUN | M12™ AIR-TIP™ utility nozzle                 | • The M12™ powered utility nozzle is a great accessory that is designed to clean jobsite debris on short and medium hair carpeted surfaces<br>• The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm) | 4932479461     | 4058546372552 |








SYSTEM ATTACHMENTS - FLEXIBLE SHAFT MACHINE

|    |                                                                                       | Model Variant | Description                                                                           | Fits Milwaukee flexible shaft machine | Article number | EAN code      |
|----|---------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------|---------------------------------------|----------------|---------------|
| a. | Lubrication oil for M18™ high speed flexible shaft machine                            | HSFSM-OIL     | Lubrication oil for M18™ high speed flexible shaft machine                            | M18 HSFSM                             | 4932480905     | 4058546411909 |
| b. | 23 m replacement cable with 8 mm reception for M18™ high speed flexible shaft machine | HSFSM-RC8     | 23 m replacement cable with 8 mm reception for M18™ high speed flexible shaft machine | M18 HSFSM                             | 4932480723     | 4058546410087 |
| c. | Standard chain for M18™ high speed flexible shaft machine                             | HSFSM-SC3240  | 32 - 40 mm standard chain for M18™ high speed flexible shaft machine                  | M18 HSFSM                             | 4932480724     | 4058546410094 |
|    |                                                                                       | HSFSM-SC50    | 50 mm standard chain for M18™ high speed flexible shaft machine                       | M18 HSFSM                             | 4932480725     | 4058546410100 |
|    |                                                                                       | HSFSM-SC75    | 75 mm standard chain for M18™ high speed flexible shaft machine                       | M18 HSFSM                             | 4932480726     | 4058546410117 |
|    |                                                                                       | HSFSM-SC110   | 110 mm standard chain for M18™ high speed flexible shaft machine                      | M18 HSFSM                             | 4932480727     | 4058546410124 |
| d. | Carbide chains for M18™ high speed flexible shaft machine                             | HSFSM-CC3240  | 32 - 40 mm carbide chain for M18™ high speed flexible shaft machine                   | M18 HSFSM                             | 4932480728     | 4058546410131 |
|    |                                                                                       | HSFSM-CC50    | 50 mm carbide chain for M18™ high speed flexible shaft machine                        | M18 HSFSM                             | 4932480729     | 4058546410148 |
|    |                                                                                       | HSFSM-CC75    | 75 mm carbide chain for M18™ high speed flexible shaft machine                        | M18 HSFSM                             | 4932480730     | 4058546410155 |
|    |                                                                                       | HSFSM-CC110   | 110 mm carbide chain for M18™ high speed flexible shaft machine                       | M18 HSFSM                             | 4932480731     | 4058546410162 |
| e. | Penetrating head for M18™ high speed flexible shaft machine                           | HSFSM-PH      | Penetrating head for M18™ high speed flexible shaft machine                           | M18 HSFSM                             | 4932480732     | 4058546410179 |



SYSTEM ATTACHMENTS - PORTABLE BATTERY EXTENSION

|    |             | Description                                                        | Article number | EAN code      |
|----|-------------|--------------------------------------------------------------------|----------------|---------------|
| a. | MXF PBET-24 | MX FUEL™ portable battery extension tether 2.4 m with mock battery | 4932498068     | 4058546512286 |



| INTRODUCTION PAGES                    |         |
|---------------------------------------|---------|
| GUARANTEE CONDITIONS                  | 3       |
| M12™ INSPECTION CAMERAS               | 76 - 77 |
| M12 FUEL™ INTRODUCTION                | 46      |
| M18™ INSPECTION CAMERAS               | 76 - 77 |
| M18 FUEL™ INTRODUCTION                | 12      |
| M18™ REDLITHIUM™ FORGE™ BATTERIES     | 13      |
| M18™ REDLITHIUM™ FORGE™ RUN TIME DATA | 14      |
| MX FUEL™ FORGE™                       | 8       |
| MX FUEL™ INTRODUCTION                 | 4       |
| MX FUEL™ RUN TIME DATA                | 10      |
| ONE-KEY™ INTRODUCTION                 | 11      |
| OPE TOOLS RUN TIME DATA               | 84 - 85 |
| TRUEVIEW™ TECHNOLOGY                  | 86      |

| TOOLS         |                                                     | 4 - 101 |
|---------------|-----------------------------------------------------|---------|
| 2200-40       | VOLTAGE DETECTOR                                    | 68      |
| 2212-20       | AUTO VOLTAGE / CONTINUITY TESTER                    | 68      |
| 2217-40       | DIGITAL MULTIMETER                                  | 68      |
| 2225-20       | NON CONTACT VOLTAGE DETECTOR WITH LASER THERMOMETER | 68      |
| 2235-40       | LIGHT COMMERCIAL CLAMP METER                        | 68      |
| 2267-40       | 10:1 INFRARED TEMP-GUN™                             | 68      |
| AG 10 EK      | 1000 W ANGLE GRINDER                                | 96 - 97 |
| AG 800 E      | 800 W ANGLE GRINDER                                 | 96 - 97 |
| AGV 10 EK     | 1000 W ANGLE GRINDER WITH AVS                       | 96 - 97 |
| AGV 22 DMS    | 2200 W ANGLE GRINDER WITH AVS                       | 96 - 97 |
| AIC2          | ALKALINE INSPECTION CAMERA 2ND GEN                  | 78      |
| AP 12 E       | 1200 W POLISHER WITH ELECTRONIC VARIABLE SPEED      | 98      |
| AP 14-2 200 E | 1450 W POLISHER                                     | 98      |
| AS 2-250 ELCP | 25 L L-CLASS DUST EXTRACTOR                         | 100     |
| AS 2-250EM    | 25 L M-CLASS DUST EXTRACTOR                         | 100     |
| BRT           | BREAKER TROLLEY                                     | 94      |
| BS 125        | DEEP CUT BAND SAW                                   | 98      |
| C12 C         | M12™ CHARGER                                        | 93      |
| C12 HZ        | M12™ SUB COMPACT HACKZALL™                          | 38, 56  |
| C12 MT        | M12™ SUB COMPACT MULTI-TOOL                         | 38, 55  |
| C12 PC        | M12™ SUB COMPACT COPPER PIPE CUTTER                 | 71      |
| C12 PN        | M12™ SUB COMPACT PALM NAILER                        | 57      |
| C12 PPC       | M12™ SUB COMPACT PEX CUTTER                         | 71      |
| C12 PXP       | M12™ SUB COMPACT UPONORT Q&E EXPANSION TOOL         | 73      |
| C12 RAD       | M12™ SUB COMPACT RIGHT ANGLE DRILL                  | 47      |
| C12 RT        | M12™ SUB COMPACT ROTARY TOOL                        | 54      |
| C18 PCG/310   | M18™ CAULK GUN WITH 310 ML CANISTER                 | 29      |
| C18 PCG/400   | M18™ CAULK GUN WITH 400 ML TUBE                     | 29      |
| C18 PCG/600   | M18™ CAULK GUN WITH 600 ML TUBE                     | 29      |
| CLL           | ALKALINE GREEN CROSS LINE LASER                     | 62      |
| CS 85 CBE     | 235 MM CIRCULAR SAW (85 MM DOC)                     | 99      |
| CS 85 SE      | 235 MM CIRCULAR SAW (85 MM DOC)                     | 99      |
| DD 2-160 XE   | 2-SPEED DRY DIAMOND DRILL                           | 94      |
| FL-LED        | ALKALINE FLOOD LIGHT                                | 91      |
| HD18 CS       | M18™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC        | 37      |
| HD18 PXP      | M18™ UPONORT Q&E EXPANSION TOOL                     | 73      |
| HI-VIST       | HIGH VISIBILITY LASER TARGET PLATE                  | 63      |
| HL-SF         | ALKALINE SPOT FLOOD HEADLAMP                        | 91      |
| HL2-LED       | ALKALINE SLIM HEADLAMP                              | 91      |
| IPL-LED       | ALKALINE PEN LIGHT                                  | 91      |
| IR FFL        | INTERNAL RECHARGEABLE FOLDING FLOOD LIGHT           | 91      |
| IR FL         | INTERNAL USB RECHARGEABLE FLASHLIGHT 500 LUMENS     | 91      |
| IR HL         | INTERNAL USB RECHARGEABLE HEADLAMP 450 LUMENS       | 91      |
| IR PL         | INTERNAL USB RECHARGEABLE PEN LIGHT 250 LUMENS      | 91      |
| IRPSUOP2500   | ROLL-ON 7200/ 3600 W 2.5 KWH POWER SUPPLY           | 8       |
| ISHL-LED      | ALKALINE INTRINSICALLY SAFE HEADLAMP                | 91      |
| K 1000 S      | 10 KG CLASS SDS-MAX BREAKING HAMMER                 | 94 - 95 |
| K 1528 H      | 16 KG CLASS 28 MM HEX BREAKING HAMMER               | 94 - 95 |
| K 545 S       | 5 KG CLASS BREAKING HAMMER                          | 94 - 95 |

|             |                                                           |         |
|-------------|-----------------------------------------------------------|---------|
| K 750 S     | 7 KG CLASS DRILLING AND BREAKING HAMMER                   | 94 - 95 |
| L4 B3       | 3.0 AH REDLITHIUM™ USB BATTERY                            | 92      |
| L4 BOLTHL   | BOLT™ HEADLAMP 600 LUMENS USB RECHARGEABLE                | 90      |
| L4 CLL      | USB RECHARGEABLE GREEN CROSS LINE LASER                   | 62      |
| L4 CLLP     | USB RECHARGEABLE GREEN CROSS LINE LASER WITH PLUMB POINTS | 62      |
| L4 FFL      | USB RECHARGEABLE FOLDING FLOOD LIGHT                      | 90      |
| L4 FL       | USB RECHARGEABLE POCKET FLOOD LIGHT                       | 90      |
| L4 FL2000   | USB RECHARGEABLE FLASHLIGHT 2000 LUMENS                   | 90      |
| L4 FMLED    | USB RECHARGEABLE 800L FIXED FLASHLIGHT                    | 90      |
| L4 HBLB     | USB RECHARGEABLE HEATED WORKSKINT BASE LAYER              | 60      |
| L4 HL-VIS   | USB RECHARGEABLE HI-VIS HEADLAMP                          | 90      |
| L4 HL2      | USB RECHARGEABLE HEADLAMP 600 LUMENS                      | 90      |
| L4 HLRP     | USB RECHARGEABLE HARD HAT HEADLAMP                        | 90      |
| L4 HSL      | USB RECHARGEABLE HOT STICK LIGHT                          | 90      |
| L4 NL400    | USB RECHARGEABLE NECK LIGHT 400 LUMENS                    | 90      |
| L4 PWL      | USB RECHARGEABLE PIVOTING WORK LIGHT                      | 90      |
| L4 SL       | USB RECHARGEABLE STICK LIGHT 550 LUMENS                   | 90      |
| L4 ™LED     | USB RECHARGEABLE 1100L TWIST FOCUS FLASHLIGHT             | 90      |
| LDM 30      | 30 M LASER DISTANCE METER                                 | 64      |
| LDM 50      | 50 M LASER DISTANCE METER                                 | 64      |
| LLD50       | LASER LINE DETECTOR                                       | 63      |
| LM360       | 360° LASER MOUNT                                          | 63      |
| LMP         | 3.6 M TELESCOPING LASER POLE                              | 63      |
| LRD100      | LINE/ ROTARY LASER DETECTOR                               | 62      |
| LWM         | LASER WALL MOUNT                                          | 63      |
| M12 360IC12 | M12™ 360° INSPECTION CAMERA 1.2 M 2ND GEN                 | 78      |
| M12 360IC32 | M12™ 360° INSPECTION CAMERA 3 M 2ND GEN                   | 78      |
| M12 3PL     | M12™ GREEN 360° 3 PLANE LASER                             | 61      |
| M12 AF      | M12™ AIR FAN                                              | 57      |
| M12 AL      | M12™ LED AREA LIGHT                                       | 88      |
| M12 APB     | M12™ AUTOMOTIVE PREMIUM BORESCOPE                         | 53      |
| M12 ATB     | M12T AUTOMOTIVE TECHNICIAN BORESCOPE                      | 52      |
| M12 AUN     | M12™ AIR-TIP™ UTILITY NOZZLE                              | 57      |
| M12 B2      | M12™ 2.0 AH BATTERY                                       | 92      |
| M12 B3      | M12™ 3.0 AH BATTERY                                       | 92      |
| M12 B4      | M12™ 4.0 AH BATTERY                                       | 92      |
| M12 B6      | M12™ 6.0 AH BATTERY                                       | 92      |
| M12 BBL     | M12™ BLOWER                                               | 57      |
| M12 BCST    | M12™ SUB COMPACT CABLE STAPLER                            | 43, 55  |
| M12 BDC6    | M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM  | 75      |
| M12 BDC8    | M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 8 MM  | 75      |
| M12 BDDX    | M12™ SUB COMPACT DRILL DRIVER WITH REMOVABLE CHUCK        | 47      |
| M12 BHCS3L  | M12™ HANDHELD CHEMICAL SPRAYER 3.7 L                      | 82      |
| M12 BI      | M12™ SUB COMPACT INFLATOR                                 | 53      |
| M12 BIW12   | M12™ SUB COMPACT 1/2" IMPACT WRENCH                       | 24, 49  |
| M12 BIW38   | M12™ SUB COMPACT 3/8" IMPACT WRENCH                       | 24, 49  |
| M12 BLP     | M12™ BRUSHLESS PLANER                                     | 56      |
| M12 BLPRS   | M12™ BRUSHLESS PRUNING SHEARS                             | 81      |
| M12 BLROT   | M12™ BRUSHLESS ROTARY TOOL                                | 53      |
| M12 BPRT    | M12™ SUB COMPACT RIVET TOOL                               | 49      |
| M12 BPS     | M12™ SUB COMPACT POLISHER / SANDER                        | 54      |
| M12 BRAID   | M12™ SUB COMPACT RIGHT ANGLE IMPACT DRIVER                | 22, 48  |
| M12 BS      | M12™ SUB COMPACT BANDSAW                                  | 54      |
| M12 BST     | M12™ SUB COMPACT STAPLER                                  | 43, 56  |
| M12 BSWP    | M12™ HYDROPASS™ BRUSHED STICK WATER PUMP                  | 72      |
| M12 C4      | M12™ 4 BAY CHARGER                                        | 93      |
| M12 CD      | M12 FUEL™ SUB COMPACT DRIVER                              | 48      |
| M12 CHZ     | M12 FUEL™ SUB COMPACT HACKZALL™                           | 38, 56  |
| M12 CLL4P   | M12™ CROSS LINE LASER WITH 4 POINTS                       | 61      |
| M12 CLLP    | M12™ GREEN CROSS LINE LASER WITH PLUMB POINTS             | 62      |
| M12 CML     | M12™ COLOUR MATCHING LIGHT                                | 89      |
| M12 FBFL10  | M12 FUEL™ BAND FILE 10 MM                                 | 55      |
| M12 FBFL13  | M12 FUEL™ BAND FILE 13 MM                                 | 55      |



| TOOLS         |                                                                  | 4 - 101 |
|---------------|------------------------------------------------------------------|---------|
| M12 FBS64     | M12 FUEL™ SUB COMPACT BAND SAW WITH 64 MM CUTTING CAPACITY       | 54      |
| M12 FCIWF12G3 | M12 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING          | 24, 48  |
| M12 FCIWF38G3 | M12 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH FRICTION RING          | 24, 49  |
| M12 FCIWP12G3 | M12 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH PIN DETENT             | 24, 49  |
| M12 FCN18GS   | M12 FUEL™ 18 GA STRAIGHT BRAD NAILER                             | 43, 56  |
| M12 FCOT      | M12 FUEL™ SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL                | 54      |
| M12 FCS442    | M12 FUEL™ SUB COMPACT CIRCULAR SAW                               | 38, 56  |
| M12 FDD2      | M12 FUEL™ SUB COMPACT DRILL DRIVER                               | 47      |
| M12 FDDX      | M12 FUEL™ INSTALLATION DRILL/DRIVER WITH INTERCHANGEABLE HEADS   | 47      |
| M12 FDGA      | M12 FUEL™ ANGLED DIE GRINDER                                     | 54      |
| M12 FDGS      | M12 FUEL™ STRAIGHT DIE GRINDER                                   | 54      |
| M12 FDSS      | M12 FUEL™ SUB COMPACT SPOT SANDER                                | 55      |
| M12 FHAC16    | M12 FUEL™ COMPACT 16 MM SDS-PLUS HAMMER                          | 15, 18  |
| M12 FHIR14    | M12 FUEL™ 1/4" HIGH SPEED RATCHET                                | 50, 51  |
| M12 FHIR14LR  | M12 FUEL™ 1/4" EXTENDED REACH HIGH SPEED RATCHET                 | 50, 51  |
| M12 FHIR38    | M12 FUEL™ 3/8" HIGH SPEED RATCHET                                | 50, 51  |
| M12 FHIR38LR  | M12 FUEL™ 3/8" EXTENDED REACH HIGH SPEED RATCHET                 | 50, 51  |
| M12 FHS       | M12 FUEL™ HATCHET™ PRUNING SAW 15 CM                             | 81      |
| M12 FHT20     | M12 FUEL™ HEDGE TRIMMER 20 CM                                    | 80      |
| M12 FID2      | M12 FUEL™ SUB COMPACT 1/4" IMPACT DRIVER                         | 22, 48  |
| M12 FIR12     | M12 FUEL™ SUB COMPACT 1/2" RATCHET                               | 50, 52  |
| M12 FIR38     | M12 FUEL™ SUB COMPACT 3/8" RATCHET                               | 50, 52  |
| M12 FIR38LR   | M12 FUEL™ 3/8" EXTENDED REACH RATCHET                            | 50, 51  |
| M12 FW14      | M12 FUEL™ SUB COMPACT 1/4" IMPACT WRENCH                         | 24, 49  |
| M12 FJS       | M12 FUEL™ BODYGRIP JIGSAW                                        | 38, 56  |
| M12 FMT       | M12 FUEL™ MULTI-TOOL                                             | 38, 55  |
| M12 FNB16     | M12 FUEL™ 1.6 MM NIBBLER                                         | 54      |
| M12 FPD2      | M12 FUEL™ SUB COMPACT PERCUSSION DRILL                           | 20, 47  |
| M12 FPDX      | M12 FUEL™ SUB COMPACT PERCUSSION DRILL WITH REMOVABLE CHUCK      | 47      |
| M12 FPTR      | M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET                          | 50, 51  |
| M12 FPXP      | M12 FUEL™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL                 | 73      |
| M12 FQID      | M12 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER                | 22, 48  |
| M12 FRAIWF12  | M12 FUEL™ 1/2" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING      | 49, 50  |
| M12 FRAIWF38  | M12 FUEL™ 3/8" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING      | 49, 50  |
| M12 FROS2.5   | M12 FUEL™ 150 MM RANDOM ORBITAL SANDER WITH 2.5 MM ORBIT         | 53      |
| M12 FROS5     | M12 FUEL™ 150 MM RANDOM ORBITAL SANDER WITH 5.0 MM ORBIT         | 53      |
| M12 FSDR75    | M12 FUEL™ 75 MM RANDOM ORBIT SANDER                              | 55      |
| M12 FTB       | M12 FUEL™ LOW SPEED TYRE BUFFER                                  | 53      |
| M12 FVCL      | M12 FUEL™ WET/ DRY VACUUM                                        | 57      |
| M12 GG        | M12™ SUB COMPACT GREASE GUN                                      | 52      |
| M12 HB2.5     | M12™ HIGH OUTPUTT 2.5 AH BATTERY                                 | 92      |
| M12 HB5       | M12™ HIGH OUTPUTT 5.0 AH BATTERY                                 | 92      |
| M12 HH4       | M12™ HEATED HOODIE                                               | 60      |
| M12 HHLBL1    | M12™ HEATED LADIES HOODIE - BLACK                                | 60      |
| M12 HJ CAM06  | M12™ HEATED CAMOUFLAGE JACKET                                    | 58      |
| M12 HJ5       | M12™ HEATED JACKET                                               | 58      |
| M12 HPJBL2    | M12™ HEATED PUFFER JACKET - BLACK                                | 59      |
| M12 HPJLBL2   | M12™ HEATED PUFFER JACKET LADIES - BLACK                         | 59      |
| M12 HPVBL2    | M12™ HEATED PUFFER VEST                                          | 59      |
| M12 HV        | M12™ SUB COMPACT STICK VAC                                       | 57      |
| M12 HVGREY1   | M12™ HEATED VEST - GREY                                          | 59      |
| M12 IR        | M12™ SUB COMPACT RATCHET                                         | 50, 52  |
| M12 LL        | M12™ LED LANTERN LIGHT                                           | 89      |
| M12 ONEFTR12  | M12 FUEL™ ONE-KEY™ 1/2" DIGITAL TORQUE WRENCH                    | 50, 51  |
| M12 ONEFTR38  | M12 FUEL™ ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH                    | 50, 51  |
| M12 ONEHPT    | M12™ SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL WITH ONE-KEY™ | 70      |
| M12 PAL       | M12™ PIVOT AREA LIGHT                                            | 88      |
| M12 PCG/310   | M12™ SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE HOLDER          | 52      |

|                 |                                                                  |             |
|-----------------|------------------------------------------------------------------|-------------|
| M12 PCG/400     | M12™ SUB COMPACT CAULK GUN WITH 400 ML TUBE                      | 52          |
| M12 PCG/600     | M12™ SUB COMPACT CAULK GUN WITH 600 ML TUBE                      | 52          |
| M12 PCSS        | M12™ RAPTOR™ PIPE CUTTER STAINLESS STEEL                         | 71          |
| M12 PCSS54      | M12™ RAPTORXL™ PIPE CUTTER STAINLESS STEEL                       | 71          |
| M12 PL          | M12™ PLUMBING LOCATOR                                            | 78          |
| M12 POAL        | M12™ PACKOUTT AREA LIGHT 1400 LUMENS                             | 87          |
| M12 RCDAB+      | M12™ RADIO CHARGER DAB+                                          | 57          |
| M12 SAL         | M12™ STAND LIGHT                                                 | 87          |
| M12 SI          | M12™ SUB COMPACT SOLDERING IRON                                  | 53          |
| M12 SICO20      | M12™ SEWER INSPECTION CAMERA 20 M WITH ONE-KEY™                  | 76          |
| M12 SICO26      | M12™ SEWER INSPECTION CAMERA 26 M WITH ONE-KEY™                  | 76          |
| M12 SIM         | M12™ SEWER INSPECTION MONITOR                                    | 77          |
| M12 SL          | M12™ LED STICK LIGHT                                             | 89          |
| M12 SLED        | M12™ LED SPOT LIGHT                                              | 89          |
| M12 SPEJSG2     | M12™ JOBSITE SPEAKER                                             | 57          |
| M12 TC2         | M12™ COMPACT CHARGER AND POWER SOURCE                            | 93          |
| M12 TLED        | M12™ LED TORCH                                                   | 90          |
| M12 UCL         | M12™ UNDERCARRIAGE LIGHT                                         | 89          |
| M12 UDEL        | M12™ UNIVERSAL DUST EXTRACTOR                                    | 47          |
| M12 UHL         | M12™ LED UNDERHOOD LIGHT                                         | 89          |
| M12-18 AC       | M12™-M18™ CAR CHARGER                                            | 93          |
| M12-18 FC       | M12™ - M18™ FAST CHARGER                                         | 93          |
| M1418C6         | M14™ - M18™ MULTIBAY CHARGER                                     | 93          |
| M18 ABL         | M18™ AREA BOOM LIGHT                                             | 88          |
| M18 AFG2        | M18™ AIR FAN                                                     | 45          |
| M18 AL          | M18™ LED AREA LIGHT                                              | 88          |
| M18 ALIS        | M18™ SERVICE AREA LIGHT                                          | 88          |
| M18 ARFHP       | M18™ HIGH PERFORMANCE AIR FAN                                    | 45          |
| M18 B2          | M18™ 2.0 AH BATTERY                                              | 92          |
| M18 B4          | M18™ 4.0 AH BATTERY                                              | 92          |
| M18 B5          | M18™ 5.0 AH BATTERY                                              | 92          |
| M18 B5-CR       | M18™ RESISTANT 5.0 AH BATTERY                                    | 92          |
| M18 BBL         | M18™ BATTERY BLOWER                                              | 45          |
| M18 BBFPF2      | M18™ BACK PACK FLUID PUMP GEN2                                   | 82          |
| M18 BBFPF2-CST  | M18™ SWITCH TANK™ 15L CHEMICAL SPRAY TANK                        | 82          |
| M18 BBFPF2-WST  | M18™ SWITCH TANK™ 15L WATER SUPPLY                               | 82          |
| M18 BH          | M18™ COMPACT 2-MODE SDS-PLUS HAMMER                              | 15, 18      |
| M18 BHG         | M18™ HEAT GUN                                                    | 35          |
| M18 BI          | M18™ INFLATOR                                                    | 45          |
| M18 BIW12       | M18™ 1/2 IMPACT WRENCH                                           | 24 - 25, 28 |
| M18 BIW38       | M18™ 3/" IMPACT WRENCH                                           | 24 - 25, 28 |
| M18 BJS         | M18™ TOP HANDLE JIGSAW                                           | 38, 40      |
| M18 BLCHTO      | M18™ BRUSHLESS 1 TON CHAIN HOIST WITH ONE-KEY™                   | 19          |
| M18 BLCS66      | M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS          | 38, 39      |
| M18 BLH         | M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER                      | 15, 18      |
| M18 BLHACD26    | M18™ BRUSHLESS 26 MM SDS-PLUS D-HANDLE HAMMER                    | 15, 18      |
| M18 BLHIWF12    | M18™ BRUSHLESS 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING | 24 - 25, 28 |
| M18 BLHPT       | M18™ FORCE LOGIC™ BRUSHLESS PRESSTOOL                            | 69          |
| M18 BLHPTXL     | M18™ FORCE LOGIC™ BRUSHLESS XL PRESS TOOL                        | 69          |
| M18 BLHX        | M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK   | 15, 18      |
| M18 BLIDRC      | M18™ COMPACT BRUSHLESS 1/4" HEX IMPACT DRIVER                    | 22, 23      |
| M18 BLLT        | M18™ BRUSHLESS GRASS TRIMMER                                     | 79          |
| M18 BLPD2       | M18™ BRUSHLESS PERCUSSION DRILL                                  | 20, 21      |
| M18 BLSAG115XPD | M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH            | 30, 32      |
| M18 BLSAG125XPD | M18 BRUSHLESS 125 MM ANGLE GRINDER WITH PADDLE SWITCH            | 30, 32      |
| M18 BLSWP       | M18™ HYDROPASS™ BRUSHLESS STICK WATER PUMP                       | 72          |
| M18 BLTRC       | M18™ BRUSHLESS THREADED ROD CUTTER                               | 67          |
| M18 BLTS        | M18™ BRUSHLESS TELESCOPIC SHEAR                                  | 82          |
| M18 BMS12       | M18™ METAL SHEAR                                                 | 34          |
| M18 BMS20       | M18™ METAL SHEAR                                                 | 35          |
| M18 BMT         | M18™ MULTI-TOOL                                                  | 38, 40      |
| M18 BOS125      | M18™ 125 MM RANDOM ORBITAL SANDER                                | 41          |
| M18 BP          | M18™ PLANER                                                      | 40          |

| TOOLS         |                                                                                           | 4 - 101 |
|---------------|-------------------------------------------------------------------------------------------|---------|
| M18 BQSS      | M18™ QUARTER SHEET SANDER                                                                 | 41      |
| M18 BRAID     | M18™ RIGHT ANGLE IMPACT DRIVER                                                            | 22, 23  |
| M18 BRAW      | M18™ 3/8" RIGHT ANGLE IMPACT WRENCH                                                       | 28      |
| M18 BSBT      | M18™ SHEAR BOLT TOOL                                                                      | 67      |
| M18 BSX       | M18™ SAWZALL™                                                                             | 38, 39  |
| M18 BTP       | M18™ COMPACT TRANSFER PUMP                                                                | 72      |
| M18 CDEX      | M18 FUEL™ SDS-PLUS DUST EXTRACTOR                                                         | 18      |
| M18 CRAD2     | M18 FUEL™ RIGHT ANGLE DRILL                                                               | 21      |
| M18 CV        | M18™ HAND VAC                                                                             | 44      |
| M18 DBSC      | M18™ DUAL BAY SUPER CHARGER                                                               | 93      |
| M18 DFC       | M18™ DUAL BAY RAPID CHARGER                                                               | 93      |
| M18 F2BCU     | M18 FUEL™ DUAL BATTERY BRUSH CUTTER                                                       | 79      |
| M18 F2BL      | M18 FUEL™ DUAL BATTERY BLOWER                                                             | 82      |
| M18 F2BPB     | M18 FUEL™ DUAL BATTERY BACKPACK BLOWER                                                    | 82      |
| M18 F2CHS50   | M18 FUEL™ DUAL BATTERY CHAINSAW 50 CM                                                     | 81      |
| M18 F2LM46    | M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 46 CM                                    | 79      |
| M18 F2LM53    | M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM                                    | 79      |
| M18 F2VC23L   | M18 FUEL™ 23L L-CLASS VACUUM                                                              | 44      |
| M18 FAC       | M18 FUEL™ AIR COMPRESSOR                                                                  | 41      |
| M18 FAP       | M18 FUEL™ POLISHER                                                                        | 33      |
| M18 FB12      | M18™ FORGET™ 12.0 AH BATTERY                                                              | 92      |
| M18 FB6       | M18™ FORGET™ 6.0 AH BATTERY                                                               | 92      |
| M18 FB8       | M18™ FORGET™ 8.0 AH BATTERY                                                               | 92      |
| M18 FBCU      | M18 FUEL™ BRUSH CUTTER                                                                    | 79      |
| M18 FBJS      | M18 FUEL™ BODY GRIP JIGSAW                                                                | 38, 40  |
| M18 FBLG3     | M18 FUEL™ BLOWER                                                                          | 81      |
| M18 FBPV      | M18 FUEL™ BACKPACK VACUUM                                                                 | 44      |
| M18 FBS127    | M18 FUEL™ DEEP CUT BAND SAW GEN 2                                                         | 34      |
| M18 FBS127D0  | M18 FUEL™ DUAL-TRIGGER DEEP CUT BAND SAW WITH ONE-KEY™                                    | 34      |
| M18 FBS85     | M18 FUEL™ COMPACT BAND SAW                                                                | 34      |
| M18 FBTS75    | M18 FUEL™ 75 MM BELT SANDER                                                               | 41      |
| M18 FCDDEXL   | COMPACT DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS                    | 17      |
| M18 FCHS      | M18 FUEL™ CHAINSAW WITH 40 CM BAR                                                         | 80      |
| M18 FCHS35    | M18 FUEL™ CHAINSAW WITH 35 CM BAR                                                         | 80      |
| M18 FCHSC     | M18 FUEL™ CHAINSAW WITH 30 CM BAR                                                         | 80      |
| M18 FCOS230   | M18 FUEL™ CUT-OFF SAW                                                                     | 19      |
| M18 FCS552    | M18 FUEL™ COMPACT CIRCULAR SAW                                                            | 37, 38  |
| M18 FCS66GR3  | M18 FUEL™ GUIDE RAIL COMPATIBLE CIRCULAR SAW                                              | 38, 39  |
| M18 FCSRH662  | M18 FUEL™ REAR HANDLE CIRCULAR SAW GEN2                                                   | 37, 38  |
| M18 FCSSM     | M18 FUEL™ COMPACT SECTIONAL SEWER MACHINE                                                 | 75      |
| M18 FCVN      | M18 FUEL™ NEEDLE CONCRETE VIBRATOR                                                        | 19      |
| M18 FDCPF8    | M18 FUEL™ DRAIN CLEANER - POWER FEED 8 MM                                                 | 75      |
| M18 FDDEC     | M18™ DEDICATED DUST EXTRACTOR FOR M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS-PLUS HAMMER | 18      |
| M18 FDDEL32   | DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH AUTOPULSE™    | 16      |
| M18 FDDEXL    | DEDICATED DUST EXTRACTION FOR M18 FUEL™26 MM SDS-PLUS HAMMERS WITH AUTOPULSE™             | 17      |
| M18 FDGRB     | M18 FUEL™ BRAKING DIE GRINDER WITH SLIDE SWITCH                                           | 34      |
| M18 FDGROVB   | M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND SLIDE SWITCH              | 34      |
| M18 FDGROVPDB | M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND PADDLE SWITCH             | 34      |
| M18 FDN       | M18 FUEL™ DUPLEX NAILER                                                                   | 42      |
| M18 FEDG      | M18 FUEL™ EDGER                                                                           | 80      |
| M18 FFN       | M18 FUEL™ 34° FRAMING NAILER 2-MODE                                                       | 41, 43  |
| M18 FFN21     | M18 FUEL™ 21° FRAMING NAILER 2-MODE                                                       | 41, 43  |
| M18 FFSDC10   | M18 FUEL™ FREE STANDING DRAIN CLEANER 10 MM                                               | 74      |
| M18 FFSDC16   | M18 FUEL™ FREE STANDING DRAIN CLEANER 16 MM                                               | 74      |
| M18 FFUS      | M18 FUEL™ FENCING UTILITY STAPLER                                                         | 42      |
| M18 FH        | M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER                                                    | 15, 17  |
| M18 FHAC16    | M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS-PLUS HAMMER                                   | 15, 18  |
| M18 FHACDDE   | M18 FUEL™ HIGH PERFORMANCE 4-MODE 16 MM SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR     | 18      |

|                     |                                                                                        |             |
|---------------------|----------------------------------------------------------------------------------------|-------------|
| M18 FHAC0D32        | M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH ONE-KEY™                                 | 15, 16      |
| M18 FHAFOH16        | M18 FUEL™ 16 MM SDS-PLUS HAMMER WITH INTEGRATED DUST EXTRACTOR                         | 15, 17      |
| M18 FHET60G2        | M18 FUEL™ HEDGE TRIMMER 60 CM                                                          | 80          |
| M18 FHET75G2        | M18 FUEL™ HEDGE TRIMMER 75 CM                                                          | 80          |
| M18 FHETE22         | M18 FUEL™ EXTENDED POLE HEDGE TRIMMER 216 CM                                           | 80          |
| M18 FHETE27         | M18 FUEL™ EXTENDED POLE HEDGE TRIMMER 267 CM                                           | 80          |
| M18 FHIWF2F12       | M18 FUEL™ 1/2 HIGH TORQUE IMPACT WRENCH WITH FRICTION RING                             | 24 - 25, 27 |
| M18 FHIWF1R         | M18 FUEL™ 1" RAILWAY IMPACT WRENCH WITH FRICTION RING                                  | 24 - 25, 26 |
| M18 FHM             | M18 FUEL™ ONE-KEY™ 8 KG SDS-MAX DRILLING AND BREAKING HAMMER                           | 16          |
| M18 FHS20           | M18 FUEL™ HATCHET™ PRUNING SAW 20 CM                                                   | 81          |
| M18 FHSAG125XPDB2   | M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH PADDLE SWITCH                   | 30, 31      |
| M18 FHSAGO125VXPDB2 | M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH VARIABLE SPEED AND ONE-KEY™     | 30, 31      |
| M18 FHSAGO180VXPDB2 | M18 FUEL™ HIGH PERFORMANCE 180 MM BRAKING GRINDER WITH VARIABLE SPEED & ONE-KEY™ GEN 2 | 30, 31      |
| M18 FHX             | M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™                                    | 15, 17      |
| M18 FHZ             | M18 FUEL™ HACKZALL™                                                                    | 38, 39      |
| M18 FID3            | M18 FUEL™ 1/4" HEX IMPACT DRIVER                                                       | 22, 23      |
| M18 FIW2F12         | M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING                                | 24 - 25, 28 |
| M18 FIW2F38         | M18 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH FRICTION RING                                | 24 - 25, 28 |
| M18 FJS             | M18 FUEL™ TOP HANDLE JIGSAW                                                            | 38, 40      |
| M18 FLAG230XPDB     | M18 FUEL™ 230 MM LARGE BRAKING GRINDER WITH PADDLE SWITCH                              | 30, 31      |
| M18 FMCS            | M18 FUEL™ 57 MM METAL CIRCULAR SAW                                                     | 33          |
| M18 FMCS66          | M18 FUEL™ 66 MM METAL CIRCULAR SAW                                                     | 33          |
| M18 FMDP            | M18 FUEL™ MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET                                | 34          |
| M18 FMS190          | M18 FUEL™ 190 MM MITRE SAW                                                             | 35          |
| M18 FMS254          | M18 FUEL™ 254 MM MITRE SAW                                                             | 35          |
| M18 FMS305          | M18 FUEL™ ONE-KEY™ 305 MM MITRE SAW                                                    | 35          |
| M18 FMT             | M18 FUEL™ MULTI-TOOL                                                                   | 38, 40      |
| M18 FMTIW2F12       | M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH FRICTION RING                             | 24 - 25, 27 |
| M18 FMTIW2F38       | M18 FUEL™ 3/6" MID TORQUE IMPACT WRENCH WITH FRICTION RING                             | 24 - 25, 27 |
| M18 FN15GA          | M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE                                       | 42, 43      |
| M18 FN16GA          | M18 FUEL™ 16 GA ANGLED NAIL FINISH NAILER 2-MODE                                       | 42, 43      |
| M18 FN16GS          | M18™ FUEL™ 16 GA STRAIGHT FINISH NAILER                                                | 42, 43      |
| M18 FN18GS          | M18 FUEL™ 18 GS FINISH NAILER                                                          | 42, 43      |
| M18 FNCS18GS        | M18 FUEL™ NARROW CROWN STAPLER 2-MODE                                                  | 43, 44      |
| M18 FOPH-BA         | QUIK-LOK™ BLOWER ATTACHMENT                                                            | 83          |
| M18 FOPH-BBA        | QUIK-LOK™ BRISTLE BRUSH ATTACHMENT                                                     | 83          |
| M18 FOPH-BCA        | QUIK-LOK™ BRUSH CUTTER ATTACHMENT                                                      | 83          |
| M18 FOPH-CA         | QUIK-LOK™ CULTIVATOR ATTACHMENT                                                        | 83          |
| M18 FOPH-CSA        | QUIK-LOK™ CHAINSAW ATTACHMENT                                                          | 83          |
| M18 FOPH-EA         | QUIK-LOK™ EDGER ATTACHMENT                                                             | 83          |
| M18 FOPH-EXA        | QUIK-LOK™ EXTENSION ATTACHMENT                                                         | 83          |
| M18 FOPH-HTA        | QUIK-LOK™ HEDGE TRIMMER ATTACHMENT                                                     | 83          |
| M18 FOPH-LTA        | QUIK-LOK™ GRASS TRIMMER ATTACHMENT                                                     | 83          |
| M18 FOPH-RA         | QUIK-LOK™ RECIPROCATOR ATTACHMENT                                                      | 83          |
| M18 FOPH-RBA        | QUIK-LOK™ RUBBER BROOM ATTACHMENT                                                      | 83          |
| M18 FOPH-SHTA       | QUIK-LOK™ SHORT HEDGE TRIMMER ATTACHMENT                                               | 83          |
| M18 FOPH2           | M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™                                            | 83          |
| M18 FOPHLTKIT2      | M18 FUEL™ OUTDOOR POWER HEAD - GRASS TRIMMER KIT                                       | 83          |
| M18 FPD3            | M18 FUEL™ PERCUSSION DRILL                                                             | 19, 20      |
| M18 FPDDEXL         | DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS HAMMERS WITH AUTOPULSE™         | 16          |
| M18 FPFT            | M18 FUEL™ POWERED FISH TAPE                                                            | 66          |
| M18 FPM             | M18 FUEL™ PADDLE MIXER                                                                 | 19          |
| M18 FPOVCL          | M18 FUEL™ PACKOUT™ WET/ DRY VACUUM                                                     | 44          |
| M18 FPS55           | M18 FUEL™ 55 MM PLUNGE SAW                                                             | 37, 38      |
| M18 FPT114          | M18 FUEL™ PIPE THREADER 1 1/4" WITH ONE-KEY™                                           | 70          |
| M18 FPT2            | M18 FUEL™ PIPE THREADER 2" WITH ONE-KEY™                                               | 70          |
| M18 FPXP            | M18 FUEL™ UPONOR™ Q&E EXPANSION TOOL                                                   | 73          |
| M18 FQID            | M18 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER                                      | 22, 23      |



| TOOLS              |                                                                                                   | 4 - 101     |
|--------------------|---------------------------------------------------------------------------------------------------|-------------|
| M18 FR12           | M18 FUEL™ 12 MM ROUTER                                                                            | 40          |
| M18 FRAD2          | M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL DRIVER GEN II                                     | 21          |
| M18 FRCN45         | M18 FUEL™ ROOFING COIL NAILER                                                                     | 42, 43      |
| M18 FROP15         | M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM STROKE                                               | 33          |
| M18 FROP21         | M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM STROKE                                               | 33          |
| M18 FROS125        | M18 FUEL™ 125 MM RANDOM ORBIT SANDER                                                              | 41          |
| M18 FSAGF125XPDB   | M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH PADDLE SWITCH                                | 30, 32      |
| M18 FSG            | M18 FUEL™ SCREW GUN                                                                               | 23          |
| M18 FSGC           | M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT                                                    | 23          |
| M18 FSX            | M18 FUEL™ SUPER SAWZALL™                                                                          | 38, 39      |
| M18 FSZ            | M18 FUEL™ SAWZALL™                                                                                | 38, 39      |
| M18 FTHCHS30       | M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR                                                      | 81, 84      |
| M18 FTHCHS35       | M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR                                                      | 81, 84      |
| M18 FTSP30         | M18 FUEL™ TELESCOPIC POLE SAW 30 CM                                                               | 82, 85      |
| M18 FTR8           | M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES                                           | 40          |
| M18 FTS210         | M18 FUEL™ ONE-KEY™ TABLE SAW                                                                      | 37, 38      |
| M18 FVP5           | M18 FUEL™ VACUUM PUMP 5 CFM                                                                       | 73          |
| M18 GG             | M18™ GREASE GUN                                                                                   | 29          |
| M18 HB3            | M18™ HIGH OUTPUT™ 3.0 AH BATTERY                                                                  | 84 - 85, 92 |
| M18 HB5.5          | M18™ HIGH OUTPUT™ 5.5 AH BATTERY                                                                  | 84 - 85, 92 |
| M18 HCC125         | M18™ FORCE LOGIC™ HYDRAULIC 125 MM CABLE CUTTER                                                   | 65          |
| M18 HCC45          | M18™ FORCE LOGIC™ HYDRAULIC 44 MM CABLE CUTTER                                                    | 65          |
| M18 HCC75R         | M18™ FORCE LOGIC™ HYDRAULIC REMOTE UNDERGROUND CABLE CUTTER                                       | 65          |
| M18 HCCT           | M18™ FORCE LOGIC™ HYDRAULIC 53 KN CABLE CRIMPER                                                   | 67          |
| M18 HCCT109/42     | M18™ FORCE LOGIC™ HYDRAULIC 109 KN CABLE CRIMPER                                                  | 67          |
| M18 HDCT           | M18™ FORCE LOGIC™ HYDRAULIC DIELESS CRIMPER                                                       | 67          |
| M18 HKP            | M18™ FORCE LOGIC™ HYDRAULIC KNOCKOUT PUNCH                                                        | 66          |
| M18 HMP700         | M18™ HYDRAULIC MINI PUMP 700 BAR                                                                  | 29          |
| M18 HOAL           | M18™ HIGH OUTPUT AREA LIGHT                                                                       | 87          |
| M18 HOSALC         | M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER                                                         | 87          |
| M18 HSFC125R       | M18™ FORCE LOGIC™ HYDRAULIC 125 MM SAFETY CABLE CUTTER                                            | 65          |
| M18 HSFSM          | M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE                                                            | 75          |
| M18 HUP700         | M18™ HYDRAULIC UTILITY PUMP                                                                       | 66          |
| M18 IL             | M18™ LED INSPECTION LIGHT                                                                         | 89          |
| M18 LL             | M18™ LED LANTERN LIGHT                                                                            | 89          |
| M18 MDBSC          | M18™ MOBILE DUAL BAY SUPER CHARGER                                                                | 93          |
| M18 MDTL           | M18™ MULTI-DIRECTIONAL TASK LIGHT                                                                 | 88          |
| M18 MPC6           | M18™ MOBILE PACKOUT™ SIX BAY RAPID CHARGER                                                        | 93          |
| M18 ONEBLHPT       | M18™ FORCE LOGIC™ BRUSHLESS PRESS TOOL WITH ONE-KEY™                                              | 69          |
| M18 ONEFIHWF1      | M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING                                | 24 - 25, 26 |
| M18 ONEFIHWF12     | M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING                              | 24 - 25, 26 |
| M18 ONEFIHWF1D     | M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL    | 24 - 25, 26 |
| M18 ONEFIHWF1DS    | M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL       | 24 - 25, 26 |
| M18 ONEFIHWF34     | M18 FUEL™ ONE-KEY™ 3/4" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING                              | 24 - 25, 26 |
| M18 ONEFIHWH716    | M18 FUEL™ 7/16" HEX UTILITY HIGH TORQUE IMPACT WRENCH WITH ONE-KEY™                               | 24 - 25, 27 |
| M18 ONEFHPX        | M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ AND FIXTEC™ CHUCK           | 15, 16      |
| M18 ONEFHX         | M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK AND ONE-KEY™                            | 15, 17      |
| M18 ONEFIW2FC12    | M18 FUEL™ ONE-KEY™ TORQUE-SENSE™ 1/2 CONTROLLED SOLAR COMPACT IMPACT WRENCH WITH FRICTION RING    | 24 - 25, 26 |
| M18 ONEFLAG230XPDB | M18 FUEL™ ONE-KEY™ 230 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH                                | 14, 30, 31  |
| M18 ONEFLT         | M18 FUEL™ LOCKBOLT TOOL WITH ONE-KEY™                                                             | 29          |
| M18 ONEFMTIW2FC12  | M18 FUEL™ ONE-KEY™ TORQUE-SENSE™ 1/2 CONTROLLED SOLAR MID-TORQUE IMPACT WRENCH WITH FRICTION RING | 24 - 25, 26 |
| M18 ONEFPRT        | M18 FUEL™ RIVET TOOL WITH ONE-KEY™                                                                | 29          |
| M18 ONEFSZ         | M18 FUEL™ ONE-KEY™ SAWZALL™                                                                       | 38, 39      |
| M18 ONEHCC         | M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER                                                    | 66          |
| M18 ONEID3         | M18 FUEL™ ONE-KEY™ 1/4" HEX IMPACT DRIVER                                                         | 21, 22      |

|                  |                                                                            |             |
|------------------|----------------------------------------------------------------------------|-------------|
| M18 ONEIWF12     | M18 FUEL™ ONE-KEY™ 1/2 IMPACT WRENCH WITH FRICTION RING                    | 24 - 25, 27 |
| M18 ONEIWP12     | M18 FUEL™ ONE-KEY™ 1/2 IMPACT WRENCH WITH PIN DETENT                       | 24 - 25     |
| M18 ONEPD3       | M18 FUEL™ ONE-KEY™ PERCUSSION DRILL                                        | 19, 20      |
| M18 ONERSAL      | M18™ ONE-KEY™ LED REMOTE STAND LIGHT                                       | 87          |
| M18 ONESLDP      | M18™ ONE-KEY™ LED COMPACT SITE LIGHT CHARGER                               | 86          |
| M18 ONESLSP      | M18™ ONE-KEY™ LED COMPACT SITE LIGHT                                       | 86          |
| M18 PAL2         | M18™ PIVOTING AREA LIGHT                                                   | 88          |
| M18 PC6          | M18™ PACKOUT™ SIX BAY RAPID CHARGER                                        | 93          |
| M18 POALC        | M18™ PACKOUT™ AREA LIGHT CHARGER                                           | 87          |
| M18 PRCDAB+      | M18™ PACKOUT™ RADIO CHARGER                                                | 45          |
| M18 RADDAB+G2    | M18™ JOBSITE RADIO DAB+                                                    | 45          |
| M18 RC           | M18™ JOBSITE RADIO CHARGER WITH BLUETOOTH®                                 | 45          |
| M18 RLOH600      | M18™ 600 M HORIZONTAL ROTARY LASER WITH ONE-KEY™                           | 61          |
| M18 RLOHV1200    | M18™ 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE ROTARY LASER WITH ONE-KEY™ | 61          |
| M18 RLOHVG300    | M18™ 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER WITH ONE-KEY™            | 61          |
| M18 SAL2         | M18™ LED STAND LIGHT                                                       | 87          |
| M18 SIC30 HDR    | M18™ SEWER INSPECTION CAMERA REEL 30 M, 25 MM HDR CAMERA HEAD              | 76          |
| M18 SIC36 HDR    | M18™ SEWER INSPECTION CAMERA REEL 36 M, 25 MM HDR CAMERA HEAD              | 76          |
| M18 SIC60 HDR    | M18™ SEWER INSPECTION CAMERA REEL 60 M, 60 MM CAMERA HEAD                  | 76          |
| M18 SIC60SC HDR  | M18™ SEWER INSPECTION CAMERA REEL 60 M, 25 MM CAMERA HEAD                  | 76          |
| M18 SIM          | M18™ SEWER INSPECTION MONITOR                                              | 77          |
| M18 SISH         | M18™ SEWER INSPECTION SMART HUB                                            | 77          |
| M18 SLED         | M18™ LED SEARCH LIGHT                                                      | 88          |
| M18 SPEJSG2      | M18™ JOBSITE SPEAKER                                                       | 45          |
| M18 STSO         | M18™ FORCE LOGICT STRUT SHEAR                                              | 72          |
| M18 TAL          | M18™ TRADESMAN AREA LIGHT                                                  | 87          |
| M18 TLED         | M18™ LED TORCH                                                             | 90          |
| M18 VC2          | M18™ WET/ DRY VACUUM                                                       | 44          |
| ML-LED           | ALKALINE FLASHLIGHT                                                        | 91          |
| MPS              | MILWAUKEE® PIPE STAND                                                      | 71          |
| MSL 1000         | MITRE SAW STAND EXTENDABLE UP TO 2 M                                       | 35, 36      |
| MSL 2000         | MITRE SAW STAND EXTENDABLE UP TO 2.5 M                                     | 35, 36      |
| MSUV 280         | MITRE SAW STAND EXTENDABLE UP TO 2.8 M                                     | 36, 37      |
| MXF C            | MX FUEL™ CHARGER                                                           | 9           |
| MXF COS350G2     | MX FUEL™ 350 MM CUT-OFF SAW                                                | 6, 10       |
| MXF COSCG2       | MX FUEL™ CUT-OFF SAW CART                                                  | 6           |
| MXF CP203        | MX FUEL™ REDLITHIUM™ 3.0 AH BATTERY                                        | 9           |
| MXF CVCB         | MX FUEL™ BRIEFCASE CONCRETE VIBRATOR                                       | 5, 10       |
| MXF CVBP         | MX FUEL™ BACKPACK CONCRETE VIBRATOR                                        | 5, 10       |
| MXF CVHF         | MX FUEL™ HIGH FREQUENCY CONCRETE VIBRATOR                                  | 5, 10       |
| MXF DCD150       | MX FUEL™ 150 MM DIAMOND CORE DRILL                                         | 6, 10       |
| MXF DCD350       | MX FUEL™ 350 MM DIAMOND CORE DRILL                                         | 6, 10       |
| MXF DH2528H      | MX FUEL™ 25 KG CLASS 28 MM HEX DEMOLITION HAMMER                           | 7, 10       |
| MXF DHT          | BREAKER TROLLEY FOR MX FUEL™ DEMOLITION HAMMER                             | 7           |
| MXF DR255TV      | PREMIUM DIAMOND DRILLING STAND FOR MX FUEL™ DIAMOND CORE DRILL             | 6           |
| MXF FC           | MX FUEL™ FAST CHARGER                                                      | 9           |
| MXF FORGENRG-122 | MX FUEL™ FORGE™ BATTERIES AND CHARGER KIT                                  | 9           |
| MXF FORGENRG-802 | MX FUEL™ FORGE™ BATTERIES AND CHARGER KIT                                  | 9           |
| MXF HD812        | MX FUEL™ FORGE™ 12.0 AH BATTERY                                            | 9, 10       |
| MXF LSDP         | MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™                         | 7           |
| MXF NRG-602      | MX FUEL™ BATTERIES AND CHARGER KIT                                         | 9           |
| MXF PBE          | MX FUEL™ PORTABLE BATTERY EXTENSION                                        | 8           |
| MXF PCS0         | MX FUEL™ PLATE COMPACTOR                                                   | 4, 10       |
| MXF PS           | MX FUEL™ POWER SUPPLY                                                      | 8, 10       |
| MXF PSC          | MX FUEL™ SCREED                                                            | 5, 10       |
| MXF PTR2         | MX FUEL™ PIPE THREADING MACHINE 2"                                         | 7, 10       |
| MXF RAM          | MX FUEL™ RAMMER                                                            | 4, 10       |
| MXF SC           | MX FUEL™ SUPER CHARGER                                                     | 9           |
| MXF SMP2         | MX FUEL™ SUBMERSIBLE PUMP                                                  | 5, 10       |
| MXF TL           | MX FUEL™ TOWER LIGHT                                                       | 7, 10       |

| TOOLS       |                                           | 4 - 101 |
|-------------|-------------------------------------------|---------|
| MXF TLIC    | MX FUEL™ COMPACT SITE LIGHT               | 7, 10   |
| MXF WBT60   | MX FUEL™ 600 MM WALK BEHIND EDGING TROWEL | 5, 10   |
| MXF WBT90   | MX FUEL™ 900 MM WALK BEHIND POWER TROWEL  | 5, 10   |
| MXF XC406   | MX FUEL™ REDLITHIUM™ 6.0 AH BATTERY       | 9       |
| MXF XC608   | MX FUEL™ FORGE™ 8.0 AH BATTERY            | 9, 10   |
| PODS-1      | PACKOUT™ COMPATIBLE DUST SEPERATOR        | 44      |
| RCS         | REMOTE CONTROL SOCKET AND CONTROLLER KIT  | 100     |
| RD1200      | ROTARY LASER DETECTOR 1200 M              | 62      |
| RD300G      | ROTARY LASER DETECTOR 300 M GREEN         | 62      |
| RD600       | ROTARY LASER DETECTOR 600 M               | 62      |
| ROD500      | 500 CM GRADE ROD                          | 64      |
| SPS 140     | 1/4 SHEET SANDER                          | 100     |
| SR240       | 240 CM STAFF ROD                          | 64      |
| SSD 1100 X  | 1100 W SAWZALL™                           | 99      |
| SSPE 1500 X | 1500 W SUPER SAWZALL™                     | 99      |
| TRP120      | 1.2 METER COMPACT LASER TRIPOD            | 64      |
| TRP160      | 1.6 METRE LASER TRIPOD                    | 64      |
| TRP180      | 1.8 METER LASER TRIPOD                    | 63      |
| TRP300      | 3.0 METRE LASER TRIPOD                    | 63      |
| TSS 1000    | TABLE SAW STAND                           | 37      |
| WLB         | WIRELESS LASER ALIGNMENT BASE             | 63      |

| SYSTEM ATTACHMENTS                                |  | 102 - 142 |
|---------------------------------------------------|--|-----------|
| CRIMPING DIES                                     |  | 130 - 131 |
| SIDE HANDLES                                      |  | 121       |
| SYSTEM ATTACHMENTS - ANGLE GRINDERS               |  | 126       |
| CUTTING AND GRINDING DUST EXTRACTION              |  | 126       |
| FLEXIBLE BACKING PADS                             |  | 126       |
| SYSTEM ATTACHMENTS - BANDSAWS                     |  | 127       |
| BANDSAW COVERS                                    |  | 127       |
| SYSTEM ATTACHMENTS - CABLE CUTTERS                |  | 132       |
| SYSTEM ATTACHMENTS - CAULK GUNS                   |  | 136       |
| SYSTEM ATTACHMENTS - CIRCULAR SAWS                |  | 127       |
| GUIDE RAILS AND ATTACHMENTS                       |  | 127       |
| SYSTEM ATTACHMENTS - DIE GRINDERS                 |  | 119       |
| SYSTEM ATTACHMENTS - DRAIN CLEANERS               |  | 108       |
| SYSTEM ATTACHMENTS - DUST ABSORPTION              |  | 139 - 140 |
| FILTER BAGS                                       |  | 140       |
| FILTER CARTRIDGES                                 |  | 140       |
| M12™ / M18™ DUST ABSORPTION SYSTEM                |  | 139       |
| SYSTEM ATTACHMENTS - AIR TIP™ ATTACHMENTS         |  | 141       |
| VACUUM CLEANERS                                   |  | 140       |
| SYSTEM ATTACHMENTS - ELECTRICAL TEST & MEASURING  |  | 137       |
| SYSTEM ATTACHMENTS - EXPANSION TOOLS              |  | 135       |
| EXPANDER HEADS                                    |  | 135       |
| RAPID SEAL™ EXPANDER HEADS                        |  | 135       |
| SYSTEM ATTACHMENTS - FLEXIBLE SHAFT MACHINE       |  | 142       |
| SYSTEM ATTACHMENTS - HEATED JACKETS               |  | 137       |
| SYSTEM ATTACHMENTS - HYDRAULIC PUMP               |  | 134       |
| SYSTEM ATTACHMENTS - HYDRAULIC KNOCKOUT PUNCH     |  | 134       |
| SYSTEM ATTACHMENTS - IMPACT WRENCHES              |  | 122       |
| RUBBER SLEEVES FOR IMPACT WRENCHES                |  | 122       |
| SYSTEM ATTACHMENTS - INSPECTION CAMERAS           |  | 138       |
| SYSTEM ATTACHMENTS - JIGSAWS                      |  | 118       |
| SYSTEM ATTACHMENTS - M18 FUEL™ FISH TAPES         |  | 133       |
| SYSTEM ATTACHMENTS - MAGNETIC DRILL STANDS        |  | 106       |
| SYSTEM ATTACHMENTS - NAILERS                      |  | 118       |
| SYSTEM ATTACHMENTS - NIBBLERS                     |  | 119       |
| SYSTEM ATTACHMENTS - ONE-KEY™ BLUETOOTH® TRACKING |  | 137       |
| SYSTEM ATTACHMENTS - OUTDOOR PRODUCTS             |  | 128 - 129 |
| SYSTEM ATTACHMENTS - BLOWERS                      |  | 129       |
| SYSTEM ATTACHMENTS - CHAINSAWS                    |  | 128       |
| SYSTEM ATTACHMENTS - LINE TRIMMERS                |  | 129       |
| SYSTEM ATTACHMENTS - MOWERS                       |  | 129       |

|                                                        |           |
|--------------------------------------------------------|-----------|
| SYSTEM ATTACHMENTS - OTHER OUTDOOR PRODUCTS            | 129       |
| SYSTEM ATTACHMENTS - PASS-THROUGH RATCHET              | 139       |
| SYSTEM ATTACHMENTS - PIPE CUTTERS                      | 132       |
| SYSTEM ATTACHMENTS - PIPE STAND                        | 138       |
| SYSTEM ATTACHMENTS - PIPE THREADER                     | 104 - 105 |
| SYSTEM ATTACHMENTS - PIPE THREADER DIE HEADS           | 105       |
| SYSTEM ATTACHMENTS - PIPE THREADER DIES                | 104       |
| SYSTEM ATTACHMENTS - PLANERS                           | 128       |
| PLANER BLADES                                          | 128       |
| SYSTEM ATTACHMENTS - PLATE SHEARS                      | 119       |
| SYSTEM ATTACHMENTS - POLISHERS                         | 114 - 116 |
| PREMIUM POLISHING ACCESSORIES - CLOTHS                 | 114       |
| PREMIUM POLISHING ACCESSORIES - COMPOUNDS              | 114       |
| PREMIUM POLISHING ACCESSORIES - SPONGES                | 114       |
| POLISHING ACCESSORIES - HOOK & LOOP Ø 125/150 MM       | 115       |
| POLISHING ACCESSORIES - SPOT POLISHER                  | 116       |
| SYSTEM ATTACHMENTS - PORTABLE BATTERY EXTENSION        | 142       |
| SYSTEM ATTACHMENTS - PRESS JAWS                        | 110 - 113 |
| EMPTY PACKOUT™ FOAM INSERT                             | 113       |
| PIVOTING RING JAWS                                     | 113       |
| PRESS JAW ACR STREAMLINE                               | 113       |
| PROFILE BPM                                            | 112       |
| PROFILE FF                                             | 111       |
| PROFILE G                                              | 111       |
| PROFILE G 2                                            | 112       |
| PROFILE M                                              | 110       |
| PROFILE M 2                                            | 112       |
| PROFILE TH                                             | 111       |
| PROFILE U                                              | 110       |
| PROFILE V                                              | 110       |
| PROFILE VIEGA MEGA PRESS                               | 111       |
| SYSTEM ATTACHMENTS - ROTARY HAMMERS                    | 123 - 125 |
| CHUCK KEYS                                             | 124       |
| INDUSTRIAL KEYLESS CHUCKS FOR CORDED PERCUSSION DRILLS | 125       |
| KEYED CHUCKS                                           | 124       |
| KEYED CHUCKS - MACHINE SPECIFIC                        | 124       |
| KEYED CHUCKS WITH 1/4" HEX RECEPTION                   | 124       |
| KEYLESS CHUCKS 2 SLEEVES                               | 125       |
| KEYLESS CHUCKS FOR FIXTEC (SPINDLE LOCK) MACHINES      | 125       |
| KEYLESS CHUCKS - SPECIFIC TOOL RELATED CHUCKS          | 125       |
| ROTARY HAMMERS CHUCK ADAPTORS                          | 123       |
| SYSTEM ATTACHMENTS - ROUTERS                           | 138       |
| SYSTEM ATTACHMENTS - SANDERS                           | 116 - 117 |
| BELT SANDERS                                           | 116       |
| RANDOM ORBITAL SANDERS                                 | 117       |
| SYSTEM ATTACHMENT - SAWZALL™                           | 118       |
| SYSTEM ATTACHMENTS - SCREWDRIVERS                      | 121       |
| SYSTEM ATTACHMENTS - SECTIONAL SEWER MACHINES          | 109       |
| SYSTEM ATTACHMENTS - STRUT SHEAR                       | 133       |
| SYSTEM ATTACHMENTS - THREADED ROD CUTTER               | 133       |
| SYSTEM ATTACHMENTS - VIBRATORS                         | 102 - 103 |
| SYSTEM ATTACHMENTS - CONCRETE VIBRATOR HEADS           | 102       |
| SYSTEM ATTACHMENTS - CONCRETE VIBRATOR WHIPS           | 102       |
| SYSTEM ATTACHMENTS - HIGH SPEED CONCRETE VIBRATOR      | 102       |
| SYSTEM ATTACHMENTS - PLATE COMPACTOR                   | 103       |
| SYSTEM ATTACHMENTS - SCREED                            | 103       |
| SYSTEM ATTACHMENTS - TROWEL                            | 103       |
| SYSTEM ATTACHMENTS - WALL CHASERS                      | 120       |
| SYSTEM ATTACHMENTS - WET DIAMOND DRILLING              | 107       |
| UNIVERSAL RIGHT ANGLE DRILL ATTACHMENT                 | 122       |
| QUIK-LOK™ CABLES                                       | 122       |





Nothing but **HEAVY DUTY.**<sup>™</sup>

Distributed by:

**Techtronic Industries UK Ltd**

Suite A, Second Floor

Marlow International

Parkway

Marlow

Bucks

SL7 1YL

Tel: +44 (0)1628 894400

Fax: +44 (0)1628 894401